### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 3/18/2020 Revision date: 4/24/2024 Supersedes version of: 2/21/2022 Version: 1.1



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form	: Mixture
Trade name	: ROSEHIPS AND HEMP
UFI	: 8M5Q-V3J8-U006-FK32
Product code	: CC-16388
Type of product	: Perfumes, fragrances
Product group	: Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Industrial use,Professional use
Industrial/Professional use spec	: For professional use only
	Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

2.1. Oldssmouton of the substance of mixture	
Classification according to Regulation (EC) No. 1272/200	8 [CLP]
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute Hazard,	H400
Category 1	
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

Labelling according to Regulation (EC) No	. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS07 GHS09
Signal word (CLP)	: Warning
Contains	: benzyl benzoate; Hexyl cinnamic aldehyde; Phenylethyl alcohol; Linalool; Benzyl salicylate; Linalyl acetate; Cedramber; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone; Bergamot oil; Citrus medica limonum (Lemon) peel oil ; (R)-p- mentha-1,8-diene; d-limonene; Helional; Orange oil ; COUMARIN; Melonal; Petitgrain oil; Patchouli oil
Hazard statements (CLP)	: H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	<ul> <li>P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> <li>P273 - Avoid release to the environment.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</li> </ul>
Extra phrases	: For professional users only.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	27.2 – 54.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	4 – 7.95	Skin Sens. 1, H317 Aquatic Chronic 2, H411

## Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	3 – 6	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	2.5478145 – 5.0860661	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	2.2 – 4.3	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.5 – 3	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	1.2 – 2.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.029094 – 2.0323692	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	1 – 1.95	Eye Irrit. 2, H319
Cedramber	CAS-No.: 19870-74-7 EC-No.: 243-384-7	0.9 – 1.8	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.9 – 1.7	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.6 – 1.25	Aquatic Chronic 2, H411
Helional	CAS-No.: 1205-17-0 EC-No.: 214-881-6 REACH-no: 01-2120740119- 58	0.3 – 0.55	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.32807 – 0.530526	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.2 – 0.35	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.2 – 0.3	Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.1 – 0.25	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Bergamot oil	CAS-No.: 8007-75-8 EC-No.: 289-612-9	0.1 – 0.18	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.0625 – 0.1125	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Melonal	CAS-No.: 106-72-9 EC-No.: 203-427-2	0.1 – 0.1	Skin Sens. 1B, H317
Petitgrain oil	CAS-No.: 8014-17-3 EC-No.: 277-143-2 REACH-no: 01-2120748358- 44	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Patchouli oil	CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7	0.1 – 0.1	Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2-methylpentane-2,4-diol substance with national workplace exposure limit(s) (AT, BE, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, SE, NO, CH)	CAS-No.: 107-41-5 EC-No.: 203-489-0 EC Index-No.: 603-053-00-3	0 – 0.045	Skin Irrit. 2, H315 Eye Irrit. 2, H319
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.0191275 – 0.0344295	Flam. Liq. 3, H226
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit Full text of H- and EUH-statements: see section 16	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	0.000002 – 0.0000036	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	<ul> <li>Not expected to present a significant hazard under anticipated conditions of normal use.</li> <li>Irritation. May cause an allergic skin reaction.</li> <li>Eye irritation.</li> </ul>

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. Sand. : Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	<ul> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	oment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
Emergency procedures	: Ventilate area.		

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Wash contaminated clothing before reuse. Contaminated work clothing should not be</li> </ul>
	allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Toluene (108-88-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	192 mg/m³
	50 ppm
IOEL STEL	384 mg/m³
	100 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	190 mg/m³

## Safety Data Sheet

Toluene (108-88-3)	
	50 ppm
MAK (OEL STEL)	380 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
OEL TWA	77 mg/m³
	20 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	
OEL TWA	192 mg/m <sup>3</sup>
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
Bulgaria - Biological limit values	
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m³
	50 ppm
KGVI (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift 20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure 2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine) 1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the work shift (calculated on the average Creatinine value of 1.2 g/L urine)
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m <sup>3</sup>
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin-potential for cutaneous absorption
Czech Republic - Occupational Exposure L	imits
PEL (OEL TWA)	200 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption

## Safety Data Sheet

Toluene (108-88-3)	
Czech Republic - Biological limit values	
BLV	<ul> <li>1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)</li> <li>1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is &gt;2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)</li> <li>1.5 mg/g creatinine Parameter: O-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)</li> <li>1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid setween 1600 and 2500 mg/g of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is &gt;2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is &gt;2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)</li> </ul>
Denmark - Occupational Exposure Limi	ts
OEL TWA	94 mg/m <sup>3</sup>
	25 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	i
OEL TWA	192 mg/m <sup>3</sup>
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	i de la construcción de la constru
HTP (OEL TWA)	81 mg/m <sup>3</sup>
	25 ppm
HTP (OEL STEL)	380 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m <sup>3</sup> (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m <sup>3</sup> (restrictive limit)
	100 ppm (restrictive limit)
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption

## Safety Data Sheet

Toluene (108-88-3)	
France - Biological limit values	
BLV	20 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi- quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limi	ts (TRGS 900)
AGW (OEL TWA)	190 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS	\$ 903)
Biological limit value	<ul> <li>600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure</li> <li>75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift</li> <li>1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts</li> <li>1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift</li> </ul>
Gibraltar - Occupational Exposure Limit	'S
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limit	s
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Potential for cutaneous absorption

## Safety Data Sheet

Toluene (108-88-3)	
Italy - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL chemical category	skin - potential for cutaneous absorption
Latvia - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	14 ppm
OEL chemical category	skin - potential for cutaneous exposure
Latvia - Biological Exposure Indices	
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	192 mg/m³
	50 ppm
TPRV (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Reproductive toxin, Skin notation
Luxembourg - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Malta - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Possibility of significant uptake through the skin
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	150 mg/m³
	39 ppm
TGG-15min (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	100 mg/m³
NDSCh (OEL STEL)	200 mg/m <sup>3</sup>
Portugal - Occupational Exposure Limits	
OEL TWA	192 mg/m³ (indicative limit value)
1	1

## Safety Data Sheet

Toluene (108-88-3)	
	50 ppm (indicative limit value)
OEL STEL	384 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value
Romania - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Romania - Biological limit values	
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	192 mg/m³
	50 ppm
NPHV (OEL C)	384 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
Slovakia - Biological limit values	
BLV	<ul> <li>600 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift</li> <li>1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure)</li> <li>1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift</li> <li>1600 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift</li> </ul>
Slovenia - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Category 2, Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption

## Safety Data Sheet

Toluene (108-88-3)	
Spain - Biological limit values	
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift
Sweden - Occupational Exposure Limits	· · ·
NGV (OEL TWA)	192 mg/m³
	50 ppm
KGV (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure	e Limits
WEL TWA (OEL TWA)	191 mg/m³
	50 ppm
WEL STEL (OEL STEL)	384 mg/m³
	100 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	94 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Lin	nits
MAK (OEL TWA)	190 mg/m³
	50 ppm
KZGW (OEL STEL)	760 mg/m³
	200 ppm
OEL chemical category	Skin notation, Category 2 reproductive toxin
Switzerland - BAT	
BAT	<ul> <li>600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift</li> <li>6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift</li> <li>2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift</li> </ul>
USA - ACGIH - Occupational Exposure Li	mits
ACGIH OEL TWA	20 ppm

## Safety Data Sheet

Toluene (108-88-3)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA - ACGIH - Biological Exposure Indices	
BEI	<ul> <li>0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek</li> <li>0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift</li> <li>0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)</li> </ul>
(R)-p-mentha-1,8-diene; d-limonene (5	989-27-5)
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	140 mg/m <sup>3</sup>
	25 ppm
HTP (OEL STEL)	280 mg/m <sup>3</sup>
	50 ppm
Germany - Occupational Exposure Limits (*	TRGS 900)
AGW (OEL TWA)	28 mg/m $^3$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m <sup>3</sup>
	5 ppm
OEL STEL	112 mg/m <sup>3</sup>
	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m <sup>3</sup>
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m <sup>3</sup>
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	S
MAK (OEL TWA)	40 mg/m <sup>3</sup>
	7 ppm
KZGW (OEL STEL)	80 mg/m <sup>3</sup>
	14 ppm
OEL chemical category	Sensitizer

## Safety Data Sheet

.betaPinene (127-91-3)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	· · ·
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m <sup>3</sup>
	50 ppm
Portugal - Occupational Exposure Limits	· · ·
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	· · ·
VLA-ED (OEL TWA)	113 mg/m <sup>3</sup>
	20 ppm
OEL chemical category	Sensitizer
Sweden - Occupational Exposure Limits	· · ·
NGV (OEL TWA)	150 mg/m³
	25 ppm
KGV (OEL STEL)	300 mg/m <sup>3</sup>
	50 ppm
OEL chemical category	Sensitizer
Norway - Occupational Exposure Limits	· · ·
Grenseverdi (OEL TWA)	140 mg/m <sup>3</sup>
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
USA - ACGIH - Occupational Exposure Limit	S
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m³

## Safety Data Sheet

Benzyl acetate (140-11-4)	
	10 ppm
Denmark - Occupational Exposure Limits	
OEL TWA	61 mg/m <sup>3</sup>
	10 ppm
OEL STEL	122 mg/m <sup>3</sup>
	20 ppm
Ireland - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL STEL	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
Portugal - Occupational Exposure Limits	
OEL TWA	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m <sup>3</sup>
	8 ppm
OEL STEL	80 mg/m <sup>3</sup>
	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	62 mg/m <sup>3</sup>
	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
2-methylpentane-2,4-diol (107-41-5)	
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	49 mg/m³
	10 ppm
MAK (OEL STEL)	49 mg/m³
	10 ppm
OEL C	49 mg/m <sup>3</sup>
	10 ppm
Belgium - Occupational Exposure Limits	
OEL STEL	123 mg/m³
	25 ppm

## Safety Data Sheet

2-methylpentane-2,4-diol (107-41-5)	
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	123 mg/m <sup>3</sup>
	25 ppm
KGVI (OEL STEL)	123 mg/m <sup>3</sup>
	25 ppm
OEL chemical category	Skin notation
Denmark - Occupational Exposure Limits	
OEL C	125 mg/m³
	25 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	120 mg/m³
	25 ppm
HTP (OEL STEL)	200 mg/m <sup>3</sup>
	40 ppm
France - Occupational Exposure Limits	
VLE (OEL C/STEL)	125 mg/m <sup>3</sup>
	25 ppm
Greece - Occupational Exposure Limits	
OEL TWA	125 mg/m <sup>3</sup>
	25 ppm
OEL STEL	125 mg/m <sup>3</sup>
	25 ppm
Ireland - Occupational Exposure Limits	
OEL STEL	125 mg/m <sup>3</sup>
	25 ppm
Lithuania - Occupational Exposure Limits	
NRV (OEL C)	120 mg/m <sup>3</sup>
	25 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	50 mg/m³ (vapor and inhalable fraction)
NDSCh (OEL STEL)	100 mg/m <sup>3</sup> (vapor and inhalable fraction)
Portugal - Occupational Exposure Limits	
OEL C	25 ppm
Spain - Occupational Exposure Limits	
VLA-EC (OEL STEL)	123 mg/m <sup>3</sup>
	25 ppm
Sweden - Occupational Exposure Limits	
KGV (OEL STEL)	120 mg/m <sup>3</sup>
	25 ppm

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-methylpentane-2,4-diol (107-41-5)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	123 mg/m <sup>3</sup>
	25 ppm
WEL STEL (OEL STEL)	123 mg/m <sup>3</sup>
	25 ppm
Norway - Occupational Exposure Limits	
Takverdi (OEL C)	100 mg/m <sup>3</sup>
	20 ppm
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	49 mg/m <sup>3</sup> (aerosol, vapour)
	10 ppm (aerosol, vapour)
KZGW (OEL STEL)	98 mg/m <sup>3</sup> (aerosol, vapour)
	20 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	25 ppm (vapor fraction)
ACGIH OEL STEL	10 mg/m <sup>3</sup> (inhalable particulate matter, aerosol only)
	50 ppm (vapor fraction)

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses. Safety glasses

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

**Respiratory protection:** Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapour pressure Vapour pressure at 50°C Density Relative density	<ul> <li>Liquid</li> <li>light yellow. amber. Conforms to standard.</li> <li>characteristic. characteristic.</li> <li>Not available</li> <li>Not applicable</li> <li>Not available</li> </ul>
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

#### No additional information available

#### 9.2.2. Other safety characteristics

VOC content

: 6.2674591 % (calculated value)(CARB VOC) (%w/w)

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
10.5. Possibility of hazardous feactions
N. C. S. C. P. C. C.
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified	
ROSEHIPS AND HEMP CC-16388		
ATE CLP (oral)	869.346 mg/kg bodyweight	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg bodyweight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)	
LD50 oral	1610 mg/kg	
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	

## Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 5.04 mg/l/4h
Sandela (66068-84-6)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 5.27 mg/l/4h
Vanillin (121-33-5)	
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)
LD50 dermal	2600 mg/kg bodyweight
Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)
LD50 oral	3940 mg/kg bodyweight
Toluene (108-88-3)	
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	12.5 mg/l/4h
Bergamot oil (8007-75-8)	
LD50 oral rat	11520 mg/kg (Source: NLM_CIP)
Citrus medica limonum (Lemon) peel oil (800	8-56-8)
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
.betaPinene (127-91-3)	
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Helional (1205-17-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)

## Safety Data Sheet

Benzyl acetate (140-11-4)	
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Melonal (106-72-9)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Petitgrain oil (8014-17-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
Patchouli oil (8014-09-3)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
2-methylpentane-2,4-diol (107-41-5)	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	12300 mg/kg (Source: NLM_HSDB)
LC50 Inhalation - Rat	> 310 mg/m³ (Exposure time: 1 h Source: NLM_CIP)
Respiratory or skin sensitisation: IGerm cell mutagenicity:Carcinogenicity:	Causes serious eye irritation. May cause an allergic skin reaction. Not classified Not classified
Toluene (108-88-3)	
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
	Not classified Not classified
Toluene (108-88-3)	
STOT-single exposure	May cause drowsiness or dizziness.
	Not classified
Toluene (108-88-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
•	Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Toluene (108-88-3)		
Hydrocarbon	Yes	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
.betaPinene (127-91-3)		
Hydrocarbon	Yes	
Orange oil (8008-57-9)		
Hydrocarbon	Yes	

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 µg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

y/I (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA) D mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight]) y/I (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
) mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])		
y/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)		
Toluene (108-88-3)		
– 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] e: EPA)		
ng/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)		
- 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])		
ng/l (Exposure time: 48 h - Species: Daphnia magna)		
ng/l (Species: Pseudokirchneriella subcapitata [static])		
mg/I (Species: Pseudokirchneriella subcapitata)		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
– 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] e: EPA)		
// (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)		
2-methylpentane-2,4-diol (107-41-5)		
10500 – 11000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow- ʃh])		
) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)		
700 – 3700) mg/l (Exposure time: 48 h - Species: Daphnia magna)		

### 12.2. Persistence and degradability

ROSEHIPS AND HEMP CC-16388		
Persistence and degradability	Not established.	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Phenylethyl alcohol (60-12-8)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable	

## Safety Data Sheet

Sandela (66068-84-6)			
Persistence and degradability	Rapidly degradable		
Vanillin (121-33-5)			
Persistence and degradability	Rapidly degradable		
Linalyl acetate (115-95-7)			
Persistence and degradability	Rapidly degradable		
Cedramber (19870-74-7)			
Persistence and degradability	Rapidly degradable		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	I-2-naphthalenyl)ethanone (54464-57-2)		
Persistence and degradability	Rapidly degradable		
beta-lonone (14901-07-6)			
Persistence and degradability	Rapidly degradable		
Toluene (108-88-3)			
Persistence and degradability	Rapidly degradable		
Bergamot oil (8007-75-8)			
Persistence and degradability	Rapidly degradable		
Citrus medica limonum (Lemon) peel oil (800	Citrus medica limonum (Lemon) peel oil (8008-56-8)		
Persistence and degradability	Rapidly degradable		
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)		
Persistence and degradability	Rapidly degradable		
.betaPinene (127-91-3)			
Persistence and degradability	Rapidly degradable		
Helional (1205-17-0)			
Persistence and degradability	Rapidly degradable		
Orange oil (8008-57-9)			
Persistence and degradability	Rapidly degradable		
Benzyl acetate (140-11-4)			
Persistence and degradability	Rapidly degradable		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
Melonal (106-72-9)			
Persistence and degradability	Rapidly degradable		
Petitgrain oil (8014-17-3)			
Persistence and degradability	Rapidly degradable		
Patchouli oil (8014-09-3)			
Persistence and degradability	Rapidly degradable		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-methylpentane-2,4-diol (107-41-5)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
ROSEHIPS AND HEMP CC-16388		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
Phenylethyl alcohol (60-12-8)		
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)	
Benzyl salicylate (118-58-1)		
Partition coefficient n-octanol/water (Log Pow)	4	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
Linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)	
beta-lonone (14901-07-6)		
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)	
Toluene (108-88-3)		
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Helional (1205-17-0)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Melonal (106-72-9)		
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C (at pH 7)	
Petitgrain oil (8014-17-3)		
Partition coefficient n-octanol/water (Log Pow)	3.38 – 4.88	
2-methylpentane-2,4-diol (107-41-5)		
Partition coefficient n-octanol/water (Log Pow)	< 0.14	
12.4. Mobility in soil		

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	: Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Waste treatment methods

Product/Packaging disposal recommendations Ecological information HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
  - : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
    - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### **SECTION 14: Transport information**

#### In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS	Environmentally hazardous substance, liquid, n.o.s.	ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	(Benzyl Benzoate)	SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)	SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate)
Transport document descr	iption			<u> </u>
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl Benzoate), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
				9 ¥2
14.4. Packing group				
III	III	III	III	III

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	1		

#### 14.6. Special precautions for user

Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Portable tank and bulk container instructions (ADR) Portable tank and bulk container special provisions (ADR) Tank code (ADR) Vehicle for tank carriage Transport category (ADR)	
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	90 3082
Tunnel restriction code (ADR)	:-
EAC code	: •3Z
Transport by sea Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	: 274, 335, 969 : 5 L : E1 : LP01, P001 : PP1 : IBC03 : T4 : TP1, TP29 : F-A : S-F : A
Air transport PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provisions (IATA) ERG code (IATA)	: E1 : Y964 : 30kgG : 964 : 450L : 964 : 450L : A97, A158, A197, A215 : 9L
Inland waterway transport Classification code (ADN)	: M6

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) Limited quantities (ADN) Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Number of blue cones/lights (ADN)	: 274, 335, 375, 601 : 5 L : E1 : T : PP : 0
Rail transportClassification code (RID)Special provisions (RID)Limited quantities (RID)Excepted quantities (RID)Packing instructions (RID)Packing instructions (RID)Mixed packing provisions (RID)Mixed packing provisions (RID)Portable tank and bulk container instructions (RID)Portable tank and bulk container special provisions (RID)Portable tank and bulk container special provisions (RID)Transport category (RID)Special provisions for carriage – Packages (RID)Special provisions for carriage – Loading, unloading and handling (RID)Colis express (express parcels) (RID)Hazard identification number (RID)	: LGBV : 3 : W12

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Toluene ; Bergamot oil ; Citrus medica limonum (Lemon) peel oil ; (R)-p- mentha-1,8-diene; d- limonene ; .betaPinene ; Orange oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list	EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(b)	ROSEHIPS AND HEMP CC-16388 ; benzyl benzoate ; Hexyl cinnamic aldehyde ; Phenylethyl alcohol ; Linalool ; Benzyl salicylate ; Sandela ; Linalyl acetate ; Cedramber ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Toluene ; Bergamot oil ; Citrus medica limonum (Lemon) peel oil ; (R)-p- mentha-1,8-diene; d- limonene ; Helional ; Orange oil ; Melonal ; Petitgrain oil ; Patchouli oil ; 2-methylpentane-2,4- diol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	ROSEHIPS AND HEMP CC-16388 ; benzyl benzoate ; Hexyl cinnamic aldehyde ; Benzyl salicylate ; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; Sandela ; Cedramber ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; beta-lonone ; Bergamot oil ; Citrus medica limonum (Lemon) peel oil ; (R)-p-mentha-1,8-diene; d-limonene ; Helional ; Orange oil ; Benzyl acetate ; Petitgrain oil ; Patchouli oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Toluene ; Bergamot oil ; Citrus medica limonum (Lemon) peel oil ; (R)-p- mentha-1,8-diene; d- limonene ; .betaPinene ; Orange oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	
48.	Toluene	Toluene	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content

: 6.2674591 % (calculated value)(CARB VOC) (%w/w)

#### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

#### 15.1.2. National regulations

#### France

Occupational diseases		
Code	Description	
RG 4 BIS	Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Employment restrictions Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	<ul> <li>: Observe restrictions according Act on the Protection of Working Mothers (MuSchG).</li> <li>Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).</li> <li>: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)</li> </ul>
Netherlands	
ABM category	: A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Sandela,Bergamot oil,Lemon oil ,Orange oil ,Petitgrain oil are listed
SZW-lijst van mutagene stoffen	: Sandela,Bergamot oil,Lemon oil ,Orange oil ,Petitgrain oil are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: Toluene is listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1B Skin sensitisation, category 1B		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Narcosis		

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.