

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: CITRUS POMEGRANATE (HEMP TYPE) OS CC-16391 10% in DPG
Product code	: CC-16391_10%
Type of product	: Perfumes, fragrances

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture Function or use category

- For professional use only : Perfumes, fragrances
- : Odour agents

: Industrial

#### 1.2.2. Uses advised against

No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

### 1.4. Emergency telephone number

No additional information available

### **SECTION 2: Hazards identification**

#### **2.1. Classification of the substance or mixture**

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, H412 Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)	: -
Hazard statements (CLP)	: H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment.
	P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	: EUH208 - Contains Hexyl cinnamic aldehyde, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, Grapefruit oil. May produce an allergic reaction.
Extra phrases	: For professional users only.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

#### Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- 19	3.94 – 7.885	Not classified
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.12 – 0.24	Skin Sens. 1, H317 Aquatic Chronic 2, H411
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.07 – 0.145	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.07 – 0.135	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Grapefruit oil	CAS-No.: 8016-20-4 EC-No.: 600-007-4	0.06 – 0.12	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.02 – 0.045	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.01 – 0.02	Flam. Liq. 3, H226
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.01 – 0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.0051228 – 0.0076842	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0 – 0.005	Not classified
.betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 127-91-3 EC-No.: 204-872-5	0.0007651 – 0.00414765	Flam. Liq. 3, H226
Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 34590-94-8 EC-No.: 252-104-2	≤ 0.00248	Not classified
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	≤ 0.0002	Flam. Liq. 3, H226
Toluene substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit Full text of H- and ELIH-statements; see section 16	CAS-No.: 108-88-3 EC-No.: 203-625-9 EC Index-No.: 601-021-00-3	0.0000008 – 0.00000012	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
No additional information available		
5.3. Advice for firefighters		
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	

SECTION 6: Accidental release measures		
ment and emergency procedures		
: Evacuate unnecessary personnel.		
: Equip cleanup crew with proper protection.		
: Ventilate area.		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storag		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap smoking and when leaving work. Provide good ventila formation of vapour.	
7.2. Conditions for safe storage, incl	ng any incompatibilities	
Storage conditions	: Keep only in the original container in a cool, well vent container closed when not in use.	lated place away from : Keep
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight.</li></ul>	
Germany		
Storage class (LGK, TRGS 510) Joint storage table	: LGK 12 - Non-combustible liquids	
	<sup>:</sup> LGK 1 LGK 2A LGK 2B LGK 3	LGK 4.1A
	LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.4	A LGK 5.1B
	LGK 5.1C LGK 5.2 LGK 6.1A LGK 6.1	B LGK 6.1C
	LGK 6.1D LGK 6.2 LGK 7 LGK 8A	LGK 8B
	LGK 10 LGK 11 LGK 12 LGK 13	LGK 10-13
Joint storage not permitted for	: LGK 1, LGK 6.2, LGK 7	

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage permitted for	: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

7.3. Specific end use(s)

....

No additional information available

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
8.1.1 National occupational exposure and biological	limit values	
Bis(2-ethylhexyl) adipate (103-23-1)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	400 mg/m <sup>3</sup>	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m <sup>3</sup> (vapor and aerosol)	
	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
Toluene (108-88-3)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	192 mg/m <sup>3</sup>	
	50 ppm	
IOEL STEL	384 mg/m <sup>3</sup>	

## Safety Data Sheet

Toluene (108-88-3)	
	100 ppm
Remark	Possibility of significant uptake through the skin
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	190 mg/m <sup>3</sup>
	50 ppm
MAK (OEL STEL)	380 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Belgium - Occupational Exposure Limits	
OEL TWA	77 mg/m³
	20 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin, Skin notation
Bulgaria - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
Bulgaria - Biological limit values	
BLV	1.6 mmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of exposure or end of work shift
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	192 mg/m <sup>3</sup>
	50 ppm
KGVI (OEL STEL)	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Croatia - Biological limit values	
BLV	<ul> <li>1 mg/l Parameter: Toluene - Medium: blood - Sampling time: at the end of the work shift</li> <li>20 ppm Parameter: Toluene - Medium: final exhaled air - Sampling time: during exposure</li> <li>2.5 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: at the end of</li> <li>the work shift (calculated on the average Creatinine value of 1.2 g/L urine)</li> <li>1 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: at the end of the</li> <li>work shift (calculated on the average Creatinine value of 1.2 g/L urine)</li> </ul>
Cyprus - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm

## Safety Data Sheet

Toluene (108-88-3)	
Czech Republic - Occupational Exposure Limi	ts
PEL (OEL TWA)	200 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
Czech Republic - Biological limit values	
BLV	<ul> <li>1.6 µmol/mmol Creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)</li> <li>1000 µmol/mmol Creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is &gt;2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)</li> <li>1.5 mg/g creatinine Parameter: o-Cresol - Medium: urine - Sampling time: end of shift (after hydrolysis)</li> <li>1600 mg/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid - Medium: urine - Sampling time: end of shift (exposure testing using the o-Cresol parameter to precisely measure Toluene exposure is needed if the value of Hippuric acid is between 1600 and 2500 mg/g of Creatinine, no additional testing is needed if the Hippuric acid value is &gt;2500 mg/g of Creatinine as work exposure to Toluene will have highly exceeded the PEL value.)</li> </ul>
Denmark - Occupational Exposure Limits	
OEL TWA	94 mg/m³
	25 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Estonia - Occupational Exposure Limits	
OEL TWA	192 mg/m <sup>3</sup>
	50 ppm
OEL STEL	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	81 mg/m <sup>3</sup>
	25 ppm
HTP (OEL STEL)	380 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Potential for cutaneous absorption
Finland - Biological limit values	
BLV	500 nmol/L Parameter: Toluene - Medium: blood - Sampling time: in the morning after a working day
France - Occupational Exposure Limits	
VME (OEL TWA)	76.8 mg/m³ (restrictive limit)
	20 ppm (restrictive limit)
VLE (OEL C/STEL)	384 mg/m <sup>3</sup> (restrictive limit)
	100 ppm (restrictive limit)

## Safety Data Sheet

Toluene (108-88-3)	
OEL chemical category	Reproductive Toxin category 2, Risk of cutaneous absorption
France - Biological limit values	
BLV	20 µg/l Parameter: Toluene - Medium: blood - Sampling time: end of workweek (Semi- quantitative (ambiguous interpretation)) Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift (per the Authority, the values for this substance must be decided and/or determined on a case by case basis. Guidance for the calculation of and interpretation of values is provided in the source)
Germany - Occupational Exposure Limits (TRG	S 900)
AGW (OEL TWA)	190 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	50 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Germany - Biological limit values (TRGS 903)	
Biological limit value	<ul> <li>600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: immediately after exposure</li> <li>75 μg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift</li> <li>1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts</li> <li>1.5 mg/l Parameter: o-Cresol (after hydrolysis) - Medium: urine - Sampling time: end of shift</li> </ul>
Gibraltar - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Skin notation
Greece - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	skin - potential for cutaneous absorption
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	190 mg/m³
CK (OEL STEL)	384 mg/m <sup>3</sup>
OEL chemical category	Potential for cutaneous absorption
Ireland - Occupational Exposure Limits	
OEL TWA	192 mg/m³
	50 ppm
OEL STEL	384 mg/m <sup>3</sup>
	100 ppm
OEL chemical category	Potential for cutaneous absorption

## Safety Data Sheet

Toluene (108-88-3)		
Italy - Occupational Exposure Limits		
OEL TWA	192 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	skin - potential for cutaneous absorption	
Latvia - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	14 ppm	
OEL chemical category	skin - potential for cutaneous exposure	
Latvia - Biological Exposure Indices		
BEI	1.6 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: end of shift	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	192 mg/m <sup>3</sup>	
	50 ppm	
TPRV (OEL STEL)	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Reproductive toxin, Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	192 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	192 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	150 mg/m <sup>3</sup>	
	39 ppm	
TGG-15min (OEL STEL)	384 mg/m <sup>3</sup>	
	100 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	100 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	200 mg/m <sup>3</sup>	
Portugal - Occupational Exposure Limits	1	
OEL TWA	192 mg/m <sup>3</sup> (indicative limit value)	

## Safety Data Sheet

Toluene (108-88-3)		
	50 ppm (indicative limit value)	
OEL STEL	384 mg/m <sup>3</sup> (indicative limit value)	
	100 ppm (indicative limit value)	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Skin notation	
Romania - Biological limit values		
BLV	2 g/l Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift 3 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	192 mg/m <sup>3</sup>	
	50 ppm	
NPHV (OEL C)	384 mg/m <sup>3</sup>	
OEL chemical category	Potential for cutaneous absorption	
Slovakia - Biological limit values		
BLV	<ul> <li>600 μg/l Parameter: Toluene - Medium: blood - Sampling time: end of exposure or work shift</li> <li>1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: after all work shifts (for long-term exposure)</li> <li>1.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of exposure or work shift</li> <li>1600 mg/g creatinine Parameter: Hippuric acid - Sampling time: end of exposure or work shift</li> </ul>	
Slovenia - Occupational Exposure Limits		
OEL TWA	192 mg/m³	
	50 ppm	
OEL STEL	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Category 2, Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	192 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	384 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	skin - potential for cutaneous absorption	

## Safety Data Sheet

Toluene (108-88-3)	
Spain - Biological limit values	
BLV	0.6 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift 0.05 mg/l Parameter: Toluene - Medium: blood - Sampling time: start of last shift of workweek 0.08 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	192 mg/m³
	50 ppm
KGV (OEL STEL)	384 mg/m³
	100 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure L	imits
WEL TWA (OEL TWA)	191 mg/m³
	50 ppm
WEL STEL (OEL STEL)	384 mg/m³
	100 ppm
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	94 mg/m³
	25 ppm
Korttidsverdi (OEL STEL)	141 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	;
MAK (OEL TWA)	190 mg/m³
	50 ppm
KZGW (OEL STEL)	760 mg/m <sup>3</sup>
	200 ppm
OEL chemical category	Skin notation, Category 2 reproductive toxin
Switzerland - BAT	
BAT	<ul> <li>600 μg/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift</li> <li>6.48 μmol/l Parameter: Toluene - Medium: whole blood - Sampling time: end of shift</li> <li>2 g/g creatinine Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>Parameter: Hippuric acid - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>0.5 mg/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>4.62 μmol/l Parameter: o-Cresol - Medium: urine - Sampling time: end of shift, and after several shifts (for long-term exposures)</li> <li>75 μg/l Parameter: Toluol - Medium: urine - Sampling time: end of shift</li> </ul>
USA - ACGIH - Occupational Exposure Limi	ts
ACGIH OEL TWA	20 ppm

## Safety Data Sheet

Toluene (108-88-3)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
USA - ACGIH - Biological Exposure Indices		
BEI	<ul> <li>0.02 mg/l Parameter: Toluene - Medium: blood - Sampling time: prior to last shift of workweek</li> <li>0.03 mg/l Parameter: Toluene - Medium: urine - Sampling time: end of shift</li> <li>0.3 mg/g creatinine Parameter: o-Cresol with hydrolysis - Medium: urine - Sampling time: end of shift (background)</li> </ul>	
(R)-p-mentha-1,8-diene; d-limonene (5989-2	7-5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m <sup>3</sup>	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA)	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m <sup>3</sup>	
	5 ppm	
OEL STEL	112 mg/m <sup>3</sup>	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m <sup>3</sup>	
	7 ppm	
KZGW (OEL STEL)	80 mg/m <sup>3</sup>	
	14 ppm	
OEL chemical category	Sensitizer	

## Safety Data Sheet

20 ppm 150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin,		
<ul> <li>150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)</li> <li>25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)</li> <li>300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)</li> </ul>		
monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin,		
monoterpenes, with the exception of 3-Carene, have a lesser effect) 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) 300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin,		
monoterpenes, with the exception of 3-Carene, have a lesser effect) 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin,		
monoterpenes, with the exception of 3-Carene, have a lesser effect)		
50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
150 mg/m³		
25 ppm		
300 mg/m³		
50 ppm		
20 ppm (Turpentine and selected Monoterpenes)		
Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen		
113 mg/m³		
20 ppm		
Sensitizer		
150 mg/m³		
25 ppm		
300 mg/m³		
50 ppm		
Sensitizer		
140 mg/m³		
25 ppm		
175 mg/m³ (value calculated)		
37.5 ppm (value calculated)		
USA - ACGIH - Occupational Exposure Limits		
20 ppm (Turpentine and selected Monoterpenes)		
Not Classifiable as a Human Carcinogen, dermal sensitizer		
ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer Dipropylene glycol monomethyl ether (34590-94-8)		
308 mg/m³		

## Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
	50 ppm	
Remark	Possibility of significant uptake through the skin	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	307 mg/m³ (mixed isomers)	
	50 ppm (mixed isomers)	
MAK (OEL STEL)	614 mg/m³ (isomers mixtures)	
	100 ppm (isomers mixtures)	
OEL chemical category	Skin notation	
Belgium - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Skin, Skin notation	
Bulgaria - Occupational Exposure Limits	· ·	
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Skin notation	
Cyprus - Occupational Exposure Limits	·	
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Skin-potential for cutaneous absorption	
Czech Republic - Occupational Exposure Lim	its	
PEL (OEL TWA)	270 mg/m <sup>3</sup>	
OEL chemical category	Potential for cutaneous absorption	
Denmark - Occupational Exposure Limits		
OEL TWA	309 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	618 mg/m <sup>3</sup>	
	100 ppm	
OEL chemical category	Potential for cutaneous absorption	
Estonia - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Skin notation	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	310 mg/m <sup>3</sup>	
	50 ppm	

## Safety Data Sheet

OEL chemical category         Potential for cutaneous absorption           France - Occupational Exposure Limits         308 mg/m² (restrictive limit)           S0 pm (restrictive limit)         50 ppm (restrictive limit)           OEL chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900)         AGW (OEL TWA)           AGW (OEL TWA)         310 mg/m² (isomer mixture)           Gibraltar - Occupational Exposure Limits         50 ppm (isomer mixture)           Gibraltar - Occupational Exposure Limits         50 ppm           OEL chemical category         Skin notation           Greace - Occupational Exposure Limits         50 ppm           OEL TWA         50 ppm           OEL Chemical category         skin - notation           France - Occupational Exposure Limits         50 ppm           OEL Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         50 ppm ((2-Methoxymethylethoxy)propanol)	Dipropylene glycol monomethyl ether (34590-94-8)		
VME (OEL TWA)         308 mg/m² (restrictive limit)           S0 ppm (restrictive limit)         50 ppm (restrictive limit)           OEL chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TROS 900)         AGW (OEL TWA)           Gibraltar - Occupational Exposure Limits         50 ppm (isomer mixture)           OEL TWA         308 mg/m² (isomer mixture)           OEL objectional Exposure Limits         308 mg/m²           OEL chemical category         Skin notation           Grece - Occupational Exposure Limits         600 mg/m²           OEL TWA         600 mg/m²           0EL truva         600 mg/m²           100 ppm         00El opm           OEL TWA         600 mg/m²           0EL truva         600 mg/m²           100 ppm         00El opm           OEL Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         700 mg/m²           OEL TWA         308 mg/m²           0EL TWA         308 mg/m²           0EL TWA         308 mg/m²           0EL TWA         308 mg/m²           0EL TWA         308 mg/m² (calculated (2-(2-Methoxypropoxy)-1-propanol)           0EL TWA         308 mg/m² (calculated (2-(2-Methoxy	OEL chemical category	Potential for cutaneous absorption	
50 ppm (restrictive limit)           OEL chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900)         310 mg/m³ (isomer mixture)           AGW (OEL TWA)         310 mg/m³ (isomer mixture)           Gibraltar - Occupational Exposure Limits         308 mg/m³           OEL TWA         308 mg/m³           OEL themical category         Skin notation           Greece - Occupational Exposure Limits         600 mg/m³           OEL TWA         600 mg/m³           OEL Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m²           OEL Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m²           OEL TWA         308 mg/m² (C4Methoxymethylethoxy)propanol)           S0 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)         50 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL TWA         308 mg/m² (calculated (2-(2-Methoxypropoxy)-	France - Occupational Exposure Limits		
OEL chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 90)         310 mg/m³ (isomer mixture)           AGW (OEL TWA)         310 mg/m³ (isomer mixture)           50 ppm (isomer mixture)         50 ppm (isomer mixture)           Gibraltar - Occupational Exposure Limits         308 mg/m³           OEL TWA         308 mg/m³           OEL chemical category         Skin notation           Greece - Occupational Exposure Limits         600 mg/m³           OEL TWA         600 mg/m³           100 ppm         00 mg/m³           0EL STEL         900 mg/m³           150 ppm         00 mg/m³           160 ppm         00EL chemical category           VBL chemical category         sin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           Vieland - Occupational Exposure Limits         308 mg/m³           OEL TWA         308 mg/m³ (24Methoxymethylethoxylpropanol)           0EL Chemical category         308 mg/m³           Velantar Decupational Exposure Limits         308 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           0EL TWA         308 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           0EL TWA         50 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) <td>VME (OEL TWA)</td> <td>308 mg/m<sup>3</sup> (restrictive limit)</td>	VME (OEL TWA)	308 mg/m <sup>3</sup> (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 90)         AGW (OEL TWA)       310 mg/m² (isomer mixture)         50 ppm (isomer mixture)         Gibraltar - Occupational Exposure Limits         OEL TWA       308 mg/m³         50 ppm         OEL TWA       308 mg/m³         50 ppm         OEL chemical category       Skin notation         Greece - Occupational Exposure Limits         OEL TWA       600 mg/m³         100 ppm       100 ppm         OEL STEL       900 mg/m³         150 ppm       000 mg/m³         OEL chemical category       skin - potential for cutaneous absorption         Hungary - Occupational Exposure Limits       308 mg/m³         AK (OEL TWA)       308 mg/m³         Heland - Occupational Exposure Limits       308 mg/m³         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m³ ((2-Methoxypropoxy)-1-propanol)         OEL TWA       308 mg/m³ ((1-G-Methoxypropoxy)propan-1-ol)         OEL chemical category       Potential for cutaneous absorption <td></td> <td>50 ppm (restrictive limit)</td>		50 ppm (restrictive limit)	
AGW (OEL TWA)       310 mg/m² (isomer mixture)         50 ppm (isomer mixture)         Gibraltar - Occupational Exposure Limits         OEL TWA       308 mg/m²         50 ppm         OEL chemical category       Skin notation         Greece - Occupational Exposure Limits         OEL TWA       600 mg/m²         OEL Chemical category       skin - potential for cutaneous absorption         Hungary - Occupational Exposure Limits       308 mg/m²         OEL TWA       308 mg/m² ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m² ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m² ((2-(2-Methoxypropoxy)-1-propanol)         OEL Chemical category       Potential for cutaneous absorption         taly - Occupational Exposure Limits       308 mg/m² (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m² (1-(3-M	OEL chemical category	Risk of cutaneous absorption	
S0 ppm (isomer mixture)           Gibraltar - Occupational Exposure Limits           OEL TWA         308 mg/m <sup>a</sup> 50 ppm         50 ppm           OEL chemical category         Skin notation           Gibraltar - Occupational Exposure Limits         600 mg/m <sup>a</sup> OEL TWA         600 mg/m <sup>a</sup> 100 ppm         600 mg/m <sup>a</sup> OEL STEL         900 mg/m <sup>a</sup> 150 ppm         600 mg/m <sup>a</sup> OEL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         808 mg/m <sup>a</sup> AK (OEL TWA)         308 mg/m <sup>a</sup> Ureland - Occupational Exposure Limits         308 mg/m <sup>a</sup> (2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m <sup>a</sup> (2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m <sup>a</sup> (2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m <sup>a</sup> (2-Methoxymethylethoxy)propanol)           OEL STEL         24 mg/m <sup>a</sup> (catculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         50 ppm (catculated (2-(2-Methoxypropoxy)-1-propanol)           OEL Chemical category         Potential for cutaneous absorption           Italy - Occupational E	Germany - Occupational Exposure Limits (TRGS 90	)0)	
Gibraltar - Occupational Exposure Limits       308 mg/m <sup>a</sup> OEL TWA       308 mg/m <sup>a</sup> OEL chemical category       Skin notation         Greece - Occupational Exposure Limits       600 mg/m <sup>a</sup> OEL TWA       600 mg/m <sup>a</sup> 100 ppm       001 mg/m <sup>a</sup> OEL STEL       900 mg/m <sup>a</sup> 150 ppm       001 mg/m <sup>a</sup> OEL chemical category       skin - potential for cutaneous absorption         Hungary - Occupational Exposure Limits       308 mg/m <sup>a</sup> AK (OEL TWA)       308 mg/m <sup>a</sup> Teland - Occupational Exposure Limits       308 mg/m <sup>a</sup> (2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m <sup>a</sup> (1-(3-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         taly - Occupational Exposure Limits       00         OEL thread category       Potential for cutaneous absorption         taly - Occupational Exposure Limits       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL thread category	AGW (OEL TWA)	310 mg/m³ (isomer mixture)	
OEL TWA         308 mg/m³           60 ppm         50 ppm           OEL chemical category         5kin notation           Greece - Occupational Exposure Limits         600 mg/m³           OEL TWA         600 mg/m³           100 ppm         900 mg/m³           OEL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           AK (OEL TWA)         308 mg/m³           Treland - Occupational Exposure Limits         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         908 mg/m³ (1-(3-Methoxypropoxy)p-1-propanol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL themical category         skin - potential for cutaneous absorption           Italy - Occupational Exposure Limits         50 ppm (1-(3-Methoxypropoxy)propan-1-ol) <tr< td=""><td></td><td>50 ppm (isomer mixture)</td></tr<>		50 ppm (isomer mixture)	
50 ppm           OEL chemical category         Skin notation           Greece - Occupational Exposure Limits         600 mg/m³           OEL TWA         600 mg/m³           0EL STEL         900 mg/m³           0EL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           AK (OEL TWA)         308 mg/m³           Del Chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL Chemical category         Potential for cutaneous absorption           Haly - Occupational Exposure Limits         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Haly - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	Gibraltar - Occupational Exposure Limits		
OEL chemical category         Skin notation           Greece - Occupational Exposure Limits         600 mg/m³           OEL TWA         600 mg/m³           OEL STEL         900 mg/m³           OEL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           AK (OEL TWA)         308 mg/m³           OEL TWA         308 mg/m³           OEL TWA         308 mg/m³ (2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ (2-Methoxymethylethoxy)propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL otemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)-1-propanol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL themical category         skin - potential for cutaneous absorption	OEL TWA	308 mg/m <sup>3</sup>	
Greece - Occupational Exposure Limits       600 mg/m³         OEL TWA       600 mg/m³         100 ppm       900 mg/m³         OEL STEL       900 mg/m³         OEL chemical category       skin - potential for cutaneous absorption         Hungary - Occupational Exposure Limits       308 mg/m³         AK (OEL TWA)       308 mg/m³         DeL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       008 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       00EL TWA         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (5 ppm (1-(3-Methoxypropoxy)propan-1-ol)		50 ppm	
OEL TWA       600 mg/m³         100 ppm       900 mg/m³         OEL STEL       900 mg/m³         150 ppm       150 ppm         OEL chemical category       skin - potential for cutaneous absorption         Hungary - Occupational Exposure Limits       308 mg/m³         AK (OEL TWA)       308 mg/m³         Ireland - Occupational Exposure Limits       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       008 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL twica - Occupational Exposure Limits       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL twica - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL twica - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL twica - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	OEL chemical category	Skin notation	
Image: Constraint of the system of	Greece - Occupational Exposure Limits		
OEL STEL         900 mg/m³           150 ppm         150 ppm           OEL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           AK (OEL TWA)         308 mg/m³           Ireland - Occupational Exposure Limits         308 mg/m³ (l2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ (l2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           1taly - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Italy - Occupational Exposure Limits         50 ppm (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Itatvia - Occupational Exposure Limits         50 ppm (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³           OEL TWA         308 mg/m³	OEL TWA	600 mg/m³	
Image: Constraint of the system of		100 ppm	
OEL chemical category         skin - potential for cutaneous absorption           Hungary - Occupational Exposure Limits         308 mg/m³           AK (OEL TWA)         308 mg/m³           Ireland - Occupational Exposure Limits         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL TWA         308 mg/m³ ((2-Methoxymethylethoxy)propanol)           OEL STEL         924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)           OEL chemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)-1-propanol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL totemical category         Potential for cutaneous absorption           Italy - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL chemical category         skin - potential for cutaneous absorption           Latvia - Occupational Exposure Limits         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)           OEL TWA         308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	OEL STEL	900 mg/m³	
Hungary - Occupational Exposure Limits       308 mg/m³         AK (OEL TWA)       308 mg/m³         Ireland - Occupational Exposure Limits       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL twa       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       S08 mg/m³         OEL TWA       308 mg/m³         OEL TWA       308 mg/m³		150 ppm	
AK (OEL TWA)       308 mg/m³         Ireland - Occupational Exposure Limits       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL themical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       008 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)	OEL chemical category	skin - potential for cutaneous absorption	
Ireland - Occupational Exposure Limits         OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         50 ppm ((2-Methoxymethylethoxy)propanol)       50 ppm ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL themical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       50 ppm         OEL TWA       308 mg/m³	Hungary - Occupational Exposure Limits		
OEL TWA       308 mg/m³ ((2-Methoxymethylethoxy)propanol)         50 ppm ((2-Methoxymethylethoxy)propanol)         0EL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)         0EL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         0EL twA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         0EL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         0EL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         0EL themical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³         0EL TWA       308 mg/m³	AK (OEL TWA)	308 mg/m <sup>3</sup>	
S0 ppm ((2-Methoxymethylethoxy)propanol)         OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol))         DEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL themical category       skin - potential for cutaneous absorption         Italy - Occupational Exposure Limits       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL themical category       skin - potential for cutaneous absorption         Det chemical category       skin - potential for cutaneous absorption         OEL themical category       skin - potential for cutaneous absorption         OEL themical category       skin - potential for cutaneous absorption         Det chemical category       skin - potential for cutaneous absorption         Category       skin - potential for cutaneous absorption         Det TWA       308 mg/m³         OEL TWA       308 mg/m³	Ireland - Occupational Exposure Limits		
OEL STEL       924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol)         150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)         OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³         OEL TWA       308 mg/m³         OEL TWA       308 mg/m³         OEL themical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³         OEL TWA       308 mg/m³         OEL TWA       308 mg/m³	OEL TWA	308 mg/m <sup>3</sup> ((2-Methoxymethylethoxy)propanol)	
Image: Construction of the transmission of transmissi		50 ppm ((2-Methoxymethylethoxy)propanol)	
OEL chemical category       Potential for cutaneous absorption         Italy - Occupational Exposure Limits       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         50 ppm (1-(3-Methoxypropoxy)propan-1-ol)       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³         OEL TWA       308 mg/m³         OEL TWA       308 mg/m³	OEL STEL	924 mg/m <sup>3</sup> (calculated (2-(2-Methoxypropoxy)-1-propanol)	
Italy - Occupational Exposure Limits       OEL TWA     308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)       50 ppm (1-(3-Methoxypropoxy)propan-1-ol)       OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm		150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol)	
OEL TWA       308 mg/m³ (1-(3-Methoxypropoxy)propan-1-ol)         50 ppm (1-(3-Methoxypropoxy)propan-1-ol)         OEL chemical category       skin - potential for cutaneous absorption         Latvia - Occupational Exposure Limits       308 mg/m³         OEL TWA       308 mg/m³         50 ppm       50 ppm	OEL chemical category	Potential for cutaneous absorption	
OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits     308 mg/m³       OEL TWA     308 mg/m³       50 ppm	Italy - Occupational Exposure Limits		
OEL chemical category     skin - potential for cutaneous absorption       Latvia - Occupational Exposure Limits     308 mg/m³       OEL TWA     308 mg/m³       50 ppm     50 ppm	OEL TWA	308 mg/m <sup>3</sup> (1-(3-Methoxypropoxy)propan-1-ol)	
Latvia - Occupational Exposure Limits       OEL TWA     308 mg/m³       50 ppm		50 ppm (1-(3-Methoxypropoxy)propan-1-ol)	
OEL TWA 308 mg/m <sup>3</sup> 50 ppm	OEL chemical category	skin - potential for cutaneous absorption	
50 ppm	Latvia - Occupational Exposure Limits		
	OEL TWA	308 mg/m <sup>3</sup>	
		50 ppm	
UEL chemical category skin - potential for cutaneous exposure	OEL chemical category	skin - potential for cutaneous exposure	
Lithuania - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 300 mg/m <sup>3</sup> (2-(2-Methoxypropoxy)-propanol)	IPRV (OEL TWA)	300 mg/m <sup>3</sup> (2-(2-Methoxypropoxy)-propanol)	
50 ppm (2-(2-Methoxypropoxy)-propanol)		50 ppm (2-(2-Methoxypropoxy)-propanol)	
TPRV (OEL STEL)     450 mg/m³ (2-(2-Methoxypropoxy)-propanol)	TPRV (OEL STEL)	450 mg/m <sup>3</sup> (2-(2-Methoxypropoxy)-propanol)	
75 ppm (2-(2-Methoxypropoxy)-propanol)		75 ppm (2-(2-Methoxypropoxy)-propanol)	

## Safety Data Sheet

Dipropylene glycol monomethyl ether (34590-94-8)		
OEL chemical category	Skin notation	
Luxembourg - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Malta - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Possibility of significant uptake through the skin	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	300 mg/m <sup>3</sup>	
	48.7 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m <sup>3</sup> (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
NDSCh (OEL STEL)	480 mg/m <sup>3</sup> (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol)	
Portugal - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup> (indicative limit value)	
	50 ppm (indicative limit value)	
OEL STEL	150 ppm	
OEL chemical category	skin - potential for cutaneous exposure indicative limit value	
Romania - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Skin notation	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Slovenia - Occupational Exposure Limits		
OEL TWA	308 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	308 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	308 mg/m <sup>3</sup> (indicative limit value)	
	50 ppm (indicative limit value)	
OEL chemical category	skin - potential for cutaneous absorption	
	1	

## Safety Data Sheet

Dipropylene glycol monomethyl ether (34	4590-94-8)
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	300 mg/m <sup>3</sup>
	50 ppm
KGV (OEL STEL)	450 mg/m <sup>3</sup>
	75 ppm
OEL chemical category	Skin notation
United Kingdom - Occupational Exposure Lim	its
WEL TWA (OEL TWA)	308 mg/m <sup>3</sup>
	50 ppm
WEL STEL (OEL STEL)	924 mg/m <sup>3</sup> (calculated)
	150 ppm (calculated)
WEL chemical category	Potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	300 mg/m <sup>3</sup>
	50 ppm
Korttidsverdi (OEL STEL)	375 mg/m³ (value calculated)
	75 ppm (value calculated)
OEL chemical category	Skin notation
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
KZGW (OEL STEL)	300 mg/m³ (aerosol, vapour)
	50 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Dipropylene glycol methyl ether)
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m <sup>3</sup> (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m <sup>3</sup>
	25 ppm

## Safety Data Sheet

.alphaPinene (80-56-8)		
TPRV (OEL STEL)	300 mg/m <sup>3</sup>	
	50 ppm	
Portugal - Occupational Exposure Limits		
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	113 mg/m³	
	20 ppm	
OEL chemical category	Sensitizer	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	150 mg/m³	
	25 ppm	
KGV (OEL STEL)	300 mg/m <sup>3</sup>	
	50 ppm	
OEL chemical category	Sensitizer	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m <sup>3</sup>	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Skin notation	
USA - ACGIH - Occupational Exposure Limits	·	
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
IOEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Austria - Occupational Exposure Limits	·	
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m³	

## Safety Data Sheet

isopentyl acetate (123-92-2)		
	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	270 mg/m <sup>3</sup>	
	50 ppm	
KGVI (OEL STEL)	540 mg/m <sup>3</sup>	
	100 ppm	
Cyprus - Occupational Exposure Limits	·	
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA)	270 mg/m <sup>3</sup>	
	50 ppm	

## Safety Data Sheet

isopentyl acetate (123-92-2)		
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m <sup>3</sup>	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m <sup>3</sup>	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	520 mg/m <sup>3</sup>	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	

## Safety Data Sheet

isopentyl acetate (123-92-2)	
OEL STEL	540 mg/m³
	100 ppm
Netherlands - Occupational Exposure Limits	, , , , , , , , , , , , , , , , , , ,
TGG-15min (OEL STEL)	530 mg/m³
	98.1 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	250 mg/m³
NDSCh (OEL STEL)	500 mg/m <sup>3</sup>
Portugal - Occupational Exposure Limits	
OEL TWA	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value (Pentyl acetate, all isomers)
OEL STEL	540 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	270 mg/m³
	50 ppm
NPHV (OEL C)	540 mg/m³
Slovenia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)
VLA-EC (OEL STEL)	540 mg/m³
	100 ppm
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)
	50 ppm (Pentyl acetates)
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)
	100 ppm (Pentyl acetates)
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	260 mg/m <sup>3</sup>

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)	
	50 ppm
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)
	75 ppm (value calculated)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	260 mg/m <sup>3</sup> (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)
	50 ppm (Pentyl acetate all isomers)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)
Ethyl acetoacetate (141-97-9)	
Romania - Occupational Exposure Limits	
OEL TWA	100 mg/m <sup>3</sup>
	19 ppm
OEL STEL	200 mg/m <sup>3</sup>
	38 ppm

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### **Respiratory protection:**

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Colour	:	Standard.
Odour	:	characteristic.
Odour threshold	:	Not available
Melting point	:	Not available
Freezing point	:	Not available
Boiling point	:	Not available
Flammability	:	Non flammable.
Lower explosion limit	:	Not available
Upper explosion limit	:	Not available
Flash point	:	> 93 °C
Auto-ignition temperature	:	Not available
Decomposition temperature	:	Not available
рН	:	Not available
Viscosity, kinematic	:	Not available
Solubility	:	Not available
Partition coefficient n-octanol/water (Log Kow)	:	Not available
Vapour pressure	:	Not available
Vapour pressure at 50°C	:	Not available
Density	:	Not available
Relative density	:	Not available
Relative vapour density at 20°C	:	Not available
Particle characteristics	:	Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

**10.2. Chemical stability** 

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg bodyweight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Grapefruit oil (8016-20-4)		
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
Toluene (108-88-3)		
LD50 oral rat	2600 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	12000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	12.5 mg/l/4h	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
.betaPinene (127-91-3)		
LD50 oral rat	> 5000 mg/kg (Source: EPA_HPV)	

## Safety Data Sheet

.betaPinene (127-91-3)		
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Dipropylene glycol monomethyl ether (34590-94-8)		
LD50 oral rat	5.35 g/kg (Source: NLM_HSDB)	
LD50 dermal rabbit	9500 mg/kg (Source: NLM_CIP)	
.alphaPinene (80-56-8)	1	
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
Ethyl acetoacetate (141-97-9)	·	
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)	
Skin corrosion/irritation : Additional information :	Not classified Based on available data, the classification criteria are not met	
Serious eye damage/irritation :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation:Additional information:	Not classified Based on available data, the classification criteria are not met	
Germ cell mutagenicity :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Carcinogenicity : Additional information :	Not classified Based on available data, the classification criteria are not met	
Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group	3 - Not classifiable	
Toluene (108-88-3)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
IARC group	3 - Not classifiable	
	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
STOT-single exposure : Additional information :	Not classified Based on available data, the classification criteria are not met	
Toluene (108-88-3)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Toluene (108-88-3)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard : Additional information :	Not classified Based on available data, the classification criteria are not met	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)		
Hydrocarbon	Yes	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Hydrocarbon	Yes	
.betaPinene (127-91-3)		
Hydrocarbon	Yes	
.alphaPinene (80-56-8)		
Hydrocarbon	Yes	

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

### **SECTION 12: Ecological information**

### 12.1. Toxicity

	Not classified
(acute) Hazardous to the aquatic environment, long–term (chronic)	: Harmful to aquatic life with long lasting effects.
Bis(2-ethylhexyl) adipate (103-23-1)	
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	lindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
Toluene (108-88-3)	
LC50 - Fish [1]	15.22 – 19.05 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	12.6 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)

## Safety Data Sheet

Persistence and degradability

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Toluene (108-88-3)	
EC50 - Crustacea [1]	5.46 – 9.83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 - Crustacea [2]	11.5 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	12.5 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h - Algae [1]	> 433 mg/l (Species: Pseudokirchneriella subcapitata)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Dipropylene glycol monomethyl ether (34590-	94-8)
LC50 - Fish [1]	> 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	1919 mg/l (Exposure time: 48 h - Species: Daphnia magna)
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Ethyl acetoacetate (141-97-9)	
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
12.2. Persistence and degradability	
CITRUS POMEGRANATE (HEMP TYPE) OS CO	C-16391 10% in DPG
Persistence and degradability	Not established.
Bis(2-ethylhexyl) adipate (103-23-1)	
Persistence and degradability	Rapidly degradable
Hexyl cinnamic aldehyde (101-86-0)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	/I-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
Grapefruit oil (8016-20-4)	
Persistence and degradability	Rapidly degradable
citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
Toluene (108-88-3)	

Rapidly degradable

## Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-	p-mentha-1,8-diene; d-limonene (5989-27-5)	
Persistence and degradability	Rapidly degradable	
.betaPinene (127-91-3)		
Persistence and degradability	Rapidly degradable	
Dipropylene glycol monomethyl ether (34590-	94-8)	
Persistence and degradability	Rapidly degradable	
.alphaPinene (80-56-8)		
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
Allyl heptanoate (142-19-8)		
Persistence and degradability	Rapidly degradable	
Ethyl acetoacetate (141-97-9)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
CITRUS POMEGRANATE (HEMP TYPE) OS CO	C-16391 10% in DPG	
Bioaccumulative potential	Not established.	
Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
citral (5392-40-5)		
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)	
Toluene (108-88-3)		
Partition coefficient n-octanol/water (Log Pow)	2.73 (at 20 °C (at pH 7)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Dipropylene glycol monomethyl ether (34590-	94-8)	
Partition coefficient n-octanol/water (Log Pow)	0.35 (at 25 °C (at pH 7)	
.alphaPinene (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.1	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Allyl heptanoate (142-19-8)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)		
Ethyl acetoacetate (141-97-9)			
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			
No additional information available			
12.6. Endocrine disrupting properties			
No additional information available			
12.7. Other adverse effects			
Additional information	: Avoid release to the environment.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological information	: Avoid release to the environment.
HP Code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one
	or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID						
ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number or ID n	umber					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shippin	g name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard class(es)						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary informatic	on available	·				

### 14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Air transport

Not applicable

## Inland waterway transport

Not applicable

### Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	Grapefruit oil ; Toluene ; (R)-p-mentha-1,8-diene; d-limonene ; .beta Pinene ; .alphaPinene ; isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	Hexyl cinnamic aldehyde ; 1-(1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Grapefruit oil ; citral ; Toluene ; (R)-p-mentha- 1,8-diene; d-limonene ; Allyl heptanoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	CITRUS POMEGRANATE (HEMP TYPE) OS CC-16391 10% in DPG ; Hexyl cinnamic aldehyde ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone ; Grapefruit oil ; (R)-p- mentha-1,8-diene; d- limonene ; Allyl heptanoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Grapefruit oil ; Toluene ; (R)-p-mentha-1,8-diene; d-limonene ; .beta Pinene ; .alphaPinene ; isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
48.	Toluene	Toluene

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Toluene		108-88-3	2902 30 00	Category 3		Annex I

#### 15.1.2. National regulations

#### France

Occupational diseases		
Code	Description	
RG 4 BIS	BIS Gastrointestinal disorders caused by benzene, toluene, xylenes and all products containing them	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)		WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
	•	is not subject to the mazardous incluent ordinance (12. Dimocry)
Netherlands		
ABM category		A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	:	None of the components are listed
SZW-lijst van mutagene stoffen	:	None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen –	:	None of the components are listed
Vruchtbaarheid		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	Toluene is listed

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Denmark

Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Pregnant/breastfeeding women working with the product must not be in direct contact with
	the product

### **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH208	Contains Hexyl cinnamic aldehyde, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, Grapefruit oil. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H336	May cause drowsiness or dizziness.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.