

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 12/7/2022



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Black Raspberry Vanilla CC-16393  
UFI : PAQX-H85F-G00D-JQQF  
Product code : CC-16393  
Type of product : Perfumes, fragrances  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use  
Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Perfumes, fragrances  
Function or use category : Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China: +400-120-0751; Mexico: +01-800-099-0731;  
Brazil: +0-800-591-6042; India: +000-800-100-4086

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317  
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) :

Warning

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains	: Orange oil , Linalyl acetate, Linalool, Aldehyde C-16, Hexyl cinnamic aldehyde, 2-Buten-1-one, 1-(2,6,6-trimethyl-2-cyclohexen-1-yl)-, (E)-, Hydroxy, Nerol, Citral, Citronellol Pure, Geranium oil Egyptian , Damascone Beta, Turpentine oil
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene brassylate	CAS-No.: 105-95-3 EC-No.: 203-347-8 REACH-no: 01-2119976314-33	13.5 – 27	Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	3.3 – 6.5	Acute Tox. 4 (Oral), H302
Benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-38	1.8 – 3.65	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353-35	0.8 – 1.6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789-19	0.8 – 1.6	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-42	0.8 – 1.50018	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
beta-Ionone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	0.5 – 1	Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770-28	0.4 – 0.75	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092-50	0.2 – 0.35	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0)	CAS-No.: 24720-09-0 EC-No.: 246-430-4	0.2 – 0.3	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482-31	0.2 – 0.3	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Citral	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829-23	0.101 – 0.2075	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423-50	0.100175 – 0.2007	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Damascone Beta	CAS-No.: 23726-92-3 EC-No.: 245-843-7	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Turpentine oil	CAS-No.: 8006-64-2 EC-No.: 232-350-7 EC Index-No.: 650-002-00-6	0.1 – 0.2	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995-23	0.038335 – 0.15384	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.03 – 0.125	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545-33	0 – 0.00004	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	--

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

Benzyl alcohol (100-51-6)	
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	40 mg/m <sup>3</sup>
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	45 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	10 ppm
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	22 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	5 mg/m <sup>3</sup>
OEL chemical category	Skin notation
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	240 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	22 mg/m <sup>3</sup>
OEL TWA [ppm]	5 ppm
OEL STEL	44 mg/m <sup>3</sup>
OEL STEL [ppm]	10 ppm
OEL chemical category	Potential for cutaneous absorption
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	22 mg/m <sup>3</sup> (aerosol, vapour)

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Benzyl alcohol (100-51-6)</b>	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)
OEL chemical category	Skin notation
<b>Citral (5392-40-5)</b>	
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	32 mg/m <sup>3</sup> (vapor and aerosol)
OEL TWA [ppm]	5 ppm (vapor and aerosol)
OEL chemical category	Skin
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [2]	5 ppm
OEL STEL [ppm]	15 ppm (calculated)
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	27 mg/m <sup>3</sup>
NDSch (OEL STEL)	54 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA [ppm]	5 ppm
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [2]	5 ppm (inhalable fraction and vapor)
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
<b>Turpentine oil (8006-64-2)</b>	
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	560 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	100 ppm
MAK (OEL STEL)	560 mg/m <sup>3</sup>
MAK (OEL STEL) [ppm]	100 ppm
OEL C	560 mg/m <sup>3</sup>
OEL C [ppm]	100 ppm
OEL chemical category	Skin notation, Skin sensitizer
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA [ppm]	20 ppm
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	300 mg/m <sup>3</sup>
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	566 mg/m <sup>3</sup>

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Turpentine oil (8006-64-2)</b>	
GVI (OEL TWA) [2]	100 ppm
KGVI (OEL STEL)	850 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	150 ppm
OEL chemical category	Skin notation
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	300 mg/m <sup>3</sup> (steam)
OEL chemical category	Sensitizer
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	140 mg/m <sup>3</sup>
OEL TWA [2]	25 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	150 mg/m <sup>3</sup>
OEL TWA [ppm]	25 ppm
OEL STEL	300 mg/m <sup>3</sup>
OEL STEL [ppm]	50 ppm
OEL chemical category	Skin notation, Sensitizer
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	140 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	25 ppm
HTP (OEL STEL)	280 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	50 ppm
OEL chemical category	Potential for cutaneous absorption
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	560 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	100 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	560 mg/m <sup>3</sup>
OEL TWA [ppm]	100 ppm
OEL STEL	840 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	112 mg/m <sup>3</sup>
OEL TWA [2]	20 ppm
OEL STEL	840 mg/m <sup>3</sup>
OEL STEL [ppm]	150 ppm
OEL chemical category	Sensitizer
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	150 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	25 ppm

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Turpentine oil (8006-64-2)	
TPRV (OEL STEL)	300 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Sensitizer coniferous resin sensitizes the skin, Skin notation
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	112 mg/m <sup>3</sup>
NDSch (OEL STEL)	300 mg/m <sup>3</sup>
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	20 ppm
OEL chemical category	Sensitizer, A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	400 mg/m <sup>3</sup>
OEL STEL	500 mg/m <sup>3</sup>
OEL chemical category	Skin notation
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	560 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	100 ppm
NPHV (OEL C)	850 mg/m <sup>3</sup> (Turpentine oil)
OEL chemical category	Sensitizer
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	113 mg/m <sup>3</sup>
VLA-ED (OEL TWA) [2]	20 ppm
OEL chemical category	Sensitizer including monoterpenes
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	150 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	25 ppm
KTV (OEL STEL)	300 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	50 ppm
OEL chemical category	Skin notation, Sensitizer
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	566 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	100 ppm
WEL STEL (OEL STEL)	850 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	150 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	140 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m <sup>3</sup> (value calculated)
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)
OEL chemical category	Skin notation, Allergenic substance

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Turpentine oil (8006-64-2)</b>	
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	112 mg/m <sup>3</sup> (inconsistent composition)
MAK (OEL TWA) [2]	20 ppm (inconsistent composition)
KZGW (OEL STEL)	224 mg/m <sup>3</sup> (composition inconsistent)
KZGW (OEL STEL) [ppm]	40 ppm (composition inconsistent)
OEL chemical category	Sensitizer, Skin notation
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	20 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer
<b>Diphenyl oxide (101-84-8)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
IOEL TWA	7 mg/m <sup>3</sup>
IOEL TWA [ppm]	1 ppm
IOEL STEL	14 mg/m <sup>3</sup>
IOEL STEL [ppm]	2 ppm
<b>Austria - Occupational Exposure Limits</b>	
MAK (OEL TWA)	7 mg/m <sup>3</sup>
MAK (OEL TWA) [ppm]	1 ppm
MAK (OEL STEL)	14 mg/m <sup>3</sup>
MAK (OEL STEL) [ppm]	2 ppm
<b>Belgium - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup> (vapor)
OEL TWA [ppm]	1 ppm (vapor)
OEL STEL	14 mg/m <sup>3</sup> (vapor)
OEL STEL [ppm]	2 ppm (vapor)
<b>Bulgaria - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Croatia - Occupational Exposure Limits</b>	
GVI (OEL TWA) [1]	7 mg/m <sup>3</sup>
GVI (OEL TWA) [2]	1 ppm
KGVI (OEL STEL)	14 mg/m <sup>3</sup>
KGVI (OEL STEL) [ppm]	2 ppm
<b>Cyprus - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
OEL STEL [ppm]	2 ppm
<b>Czech Republic - Occupational Exposure Limits</b>	
PEL (OEL TWA)	5 mg/m <sup>3</sup>
<b>Denmark - Occupational Exposure Limits</b>	
OEL TWA [1]	7 mg/m <sup>3</sup>
OEL TWA [2]	1 ppm
<b>Estonia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Finland - Occupational Exposure Limits</b>	
HTP (OEL TWA) [1]	7 mg/m <sup>3</sup>
HTP (OEL TWA) [2]	1 ppm
HTP (OEL STEL)	14 mg/m <sup>3</sup>
HTP (OEL STEL) [ppm]	2 ppm
<b>France - Occupational Exposure Limits</b>	
VME (OEL TWA)	7 mg/m <sup>3</sup>
VME (OEL TWA) [ppm]	1 ppm
OEL chemical category	Risk of cutaneous absorption
<b>Germany - Occupational Exposure Limits (TRGS 900)</b>	
AGW (OEL TWA) [1]	7.1 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)
<b>Gibraltar - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	200 ppm
<b>Greece - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Hungary - Occupational Exposure Limits</b>	
AK (OEL TWA)	7 mg/m <sup>3</sup>
CK (OEL STEL)	14 mg/m <sup>3</sup>
<b>Ireland - Occupational Exposure Limits</b>	
OEL TWA [1]	7 mg/m <sup>3</sup> (vapour)

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
OEL TWA [2]	1 ppm (vapour)
OEL STEL	14 mg/m <sup>3</sup> (vapour)
OEL STEL [ppm]	2 ppm (vapour)
<b>Italy - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
<b>Latvia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
<b>Lithuania - Occupational Exposure Limits</b>	
IPRV (OEL TWA)	7 mg/m <sup>3</sup>
IPRV (OEL TWA) [ppm]	1 ppm
TPRV (OEL STEL)	14 mg/m <sup>3</sup>
TPRV (OEL STEL) [ppm]	2 ppm
<b>Luxembourg - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Malta - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Netherlands - Occupational Exposure Limits</b>	
TGG-8u (OEL TWA)	7 mg/m <sup>3</sup>
TGG-15min (OEL STEL)	14 mg/m <sup>3</sup>
<b>Poland - Occupational Exposure Limits</b>	
NDS (OEL TWA)	7 mg/m <sup>3</sup>
NDSch (OEL STEL)	14 mg/m <sup>3</sup>
<b>Portugal - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm (vapor)
OEL STEL	14 mg/m <sup>3</sup> (indicative limit value)
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)
<b>Romania - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL TWA [ppm]	0.7 ppm
OEL STEL	10 mg/m <sup>3</sup>

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Diphenyl oxide (101-84-8)</b>	
OEL STEL [ppm]	1.4 ppm
<b>Slovakia - Occupational Exposure Limits</b>	
NPHV (OEL TWA) [1]	7 mg/m <sup>3</sup>
NPHV (OEL TWA) [2]	1 ppm
NPHV (OEL C)	7.1 mg/m <sup>3</sup>
<b>Slovenia - Occupational Exposure Limits</b>	
OEL TWA	7 mg/m <sup>3</sup>
OEL TWA [ppm]	1 ppm
OEL STEL	14 mg/m <sup>3</sup>
OEL STEL [ppm]	2 ppm
<b>Spain - Occupational Exposure Limits</b>	
VLA-ED (OEL TWA) [1]	7.1 mg/m <sup>3</sup> (vapor)
VLA-ED (OEL TWA) [2]	1 ppm (vapor)
VLA-EC (OEL STEL)	14.2 mg/m <sup>3</sup> (vapor)
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)
<b>Sweden - Occupational Exposure Limits</b>	
NGV (OEL TWA)	7 mg/m <sup>3</sup>
NGV (OEL TWA) [ppm]	1 ppm
KTV (OEL STEL)	14 mg/m <sup>3</sup>
KTV (OEL STEL) [ppm]	2 ppm
<b>United Kingdom - Occupational Exposure Limits</b>	
WEL TWA (OEL TWA) [1]	7 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	14 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	2 ppm
<b>Norway - Occupational Exposure Limits</b>	
Grenseverdi (OEL TWA) [1]	7 mg/m <sup>3</sup>
Grenseverdi (OEL TWA) [2]	1 ppm
Korttidsverdi (OEL STEL)	14 mg/m <sup>3</sup> (value from the regulation)
Korttidsverdi (OEL STEL) [ppm]	2 ppm (value from the regulation)
<b>Switzerland - Occupational Exposure Limits</b>	
MAK (OEL TWA) [1]	7 mg/m <sup>3</sup> (aerosol, vapour)
MAK (OEL TWA) [2]	1 ppm (aerosol, vapour)
KZGW (OEL STEL)	14 mg/m <sup>3</sup> (aerosol, vapour)
KZGW (OEL STEL) [ppm]	2 ppm (aerosol, vapour)
OEL chemical category	Category 2 developmental toxin, Category 2 reproductive toxin
<b>USA - ACGIH - Occupational Exposure Limits</b>	
ACGIH OEL TWA [ppm]	1 ppm (vapor)
ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C (closed cup) ASTM D7094
Auto-ignition temperature	: No data available

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Ethylene brassylate (105-95-3)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Oxyphelylon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	1320 mg/kg bodyweight
Benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Benzyl alcohol (100-51-6)</b>	
LD50 oral	1620 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h
<b>Orange oil (8008-57-9)</b>	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE CLP (oral)	4400 mg/kg bodyweight
<b>Linalyl acetate (115-95-7)</b>	
LD50 oral rat	14550 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE CLP (oral)	14550 mg/kg bodyweight
<b>Linalool (78-70-6)</b>	
LD50 oral	2790 mg/kg bodyweight
<b>beta-Ionone (14901-07-6)</b>	
LD50 oral rat	4590 mg/kg
LD50 oral	3490 mg/kg bodyweight
ATE CLP (oral)	4590 mg/kg bodyweight
<b>Aldehyde C-16 (77-83-8)</b>	
LD50 oral rat	5470 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE CLP (oral)	5470 mg/kg bodyweight
<b>Hexyl cinnamic aldehyde (101-86-0)</b>	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE CLP (oral)	3100 mg/kg bodyweight
<b>Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)</b>	
LD50 oral	1670 mg/kg bodyweight
LD50 dermal rat	2150 – 2780 mg/kg
LD50 dermal	2900 mg/kg bodyweight
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	2150 mg/kg bodyweight

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Hydroxy (107-75-5)</b>	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
<b>Nerol (106-25-2)</b>	
LD50 oral rat	4500 mg/kg
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5 g/kg
ATE CLP (oral)	4500 mg/kg bodyweight
<b>Citral (5392-40-5)</b>	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
LD50 dermal	2250 mg/kg bodyweight
ATE CLP (oral)	4960 mg/kg bodyweight
ATE CLP (dermal)	2250 mg/kg bodyweight
<b>Citronellol Pure (106-22-9)</b>	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
ATE CLP (oral)	3450 mg/kg bodyweight
ATE CLP (dermal)	2650 mg/kg bodyweight
<b>Geranium oil Egyptian (8000-46-2)</b>	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
<b>Damascone Beta (23726-92-3)</b>	
LD50 oral	2920 mg/kg bodyweight
<b>Turpentine oil (8006-64-2)</b>	
LD50 oral rat	5760 mg/kg
LD50 oral	500 mg/kg bodyweight
LD50 dermal rabbit	> 5010 mg/kg
LD50 dermal	1100 mg/kg bodyweight
LC50 Inhalation - Rat	13.7 mg/l/4h
LC50 Inhalation - Rat (Vapours)	13.7 mg/l/4h
ATE CLP (oral)	500 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	13.7 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diphenyl oxide (101-84-8)	
LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg bodyweight
LD50 dermal rabbit	> 7940 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
ATE CLP (oral)	2450 mg/kg bodyweight
ATE CLP (dust,mist)	1.5 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)

Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through])

Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)

Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

Citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.2. Persistence and degradability

#### Geranium oil Egyptian (8000-46-2)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### Ethylene brassylate (105-95-3)

Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
---	-----------------------------

#### Oxyphelyon (Raspberry ketone) crystals (5471-51-2)

Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)
---	-----------------

#### Benzyl alcohol (100-51-6)

Partition coefficient n-octanol/water (Log Pow)	1.05
---	------

#### Linalyl acetate (115-95-7)

Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
---	----------------

#### beta-Ionone (14901-07-6)

Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)
---	-----------------------------

#### Aldehyde C-16 (77-83-8)

Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
---	----------------------------

#### Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) (24720-09-0)

BCF - Fish [1]	(>8.4 - <20)
----------------	--------------

Partition coefficient n-octanol/water (Log Pow)	3.66 (at 25 °C (at pH 5.82)
---	-----------------------------

#### Hydroxy (107-75-5)

Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
---	-----------------

#### Nerol (106-25-2)

Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
---	----------------------------

#### Citral (5392-40-5)

Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
---	-----------------

#### Citronellol Pure (106-22-9)

Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
---	-----------------

#### Geranium oil Egyptian (8000-46-2)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### Diphenyl oxide (101-84-8)

BCF - Fish [1]	(470 dimensionless)
----------------	---------------------

Partition coefficient n-octanol/water (Log Pow)	4.21 (at 25 °C)
---	-----------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1 UN number

UN-No. (ADR) : UN 3082  
UN-No. (IMDG) : UN 3082  
UN-No. (IATA) : UN 3082  
UN-No. (ADN) : UN 3082  
UN-No. (RID) : UN 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.  
Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (RID) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYLENE BRASSYLATE), 9, III, (-)  
Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYLENE BRASSYLATE), 9, III, MARINE POLLUTANT  
Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (ETHYLENE BRASSYLATE), 9, III  
Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYLENE BRASSYLATE), 9, III  
Transport document description (RID) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ETHYLENE BRASSYLATE), 9, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9  
Danger labels (ADR) : 9



#### IMDG

Transport hazard class(es) (IMDG) : 9  
Danger labels (IMDG) : 9




#### IATA

Transport hazard class(es) (IATA) : 9  
Danger labels (IATA) : 9

# Black Raspberry Vanilla CC-16393


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830




### ADN

Transport hazard class(es) (ADN) : 9  
Danger labels (ADN) : 9



### RID

Transport hazard class(es) (RID) : 9  
Danger labels (RID) : 9



## 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : III  
Packing group (IATA) : III  
Packing group (ADN) : III  
Packing group (RID) : III

## 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : M6  
Special provisions (ADR) : 274, 335, 375, 601  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13  
Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : -  
EAC code : •3Z

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

### Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L

### Inland waterway transport

Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Orange oil ; Turpentine oil
3(b)	Black Raspberry Vanilla CC-16393 ; Benzyl alcohol ; Orange oil ; Linalyl acetate ; Linalool ; Aldehyde C-16 ; Hexyl cinnamic aldehyde ; Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) ; Hydroxy ; Nerol ; Citral ; Citronellol Pure ; Geranium oil Egyptian ; Damascone Beta ; Turpentine oil
3(c)	Black Raspberry Vanilla CC-16393 ; Ethylene brassylate ; Orange oil ; beta-Ionone ; Aldehyde C-16 ; Hexyl cinnamic aldehyde ; Damascone alpha- (E)-1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)-2-buten-1-one (24720-09-0) ; Geranium oil Egyptian ; Damascone Beta ; Turpentine oil
40.	Orange oil ; Turpentine oil

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

##### 15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

##### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)  
Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW-lijst van kankerverwekkende stoffen : Orange oil ,Turpentine oil are listed

SZW-lijst van mutagene stoffen : Orange oil ,Turpentine oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

##### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product  
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

##### Switzerland

Storage class (LK) : LK 10/12 - Liquids

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# Black Raspberry Vanilla CC-16393

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.