# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 8/16/2024



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : COCONUT CANDY CC-16401 10% in DPG

Product code : CC-16401\_10%
Type of product : Perfumes, Fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

# Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Contains : COUMARIN

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : Restricted to professional users.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.7 – 3.4	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Resin acids and Rosin acids, hydrogenated, methyl esters	CAS-No.: 8050-15-5 EC-No.: 232-476-2	1.5 – 3	Aquatic Chronic 3, H412
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.88 – 1.75	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.05 – 0.1	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

8/16/2024 (Issue date) EN (English US) 2/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

# 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

**Emergency procedures** : Ventilate area.

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapor.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

8/16/2024 (Issue date) EN (English US) 3/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage table LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 1 LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 6.1A LGK 6.1B LGK 5.1C LGK 5.2 LGK 6.1C

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

isopentyl acetate (123-92-2)				
EU - Indicative Occupational Exposure Limit (IOEL)				
IOEL TWA	270 mg/m³			
	50 ppm			
IOEL STEL	540 mg/m³			
	100 ppm			
Austria - Occupational Exposure Limits				
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))			
	50 ppm (Pentyl acetate (all isomers))			
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)			
	100 ppm (Pentylacetate)			
Belgium - Occupational Exposure Limits	Belgium - Occupational Exposure Limits			
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Bulgaria - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Croatia - Occupational Exposure Limits				
GVI (OEL TWA)	270 mg/m³			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)				
	50 ppm			
KGVI (OEL STEL)	540 mg/m³			
	100 ppm			
Cyprus - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Denmark - Occupational Exposure Limits				
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)			
	50 ppm (Amyl acetate, all isomers)			
OEL STEL	540 mg/m³			
	100 ppm			
Estonia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Finland - Occupational Exposure Limits				
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)			
	50 ppm (Pentyl acetate)			
HTP (OEL STEL)	540 mg/m³			
	100 ppm			
France - Occupational Exposure Limits				
VME (OEL TWA)	270 mg/m³ (restrictive limit)			
	50 ppm (restrictive limit)			
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)			
	100 ppm (restrictive limit)			
Germany - Occupational Exposure Limits (TRGS 90	00)			
AGW (OEL TWA)	270 mg/m³			
	50 ppm			
Gibraltar - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Greece - Occupational Exposure Limits				
OEL TWA	530 mg/m³			
	100 ppm			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)				
OEL STEL	800 mg/m³			
	150 ppm			
Hungary - Occupational Exposure Limits				
AK (OEL TWA)	270 mg/m³			
CK (OEL STEL)	540 mg/m³			
Ireland - Occupational Exposure Limits				
OEL TWA	260 mg/m³			
	50 ppm			
OEL STEL	520 mg/m³			
	100 ppm			
Italy - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Latvia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
Lithuania - Occupational Exposure Limits				
IPRV (OEL TWA)	270 mg/m³			
	50 ppm			
TPRV (OEL STEL)	540 mg/m³			
	100 ppm			
Luxembourg - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Malta - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Netherlands - Occupational Exposure Limits				
TGG-15min (OEL STEL)	530 mg/m³			
	98.1 ppm			
Poland - Occupational Exposure Limits				
NDS (OEL TWA)	250 mg/m³			
NDSCh (OEL STEL)	500 mg/m³			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)				
Portugal - Occupational Exposure Limits				
OEL TWA	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value (Pentyl acetate, all isomers)			
OEL STEL	540 mg/m³ (indicative limit value)			
	100 ppm (indicative limit value)			
Romania - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Slovakia - Occupational Exposure Limits				
NPHV (OEL TWA)	270 mg/m³			
	50 ppm			
NPHV (OEL C)	540 mg/m³			
Slovenia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Spain - Occupational Exposure Limits				
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)			
	50 ppm (indicative limit value)			
VLA-EC (OEL STEL)	540 mg/m³			
	100 ppm			
Sweden - Occupational Exposure Limits				
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)			
	50 ppm (Pentyl acetates)			
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)			
	100 ppm (Pentyl acetates)			
Norway - Occupational Exposure Limits				
Grenseverdi (OEL TWA)	260 mg/m³			
	50 ppm			
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)			
	75 ppm (value calculated)			
Switzerland - Occupational Exposure Limits	·			
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)			
	50 ppm (Pentyl acetate all isomers)			
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)			
	50 ppm (Pentyl acetate all isomers)			

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopentyl acetate (123-92-2)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

## 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

# Hand protection:

Wear protective gloves.

# 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask

# 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.

Odor : characteristic.
Odor threshold : Not available
Melting point : Not available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

: Not available Freezing point Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point > 93 °C Auto-ignition temperature Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapor pressure Vapor pressure at 50°C Not available Not available Density Relative density : Not available Relative vapor density at 20°C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Not established.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

	benzyl benzoate (120-51-4)	
LD50 oral rat		500 mg/kg (Source: NLM_CIP)
I	LD50 oral	1160 mg/kg body weight

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl benzoate (120-51-4)				
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)			
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)				
LD50 oral rat	> 2000 mg/kg (Source: CHEMVIEW)			
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA_API)			
COUMARIN (91-64-5)				
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)			
LD50 dermal rat	293 mg/kg (Source: ECHA_API)			
Additional information :  Serious eye damage/irritation :  Additional information :  Respiratory or skin sensitization :  Additional information :  Germ cell mutagenicity :  Additional information :  Carcinogenicity :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
IARC group	3 - Not classifiable			
Additional information : STOT-single exposure : Additional information : STOT-repeated exposure : Additional information : Aspiration hazard :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met			
Viscosity, kinematic	7.456 mm²/s			

# 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

# 11.2.2. Other information

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12:** Ecological information

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# 12.2. Persistence and degradability

COCONUT CANDY CC-16401 10% in DPG			
Persistence and degradability Not established.			
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)			
Persistence and degradability	Rapidly degradable		
COUMARIN (91-64-5)			
Persistence and degradability	Rapidly degradable		
isopentyl acetate (123-92-2)			
Persistence and degradability	Rapidly degradable		

# 12.3. Bioaccumulative potential

COCONUT CANDY CC-16401 10% in DPG			
Bioaccumulative potential	Not established.		
benzyl benzoate (120-51-4)			
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)		
Bioaccumulative potential	Not established.		
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)			
Partition coefficient n-octanol/water (Log Pow) 6.4 – 7.6 (at pH 6)			
isopentyl acetate (123-92-2)			
Partition coefficient n-octanol/water (Log Pow) 2.7 (at 35 °C)			

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

# 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations

**Ecological information** 

HP code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

8/16/2024 (Issue date) EN (English US) 11/15

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID n	14.1. UN number or ID number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.2. UN proper shipping	g name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.3. Transport hazard o	class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.4. Packing group	14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards						
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
No supplementary informatio	No supplementary information available					

# 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

# Air transport

Not applicable

#### Inland waterway transport

Not applicable

# **Rail transport**

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

# **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	, ,	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(b)	COCONUT CANDY CC- 16401 10% in DPG; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	COCONUT CANDY CC- 16401 10% in DPG; benzyl benzoate; Resin acids and Rosin acids, hydrogenated, methyl esters	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

# **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# 15.1.2. National regulations

# France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

# Germany

Water hazard class (WGK) : WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **Netherlands**

**ABM** category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen - Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: Resin acids and Rosin acids, hydrogenated, methyl esters is listed : None of the components are listed

: None of the components are listed

: None of the components are listed

**Denmark** 

Classification remarks

**Danish National Regulations** 

: Young people below the age of 18 years are not allowed to use the product

: Resin acids and Rosin acids, hydrogenated, methyl esters is listed

Pregnant/breastfeeding women working with the product must not be in direct contact with

: Emergency management guidelines for the storage of flammable liquids must be followed

the product

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information None.

Full text of H- and EUH-phrases:			
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3		
Flam. Liq. 3	Flammable liquids Category 3		
H226	Flammable liquid and vapor.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H311	Toxic in contact with skin.		
H317	May cause an allergic skin reaction.		
H331	Toxic if inhaled.		
H400	Very toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Sens. 1	Skin sensitization, Category 1		

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.