# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/3/2019 Revision date: 8/19/2024 Supersedes version of: 4/12/2023 Version: 2.0

# ANDLECRAFT

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form	: Mixture
Trade name	: PISTACHIO MINT COOKIE CC-16406
UFI	: E55F-431E-F000-4MPC
Product code	: CC-16406
Type of product	: Perfumes, fragrances
Product group	: Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
	Industrial
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture		
Classification according to Regulation (EC) No. 127	2/2008 [CLP]	
Serious eye damage/eye irritation, Category 2	H319	
Skin sensitisation, Category 1	H317	
Carcinogenicity, Category 1B	H350	
Hazardous to the aquatic environment – Chronic Hazar	d, H412	
Category 3		

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

May cause cancer. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

317 - May cause an allergic skin reaction. 319 - Causes serious eye irritation. 350 - May cause cancer.
,
350 - May cause cancer.
412 - Harmful to aquatic life with long lasting effects.
201 - Obtain special instructions before use.
202 - Do not handle until all safety precautions have been read and understood.
261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
264 - Wash hands, forearms and face thoroughly after handling.
272 - Contaminated work clothing should not be allowed out of the workplace.
273 - Avoid release to the environment.
2

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

## Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bis(2-ethylhexyl) adipate substance with national workplace exposure limit(s) (PL)	CAS-No.: 103-23-1 EC-No.: 203-090-1 REACH-no: 01-2119439699- 19	47.74 – 67.74	Not classified
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	2.975 – 5.95	Acute Tox. 4 (Oral), H302
Cinnamic aldehyde	CAS-No.: 104-55-2 EC-No.: 203-213-9 REACH-no: 01-2119935242- 45	2.475 – 4.95	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.675 – 3.35	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1.25 – 2.5	Eye Irrit. 2, H319
Anisic aldehyde	CAS-No.: 123-11-5 EC-No.: 204-602-6 REACH-no: 01-2119977101- 43	1.1 – 2.2	Aquatic Chronic 3, H412

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Spearmint oil	CAS-No.: 8008-79-5 EC-No.: 616-927-4	0.75 – 1.5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5 EC-No.: 204-465-2 REACH-no: 01-2119516040- 60	0.75 – 1.5	Eye Irrit. 2, H319
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.49 – 0.98	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.3 – 0.6	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
trans-Anethole	CAS-No.: 4180-23-8 EC-No.: 224-052-0	0.25 – 0.5	Skin Sens. 1B, H317
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0.175 – 0.35	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.175 – 0.35	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
	CAS-No.: 104-21-2 EC-No.: 203-185-8	0.125 – 0.25	Skin Sens. 1, H317
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.1 – 0.2	Flam. Liq. 3, H226
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.05 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.05 – 0.1	Skin Sens. 1B, H317

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.05 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Nutmeg Oil	CAS-No.: 8008-45-5 EC-No.: 282-013-3	0.05 – 0.1	Flam. Liq. 3, H226 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0 – 0.05	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effective states and effective symptoms and effective states and effective symptoms and effective sympto	ffects, both acute and delayed
Symptoms/effects after skin contact Symptoms/effects after eye contact	: May cause an allergic skin reaction. : Eye irritation.
4.3. Indication of any immediate med	ical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release	measures
6.1. Personal precautions, protecti	ve equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify a	uthorities if product enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.</li> <li>Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.</li> </ul>
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage conditions Storage temperature	: Store locked up. Store in a well-ventilated place. Keep cool. : 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

# Safety Data Sheet

n <sup>3</sup> 3 n <sup>3</sup> n <sup>3</sup> n <sup>3</sup> n <sup>3</sup> n <sup>3</sup>
3 n <sup>3</sup>
3 n <sup>3</sup>
n <sup>3</sup>
n <sup>3</sup>
n <sup>3</sup>
n <sup>3</sup>
n <sup>3</sup>
n³
n <sup>3</sup>
n³
n³
/m³ (calculated)
(calculated)
3
3
tation
n³
/m³
/m³
/m³
n <sup>3</sup>

# Safety Data Sheet

acetophenone (98-86-2)		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	4.4 mg/m <sup>3</sup>	
	1 ppm	
HTP (OEL C)	17.4 mg/m <sup>3</sup>	
	4 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	5 mg/m <sup>3</sup>	
CK (OEL STEL)	10 mg/m <sup>3</sup>	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m <sup>3</sup>	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	40 mg/m <sup>3</sup>	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m <sup>3</sup>	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m <sup>3</sup>	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	22 mg/m $^3$ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m <sup>3</sup>	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m <sup>3</sup>	

# Safety Data Sheet

benzyl alcohol (100-51-6)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	240 mg/m <sup>3</sup>
Slovenia - Occupational Exposure Limits	
OEL TWA	22 mg/m <sup>3</sup>
	5 ppm
OEL STEL	44 mg/m <sup>3</sup>
	10 ppm
OEL chemical category	Potential for cutaneous absorption
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	22 mg/m <sup>3</sup> (aerosol, vapour)
	5 ppm (aerosol, vapour)
OEL chemical category	Skin notation
Bis(2-ethylhexyl) adipate (103-23-1)	
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	400 mg/m <sup>3</sup>
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	140 mg/m <sup>3</sup>
	25 ppm
HTP (OEL STEL)	280 mg/m <sup>3</sup>
	50 ppm
Germany - Occupational Exposure Limits (TRGS 90	)0)
AGW (OEL TWA)	28 mg/m <sup>3</sup> (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation, Skin sensitization
Slovenia - Occupational Exposure Limits	
OEL TWA	28 mg/m <sup>3</sup>
	5 ppm
OEL STEL	112 mg/m <sup>3</sup>
	20 ppm
OEL chemical category	Potential for cutaneous absorption
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m <sup>3</sup>
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m³
· · · · · · · · · · · · · · · · · · ·	1

# Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	40 mg/m <sup>3</sup>
	7 ppm
KZGW (OEL STEL)	80 mg/m³
	14 ppm
OEL chemical category	Sensitizer
isopentyl acetate (123-92-2)	1
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	270 mg/m <sup>3</sup>
	50 ppm
IOEL STEL	540 mg/m <sup>3</sup>
	100 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetate (all isomers))
	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m <sup>3</sup> (Pentylacetate)
	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
OEL TWA	270 mg/m <sup>3</sup>
	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	270 mg/m <sup>3</sup>
	50 ppm
OEL STEL	540 mg/m <sup>3</sup>
	100 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA)	270 mg/m <sup>3</sup>
	50 ppm
KGVI (OEL STEL)	540 mg/m <sup>3</sup>
	100 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	270 mg/m <sup>3</sup>
	50 ppm

# Safety Data Sheet

isopentyl acetate (123-92-2)		
OEL STEL	540 mg/m³	
	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m <sup>3</sup> (Amyl acetate, all isomers)	
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m³	
	100 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m <sup>3</sup>	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m <sup>3</sup> (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m <sup>3</sup> (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS	S 900)	
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m <sup>3</sup>	
	100 ppm	
OEL STEL	800 mg/m <sup>3</sup>	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m <sup>3</sup>	
	540 mg/m <sup>3</sup>	

# Safety Data Sheet

isopentyl acetate (123-92-2)		
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	520 mg/m <sup>3</sup>	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m <sup>3</sup>	
	50 ppm	
TPRV (OEL STEL)	540 mg/m <sup>3</sup>	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m <sup>3</sup>	
	98.1 ppm	
Poland - Occupational Exposure Limits	•	
NDS (OEL TWA)	250 mg/m <sup>3</sup>	
NDSCh (OEL STEL)	500 mg/m <sup>3</sup>	
Portugal - Occupational Exposure Limits	·	
OEL TWA	270 mg/m <sup>3</sup> (indicative limit value)	
	50 ppm (indicative limit value (Pentyl acetate, all isomers)	
OEL STEL	540 mg/m <sup>3</sup> (indicative limit value)	
	100 ppm (indicative limit value)	
1	1	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

isopentyl acetate (123-92-2)	sopentyl acetate (123-92-2)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m <sup>3</sup>	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	270 mg/m <sup>3</sup>	
	50 ppm	
NPHV (OEL C)	540 mg/m <sup>3</sup>	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m <sup>3</sup>	
	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	270 mg/m <sup>3</sup> (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m <sup>3</sup>	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m <sup>3</sup> (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m <sup>3</sup> (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m <sup>3</sup>	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m <sup>3</sup> (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m <sup>3</sup> (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m <sup>3</sup> (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Lin	nits	
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	

## 8.1.2. Recommended monitoring procedures

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection: Safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Protective gloves

#### 8.2.2.3. Respiratory protection

Respiratory protection: [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Colour: light yellow. amber. Conforms to standard.Odour: characteristic.Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Physical state	: Liquid
Odour threshold: Not availableMelting point: Not availableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Colour	: light yellow. amber. Conforms to standard.
Melting point: Not applicableFreezing point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Odour	: characteristic.
Freezing point: Not availableBoiling point: Not availableBoiling point: Not availableFlammability: Not availableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Odour threshold	: Not available
Boiling point: Not availableFlammability: Not applicableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Melting point	: Not applicable
Flammability: Not applicableLower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Freezing point	: Not available
Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Boiling point	: Not available
Upper explosion limit: Not availableFlash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Flammability	: Not applicable
Flash point: 85.9 °C (closed cup) ASTM D7094Auto-ignition temperature: Not available	Lower explosion limit	: Not available
Auto-ignition temperature : Not available	Upper explosion limit	: Not available
	Flash point	: 85.9 °C (closed cup) ASTM D7094
Decomposition temperature . Not available	Auto-ignition temperature	: Not available
	Decomposition temperature	: Not available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH Viscosity, kinematic	: Not available : Not available
Solubility Partition coefficient n-octanol/water (Log Kow)	: Not available : Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: ≈ 0.96
Relative vapour density at 20°C Particle characteristics	: Not available : Not applicable

## 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	Not classified Not classified Not classified
LD50 oral rat	900 mg/kg (Source: JAPAN_GHS)
LD50 oral	500 mg/kg bodyweight
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)
Allyl caproate (123-68-2)	
LD50 oral	218 mg/kg

# Safety Data Sheet

Allyl caproate (123-68-2)		
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 dermal	300 mg/kg	
Anisic aldehyde (123-11-5)		
LD50 oral rat	3210 mg/kg (Source: ECHA)	
LD50 oral	3210 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 0.32 mg/l (Exposure time: 7 h Source: ECHA)	
(104-21-2)		
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
Bis(2-ethylhexyl) adipate (103-23-1)		
LD50 oral rat	5600 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	8410 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 5.7 mg/l/4h	
Cinnamic aldehyde (104-55-2)		
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)	
LD50 oral	2220 mg/kg	
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)	
COUMARIN (91-64-5)		
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rat	293 mg/kg (Source: ECHA_API)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	

# Safety Data Sheet

Heliotropine (120-57-0)		
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)	
LD50 oral	2700 mg/kg bodyweight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
Nutmeg Oil (8008-45-5)		
LD50 oral rat	2620 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 10 g/kg (Source: NLM_HSDB)	
Spearmint oil (8008-79-5)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	4900 mg/kg	
trans-Anethole (4180-23-8)		
LD50 oral rat	2090 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 4900 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 5.1 mg/l/4h	
Vanillin (121-33-5)		
LD50 dermal rabbit	> 5010 mg/kg (Source: OECD_SIDS)	
LD50 dermal	2600 mg/kg bodyweight	
Skin corrosion/irritation :	Not classified	
	Causes serious eye irritation.	
	May cause an allergic skin reaction.	
5 ,	Not classified	
	May cause cancer.	
Bis(2-ethylhexyl) adipate (103-23-1)		
IARC group	3 - Not classifiable	
COUMARIN (91-64-5)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
Hydrocarbon	Yes
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general Hazardous to the aquatic environment, short–term (acute) Hazardous to the aquatic environment, long–term	<ul> <li>Harmful to aquatic life with long lasting effects.</li> <li>Not classified</li> <li>Harmful to aquatic life with long lasting effects.</li> </ul>
(chronic)	
acetophenone (98-86-2)	
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Allyl caproate (123-68-2)	
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
benzaldehyde (100-52-7)	
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Bis(2-ethylhexyl) adipate (103-23-1)	
LC50 - Fish [1]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	0.48 – 0.85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [1]	> 1.6 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
(R)-p-mentha-1,8-diene; d-limonene (5989-2	7-5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/I (Species: Desmodesmus subspicatus)
Vanillin (121-33-5)	
LC50 - Fish [1]	53 – 61.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	88 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
NOEC (acute)	10000 mg/kg (Exposure time: 42 Days - Species: Eisenia foetida [soil dry weight])

# 12.2. Persistence and degradability

PISTACHIO MINT COOKIE CC-16406	
Persistence and degradability	Rapidly degradable
acetophenone (98-86-2)	
Persistence and degradability	Rapidly degradable
Allyl caproate (123-68-2)	
Persistence and degradability	Rapidly degradable
Anisic aldehyde (123-11-5)	
Persistence and degradability	Rapidly degradable
(104-21-2)	
Persistence and degradability	Rapidly degradable
benzaldehyde (100-52-7)	
Persistence and degradability	Rapidly degradable
benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable
Bis(2-ethylhexyl) adipate (103-23-1)	
Persistence and degradability	Rapidly degradable
Cinnamic aldehyde (104-55-2)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable

# Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
Ethyl vanillin (121-32-4)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
Heliotropine (120-57-0)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ideno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
Nutmeg Oil (8008-45-5)		
Persistence and degradability	Rapidly degradable	
Spearmint oil (8008-79-5)		
Persistence and degradability	Rapidly degradable	
trans-Anethole (4180-23-8)		
Persistence and degradability	Rapidly degradable	
Vanillin (121-33-5)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Allyl caproate (123-68-2)		
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)	
Anisic aldehyde (123-11-5)		
Partition coefficient n-octanol/water (Log Pow)	1.56 (at 25 °C (at pH >7.9-<8.25)	
(104-21-2)		
Partition coefficient n-octanol/water (Log Pow)	1.9 (at 35 °C)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bis(2-ethylhexyl) adipate (103-23-1)		
BCF - Fish [1]	(27 dimensionless)	
Partition coefficient n-octanol/water (Log Pow)	8.94 (at 25 °C)	
Cinnamic aldehyde (104-55-2)		
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
Ethyl vanillin (121-32-4)		
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)	
Eugenol (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)	
Heliotropine (120-57-0)		
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	deno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
Vanillin (121-33-5)		
Partition coefficient n-octanol/water (Log Pow)	1.23 (at 22 °C)	
12.4. Mobility in soil		
No additional information available		

12.5. Results of PBT and vPvB assessment

No additional information available

**12.6. Endocrine disrupting properties** 

No additional information available

12.7. Other adverse effects

No additional information available

<b>SECTION 13:</b>	Disposal considerations	
	Biopeda eeneratianene	

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
HP Code	: HP7 - "Carcinogenic:" waste which induces cancer or increases its incidence
	HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

accordance with ADR / IM	DG / IATA / ADN / RID				
ADR	IMDG IATA ADN RID				
4.1. UN number or ID r	number	·,			
Not regulated for transport					
14.2. UN proper shippir	ng name				
Not regulated	Not regulated Not regulated Not regulated Not regulated				
14.3. Transport hazard class(es)					
Not regulated	Not regulated Not regulated Not regulated Not regulated		Not regulated		
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	

14.6. Special precautions for user

Overland transport Not regulated

Transport by sea Not regulated

Air transport Not regulated

Inland waterway transport Not regulated

Rail transport Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

## **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	(R)-p-mentha-1,8-diene; d-limonene ; isopentyl acetate ; Nutmeg Oil ; Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	PISTACHIO MINT COOKIE CC-16406 ; acetophenone ; Allyl caproate ; ; benzaldehyde ; benzyl alcohol ; Cinnamic aldehyde ; (R)-p-mentha- 1,8-diene; d-limonene ; Eugenol ; Linalool ; Nutmeg Oil ; Spearmint oil ; trans-Anethole	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	PISTACHIO MINT COOKIE CC-16406 ; Allyl caproate ; Anisic aldehyde ; Cinnamic aldehyde ; (R)-p-mentha- 1,8-diene; d-limonene ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB) ; Nutmeg Oil ; Spearmint oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	(R)-p-mentha-1,8-diene; d-limonene ; isopentyl acetate ; Nutmeg Oil ; Spearmint oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

## Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

### France

Occupational diseases				
Code D	Description			
h a d	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide			
Germany				
Water hazard class (WGK) List of sensitizing substances ( Chemicals Prohibition Ordinan	(TRGS 907) :	<ul> <li>WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).</li> <li>Contains sensitizing substances according TRGS 907.</li> <li>This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).</li> </ul>		
Hazardous Incident Ordinance (12. BImSchV)		: Is not subject to the Hazardous Incident Ordinance (12. BImSchV)		
Netherlands				
ABM category	:	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment		
SZW-lijst van reprotoxische sto Vruchtbaarheid	n : offen – Borstvoeding : N offen – :	<ul> <li>None of the components are listed</li> </ul>		
SZW-lijst van reprotoxische sto	offen – Ontwikkeling :	: None of the components are listed		
Denmark Class for fire hazard Store unit Classification remarks	:	<ul> <li>Class III-1</li> <li>50 liter</li> <li>Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed</li> </ul>		
Danish National Regulations	:	<ul> <li>Young people below the age of 18 years are not allowed to use the product</li> <li>Pregnant/breastfeeding women working with the product must not be in direct contact with the product</li> <li>The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal</li> </ul>		

## **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 1B	Carcinogenicity, Category 1B	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
Skin Sens. 1B	Skin sensitisation, category 1B	

#### The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.