

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 8/18/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : BERRY SOAP CC-16408 10% in DPG

Product code : CC-16408_10%
Type of product : Perfumes, Fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft
Weiherwiese 10
65510 Idstein - Germany
T 49-6126-9363 -0
info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317 Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Precautionary statements (CLP)



GHS07

Signal word (CLP) : Warning

Contains : Aldehyde C-16; Linalool; delta-Damascone Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.68 – 1.35329	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.27 – 0.54	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.23 – 0.45	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.08 – 0.156	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.06 – 0.12	Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.04 – 0.084	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.01 – 0.012	Flam. Liq. 3, H226
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.01 – 0.012	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.006	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00034	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00008	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

First-aid measures after eye contact

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

8/18/2024 (Issue date) EN (English US) 3/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

8/18/2024 (Issue date) EN (English US) 4/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table

LGK 1 LGK 2A LGK 3 LGK 4.1A LGK 2B LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 6.1A LGK 5.1C LGK 5.2 LGK 6.1B LGK 6.1C LGK 8A LGK 6.1D LGK 6.2 LGK 7 LGK 8B LGK 10 LGK 12 **LGK 13** LGK 10-13 LGK 11

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 6.2, LGK 7 : LGK 4.1A, LGK 4.3, LGK 5.1C

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	

Safety Data Sheet

Benzyl acetate (140-11-4)		
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	270 mg/m³	
	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m³	
	100 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	

Safety Data Sheet

	isopentyl acetate (123-92-2)		
Italy - Occupational Exposure Limits	OEL STEL	520 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ DFW (OEL TWA) 270 mg/m³ 100 ppm 50 ppm TPRV (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 0EL TWA 250 mg/m³ 0EL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 580 mg/m³ Poland - Occupational Exposure Limits 580 mg/m³ NDS (OEL TWA) 250 mg/m³ NDS (OEL TWA) 250 mg/m³ (indicative limit value) OEL TWA 270 mg/m² (indicative limit value) 0EL STEL 540 mg/m² (indicative limit value)		100 ppm	
S0 pm	Italy - Occupational Exposure Limits		
OEL STEL. 540 mg/m³ / 100 ppm Latvia - Occupational Exposure Limits 270 mg/m³ / 50 ppm Lithuania - Occupational Exposure Limits 270 mg/m³ / 50 ppm IPRV (OEL TWA) 270 mg/m³ / 50 ppm TPRV (OEL STEL) 540 mg/m³ / 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ / 50 ppm OEL TWA 270 mg/m³ / 50 ppm OEL STEL 540 mg/m³ / 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ / 50 ppm OEL TWA 270 mg/m³ / 50 ppm OEL TWA 540 mg/m³ / 100 ppm Malta - Occupational Exposure Limits 540 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits 540 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits 530 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits NBC (OEL STEL) 580 mg/m³ / 100 ppm Portugal - Occupational Exposure Limits OEL TWA 250 mg/m³ / (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) 0 ppm (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) OEL STEL 540 mg/m³ (indicative limit valu	OEL TWA	270 mg/m³	
100 ppm		50 ppm	
Latvia - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm Lithuania - Occupational Exposure Limits 270 mg/m³ TPRV (OEL STEL) 540 mg/m³ 540 mg/m³ 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 540 mg/m³ 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 270 mg/m³ OEL TWA 540 mg/m³ OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 50 ppm Netherlands - Occupational Exposure Limits S00 mg/m³ NDS (OEL TWA) 250 mg/m³ NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value)	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm Lithuania - Occupational Exposure Limits 270 mg/m³ FPRV (OEL STEL) 50 ppm TPRV (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Malta - Occupational Exposure Limits 50 ppm OEL STEL 540 mg/m³ 60 ppm 0 Netherlands - Occupational Exposure Limits 540 mg/m³ TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm 98.1 ppm Poland - Occupational Exposure Limits 500 mg/m³ NDSC (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 500 mg/m³ OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 50 ppm (indicative limit value) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value)		100 ppm	
S0 ppm	Latvia - Occupational Exposure Limits		
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 270 mg/m³ 50 ppm 50 ppm TPRV (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ OEL STEL 540 mg/m³ 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) Foland - Occupational Exposure Limits 530 mg/m³ Poland - Occupational Exposure Limits S00 mg/m³ NDS (OEL TWA) 250 mg/m³ NDS (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value) OEL STEL 540 mg/m² (indicative limit value) OEL STEL 540 mg/m² (indicative limit value) OEL STEL 540 mg/m² (indicative limit value)	OEL TWA	270 mg/m³	
IPRV (OEL TWA)		50 ppm	
TPRV (OEL STEL)	Lithuania - Occupational Exposure Limits		
TPRV (OEL STEL) 540 mg/m³ 100 ppm 100 ppm Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 540 mg/m³ 0EL STEL 540 mg/m³ Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ 0EL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 530 mg/m³ ROG-15min (OEL STEL) 530 mg/m³ 98.1 ppm 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDS (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 0EL TWA 540 mg/m² (indicative limit value) 0EL STEL 540 mg/m² (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value)	IPRV (OEL TWA)	270 mg/m³	
Luxembourg - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) Formania - Occupational Exposure Limits OEL STEL 540 mg/m³ (indicative limit value) Formania - Occupational Exposure Limits		50 ppm	
Luxembourg - Occupational Exposure Limits 270 mg/m³ OEL TWA 50 ppm OEL STEL 540 mg/m³ Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 100 ppm Netherlands - Occupational Exposure Limits 530 mg/m³ Poland - Occupational Exposure Limits 530 mg/m³ NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 500 mg/m³ OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) (Pentyl acetate, all isomers) 0EL STEL 640 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits 100 ppm (indicative limit value)	TPRV (OEL STEL)	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 540 mg/m³ OEL STEL 540 mg/m³ Malta - Occupational Exposure Limits 270 mg/m³ OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ Netherlands - Occupational Exposure Limits 530 mg/m³ TGG-15min (OEL STEL) 530 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits 270 mg/m³ (indicative limit value) OEL TWA 270 mg/m³ (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits 270 mg/m³ (indicative limit value)		100 ppm	
S0 ppm	Luxembourg - Occupational Exposure Limits		
OEL STEL 540 mg/m³ / 100 ppm Malta - Occupational Exposure Limits 270 mg/m³ / 50 ppm OEL TWA 540 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits 540 mg/m³ / 100 ppm Netherlands - Occupational Exposure Limits 530 mg/m³ / 98.1 ppm Poland - Occupational Exposure Limits Value of the pink of th	OEL TWA	270 mg/m³	
100 ppm		50 ppm	
Malta - Occupational Exposure Limits OEL TWA 270 mg/m³ 50 ppm OEL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDS (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 70 ppm (indicative limit value) 80 ppm (indicative limit value) 70 ppm (indicative limit value) 80 ppm (indicative limit value) 70 ppm (indicative limit value) 80 ppm (indicative limit value)	OEL STEL	540 mg/m³	
OEL TWA 270 mg/m³ 50 ppm 50 ppm OEL STEL 540 mg/m³ 100 ppm 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits		100 ppm	
OEL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDSCh (OEL STEL) 500 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 70 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	Malta - Occupational Exposure Limits		
OEL STEL 540 mg/m³ 100 ppm Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	OEL TWA	270 mg/m³	
Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 50 ppm (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits		50 ppm	
Netherlands - Occupational Exposure Limits TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers)) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value)	OEL STEL	540 mg/m³	
TGG-15min (OEL STEL) 530 mg/m³ 98.1 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits		100 ppm	
Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	Netherlands - Occupational Exposure Limits		
Poland - Occupational Exposure Limits NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	TGG-15min (OEL STEL)	530 mg/m³	
NDS (OEL TWA) 250 mg/m³ NDSCh (OEL STEL) 500 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits		98.1 ppm	
NDSCh (OEL STEL) Fortugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	NDS (OEL TWA)	250 mg/m³	
OEL TWA 270 mg/m³ (indicative limit value) 50 ppm (indicative limit value (Pentyl acetate, all isomers) OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	NDSCh (OEL STEL)	500 mg/m³	
DEL STEL 50 ppm (indicative limit value (Pentyl acetate, all isomers) 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	Portugal - Occupational Exposure Limits		
OEL STEL 540 mg/m³ (indicative limit value) 100 ppm (indicative limit value) Romania - Occupational Exposure Limits	OEL TWA	270 mg/m³ (indicative limit value)	
100 ppm (indicative limit value) Romania - Occupational Exposure Limits		50 ppm (indicative limit value (Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits	OEL STEL	540 mg/m³ (indicative limit value)	
		100 ppm (indicative limit value)	
051.734	Romania - Occupational Exposure Limits	•	
OEL I WA 270 mg/m³	OEL TWA	270 mg/m³	
50 ppm		50 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
OEL STEL	540 mg/m³	
	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	270 mg/m³	
	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	

Safety Data Sheet

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
acetophenone (98-86-2)		
Belgium - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	10 ppm	
Bulgaria - Occupational Exposure Limits	•	
OEL TWA	5 mg/m³	
Denmark - Occupational Exposure Limits	•	
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	98 mg/m³	

Safety Data Sheet

acetophenone (98-86-2)		
	20 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	25 mg/m³	
	5 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	50 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	49 mg/m³	
	10 ppm	
OEL STEL	147 mg/m³ (calculated)	
	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	20 ppm	
OEL STEL	200 mg/m³	
	41 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
Aldehyde C-6 (66-25-1)		
Finland - Occupational Exposure Limits		
HTP (OEL STEL)	42 mg/m³	
	10 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	40 mg/m³	
NDSCh (OEL STEL)	80 mg/m ³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.

Odor : characteristic. Odor threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available : > 93 °C Flash point : Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Not available Vapor pressure Vapor pressure at 50°C Not available Density Not available Relative density Not available Relative vapor density at 20°C Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

8/18/2024 (Issue date) EN (English US) 13/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	Not classified	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
delta-Damascone (57378-68-4)		
LD50 oral	1400 mg/kg body weight	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	

Safety Data Sheet

Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
acetophenone (98-86-2)		
LD50 oral rat	900 mg/kg (Source: JAPAN_GHS)	
LD50 oral	500 mg/kg body weight	
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	
Aldehyde C-6 (66-25-1)		
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)	
	Not classified Based on available data, the classification criteria are not met	
	Not classified	
	Based on available data, the classification criteria are not met	
	May cause an allergic skin reaction.	
	Based on available data, the classification criteria are not met	
	Not classified Based on available data, the classification criteria are not met	
	Not classified	
	Based on available data, the classification criteria are not met	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
IARC group	3 - Not classifiable	
7	Not classified	
	Based on available data, the classification criteria are not met	
9 .	Not classified Resed on available data, the classification criteria are not met	
	Based on available data, the classification criteria are not met Not classified	
	Based on available data, the classification criteria are not met	
	Not classified	
	Based on available data, the classification criteria are not met	
benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)		
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
acetophenone (98-86-2)		
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
BERRY SOAP CC-16408 10% in DPG		
Persistence and degradability	Not established.	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable	
delta-Damascone (57378-68-4)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Allyl heptanoate (142-19-8)		
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
acetophenone (98-86-2)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

Alcohol C-10 (112-30-1)

Persistence and degradability

Aldehyde C-6 (66-25-1)

Persistence and degradability

12.3. Dioaccumulati	ve potentiai	
BERRY SOAP CC-1	6408 10% in DPG	
Bioaccumulative potent	ial	Not established.

Rapidly degradable

Rapidly degradable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

8/18/2024 (Issue date) EN (English US) 18/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping	14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group	14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary informatio	No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	BERRY SOAP CC-16408 10% in DPG; Aldehyde C-16; benzyl benzoate; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran, galaxolide, (HHCB); delta- Damascone; Benzyl acetate; Allyl heptanoate ; (R)-p-mentha-1,8-diene, d-limonene; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
3(b)	BERRY SOAP CC-16408 10% in DPG; Aldehyde C-16; benzyl benzoate; Linalool; delta- Damascone; Allyl heptanoate; (R)-p- mentha-1,8-diene, d- limonene; acetophenone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(a)	isopentyl acetate ; (R)-p- mentha-1,8-diene, d- limonene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	isopentyl acetate ; (R)-p- mentha-1,8-diene, d- limonene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – : None of the components are listed

32vv-lijst vari reprotoxische stollen –

Vruchtbaarheid SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
H226	Flammable liquid and vapor.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1B	Skin sensitization, Category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.