Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 8/18/2024



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Type of product Mixture
BERRY SOAP CC-16408 5% in DPG
CC-16408_5%
Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec

IndustrialFor professional use onlyPerfumes, Fragrances

Use of the substance/mixture Function or use category

: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard	H412
Category 3	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to	Regulation	(EC) No. ²	1272/2008 [CLP]
		(

Hazard pictograms (CLP)

Signal word (CLP)
Contains
Hazard statements (CLP)

Precautionary statements (CLP)



- : Aldehyde C-16; Linalool
- : H317 May cause an allergic skin reaction.
 - H412 Harmful to aquatic life with long lasting effects.
 - : P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
 - P272 Contaminated work clothing should not be allowed out of the workplace.
 - P273 Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	P302+P352 - IF ON SKIN: Wash with plenty of water.
	P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases	: Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.75 – 1.5	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.34 – 0.676645	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.135 – 0.27	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.115 – 0.225	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.03 - 0.06	Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.02 – 0.042	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.005 – 0.006	Flam. Liq. 3, H226

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.005 – 0.006	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0 – 0.003	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.00017	Aquatic Chronic 3, H412
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.00004	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures				
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).			
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.			
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. 			
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.			
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.			
4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.			
4.3. Indication of any immediate medical attention and special treatment needed				

No additional information available

SECTION 5: Firefighting measures					
5.1. Extinguishing media					
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.				
5.2. Special hazards arising from the substance or mixture					
No additional information available					
5.3. Advice for firefighters					
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.				
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release	measures		
6.1. Personal precautions, protectiv	e equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders Protective equipment Emergency procedures	Equip cleanup crew with proper protection.Ventilate area.		
6.2. Environmental precautions			
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.			
6.3. Methods and material for conta	inment and cleaning up		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.		
6.4. Reference to other sections			

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage							
7.1. Precautions for safe handling							
Precautions for safe handling	smc	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.					
7.2. Conditions for safe storage, includ	ng any inc	ompatil	oilities				
Storage conditions Incompatible products Incompatible materials	cont : Stro	ainer clos ng bases	the original co and when not i . Strong acids nition. Direct s	n use.	l, well ventilated	d place away fron	n : Keep
Germany		(10 Nor	aamhuatibla	liquido			
Storage class (LGK, TRGS 510) Joint storage table			LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
		(4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B	
		(5.10	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C	_
	LGł	(6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B	
	LGł	(10	LGK 11	LGK 12	LGK 13	LGK 10-13	
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	 LGK 1, LGK 6.2, LGK 7 LGK 4.1A, LGK 4.3, LGK 5.1C LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13 						
Switzerland							
Storage class (LK)	: LK ′	10/12 - Lio	quids				
7.3. Specific end use(s)							
Nie is de Biller en die General Generalie (1944)							

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection 8.1. Control parameters 8.1.1 National occupational exposure and biological limit values Benzyl acetate (140-11-4) **Belgium - Occupational Exposure Limits** OEL TWA 62 mg/m³ 10 ppm **Denmark - Occupational Exposure Limits** OEL TWA 61 mg/m³ 10 ppm OEL STEL 122 mg/m³ 20 ppm **Ireland - Occupational Exposure Limits** OEL TWA 10 ppm OEL STEL 30 ppm (calculated) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Portugal - Occupational Exposure Limits OEL TWA 10 ppm OEL chemical category A4 - Not Classifiable as a Human Carcinogen **Romania - Occupational Exposure Limits** OEL TWA 50 mg/m³ 8 ppm OEL STEL 80 mg/m³ 13 ppm **Spain - Occupational Exposure Limits** VLA-ED (OEL TWA) 62 mg/m³ 10 ppm **USA - ACGIH - Occupational Exposure Limits** ACGIH OEL TWA 10 ppm ACGIH chemical category Not Classifiable as a Human Carcinogen isopentyl acetate (123-92-2) EU - Indicative Occupational Exposure Limit (IOEL) **IOEL TWA** 270 mg/m³ 50 ppm **IOEL STEL** 540 mg/m³ 100 ppm

Safety Data Sheet

isopentyl acetate (123-92-2)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	270 mg/m ³ (Pentyl acetate (all isomers))		
	50 ppm (Pentyl acetate (all isomers))		
MAK (OEL STEL)	540 mg/m ³ (Pentylacetate)		
	100 ppm (Pentylacetate)		
Belgium - Occupational Exposure Limits			
OEL TWA	270 mg/m ³		
	50 ppm		
OEL STEL	540 mg/m ³		
	100 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	270 mg/m ³		
	50 ppm		
OEL STEL	540 mg/m ³		
	100 ppm		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA)	270 mg/m ³		
	50 ppm		
KGVI (OEL STEL)	540 mg/m ³		
	-		
Cumrus Occupational Exposure Limita	100 ppm		
Cyprus - Occupational Exposure Limits OEL TWA 270 mg/m³			
OEL TWA			
	50 ppm		
OEL STEL	540 mg/m ³		
	100 ppm		
Denmark - Occupational Exposure Limits			
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)		
	50 ppm (Amyl acetate, all isomers)		
OEL STEL	540 mg/m ³		
	100 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	270 mg/m ³		
	50 ppm		
OEL STEL	540 mg/m ³		
	100 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)		
	50 ppm (Pentyl acetate)		
HTP (OEL STEL)	540 mg/m ³		

Safety Data Sheet

isopentyl acetate (123-92-2)				
	100 ppm			
France - Occupational Exposure Limits				
VME (OEL TWA)	270 mg/m ³ (restrictive limit)			
	50 ppm (restrictive limit)			
VLE (OEL C/STEL)	540 mg/m ³ (restrictive limit)			
	100 ppm (restrictive limit)			
Germany - Occupational Exposure Limits (TRGS 9	00)			
AGW (OEL TWA)	270 mg/m ³			
	50 ppm			
Gibraltar - Occupational Exposure Limits				
OEL TWA	270 mg/m ³			
	50 ppm			
OEL STEL	540 mg/m³			
	100 ppm			
Greece - Occupational Exposure Limits				
OEL TWA	530 mg/m³			
	100 ppm			
OEL STEL	800 mg/m³			
	150 ppm			
Hungary - Occupational Exposure Limits				
AK (OEL TWA)	270 mg/m³			
CK (OEL STEL)	540 mg/m³			
Ireland - Occupational Exposure Limits				
OEL TWA	260 mg/m ³			
	50 ppm			
OEL STEL	520 mg/m ³			
	100 ppm			
Italy - Occupational Exposure Limits	·			
OEL TWA	270 mg/m ³			
	50 ppm			
OEL STEL	540 mg/m ³			
	100 ppm			
Latvia - Occupational Exposure Limits				
OEL TWA	270 mg/m³			
	50 ppm			
Lithuania - Occupational Exposure Limits	•			
IPRV (OEL TWA)	270 mg/m³			
	50 ppm			
TPRV (OEL STEL)	540 mg/m³			

Safety Data Sheet

isopentyl acetate (123-92-2)	
	100 ppm
Luxembourg - Occupational Exposure Limits	·
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Malta - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Netherlands - Occupational Exposure Limits	
TGG-15min (OEL STEL)	530 mg/m³
	98.1 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	250 mg/m ³
NDSCh (OEL STEL)	500 mg/m ³
Portugal - Occupational Exposure Limits	
OEL TWA	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value (Pentyl acetate, all isomers)
OEL STEL	540 mg/m³ (indicative limit value)
	100 ppm (indicative limit value)
Romania - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m³
	100 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA)	270 mg/m ³
	50 ppm
NPHV (OEL C)	540 mg/m ³
Slovenia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
	50 ppm
OEL STEL	540 mg/m ³
	100 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)
	50 ppm (indicative limit value)

Safety Data Sheet

isopentyl acetate (123-92-2)		
VLA-EC (OEL STEL)	540 mg/m³	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m ³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m ³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits	·	
Grenseverdi (OEL TWA)	260 mg/m ³	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m ³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m ³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m ³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27	7-5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS	900)	
AGW (OEL TWA)	28 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m ³	
	20 ppm	

Safety Data Sheet

(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)	
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	168 mg/m³
	30 ppm
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	140 mg/m ³
	25 ppm
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	40 mg/m ³
	7 ppm
KZGW (OEL STEL)	80 mg/m ³
	14 ppm
OEL chemical category	Sensitizer
acetophenone (98-86-2)	
Belgium - Occupational Exposure Limits	
OEL TWA	50 mg/m³
	10 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Denmark - Occupational Exposure Limits	
OEL TWA	49 mg/m³
	10 ppm
OEL STEL	98 mg/m³
	20 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	25 mg/m³
	5 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	50 mg/m³
Ireland - Occupational Exposure Limits	
OEL TWA	49 mg/m ³
	10 ppm
OEL STEL	147 mg/m ³ (calculated)
	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³

Safety Data Sheet

acetophenone (98-86-2)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³	
NDSCh (OEL STEL)	100 mg/m ³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m ³	
	20 ppm	
OEL STEL	200 mg/m ³	
	41 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	50 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS	\$ 900)	
AGW (OEL TWA)	66 mg/m ³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m ³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
	10 ppm (aerosol, vapour)
Aldehyde C-6 (66-25-1)	
Finland - Occupational Exposure Limits	
HTP (OEL STEL)	42 mg/m³
	10 ppm
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	40 mg/m³
NDSCh (OEL STEL)	80 mg/m³

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state Color Odor Odor threshold Melting point Freezing point Boiling point Flammability Lower explosion limit Upper explosion limit Upper explosion limit Flash point Auto-ignition temperature Decomposition temperature pH Viscosity, kinematic Solubility Partition coefficient n-octanol/water (Log Kow) Vapor pressure Vapor pressure at 50°C Density Relative density Relative vapor density at 20°C	 Liquid Conforms to standard. characteristic. Not available 	
Particle characteristics	: Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

Safety Data Sheet

SECTION 11: Toxicological information		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
benzyl benzoate (120-51-4)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
acetophenone (98-86-2)		
LD50 oral rat	900 mg/kg (Source: JAPAN_GHS)	
LD50 oral	500 mg/kg body weight	
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)	
Alcohol C-10 (112-30-1)		
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	3560 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Skin corrosion/irritation:Additional information:Serious eye damage/irritation:Additional information:Additional information:Additional information:Additional information:Germ cell mutagenicity:Additional information:	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met
Carcinogenicity : Additional information :	Not classified Based on available data, the classification criteria are not met
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
IARC group	3 - Not classifiable
Reproductive toxicity : Additional information : STOT-single exposure :	Not classified Based on available data, the classification criteria are not met Not classified
Additional information:STOT-repeated exposure:Additional information:Aspiration hazard:	Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified
Additional information :	Based on available data, the classification criteria are not met
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
Hydrocarbon	Yes
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties No additional information available 11.2.2. Other information Potential Adverse human health effects and symptoms	Based on available data, the classification criteria are not met
SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term : (chronic)	Not classified Harmful to aquatic life with long lasting effects.
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)

ECHA)

Safety Data Sheet

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	deno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5	5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
acetophenone (98-86-2)		
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
12.2. Persistence and degradability		
BERRY SOAP CC-16408 5% in DPG		
Persistence and degradability	Not established.	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Allyl heptanoate (142-19-8)		
Persistence and degradability	Rapidly degradable	
isopentyl acetate (123-92-2)		
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
Persistence and degradability	Rapidly degradable	
acetophenone (98-86-2)		
Persistence and degradability	Rapidly degradable	
Alcohol C-10 (112-30-1)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-6 (66-25-1)		
Persistence and degradability	Rapidly degradable	
12.3. Bioaccumulative potential		
BERRY SOAP CC-16408 5% in DPG		
Bioaccumulative potential	Not established.	
Aldehyde C-16 (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Allyl heptanoate (142-19-8)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)	
acetophenone (98-86-2)		
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)
Aldehyde C-6 (66-25-1)	
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecological information	: Avoid release to the environment.
HP code	: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one
	or more sectors of the environment

SECTION 14: Transport information

accordance with ADR / IMDG / IATA / ADN / RID					
ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number or ID r	number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippir	ng name	·	·		
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard	class(es)	· · · · ·			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group		· · · · · ·			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental ha	zards	· · · · · ·			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	isopentyl acetate ; (R)-p- mentha-1,8-diene, d- limonene ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	BERRY SOAP CC-16408 5% in DPG ; Aldehyde C- 16 ; benzyl benzoate ; Linalool ; Allyl heptanoate ; (R)-p-mentha-1,8-diene, d-limonene ; acetophenone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	BERRY SOAP CC-16408 5% in DPG ; Aldehyde C- 16 ; benzyl benzoate ; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran, galaxolide, (HHCB) ; Benzyl acetate ; Allyl heptanoate ; (R)-p- mentha-1,8-diene, d- limonene ; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	isopentyl acetate ; (R)-p- mentha-1,8-diene, d- limonene ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Professional diseases			
Code D	Description		
h a d	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide		
Germany			
Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)		 WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1). Is not subject to the Hazardous Incident Ordinance (12. BImSchV) 	
Netherlands			
ABM category		: A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic environment	
SZW-lijst van kankerverwekkende stoffen		: None of the components are listed	
SZW-lijst van mutagene stoffen		: None of the components are listed	
SZW-lijst van reprotoxische stoffen - Borstvoeding		: None of the components are listed	
SZW-lijst van reprotoxische st Vruchtbaarheid	toffen –	: None of the components are listed	
SZW-lijst van reprotoxische stoffen - Ontwikkeling		: None of the components are listed	
Denmark			
Classification remarks Danish National Regulations		 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product 	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUI		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3	
Asp. Tox. 1	Aspiration hazard Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids Category 3	
H226	Flammable liquid and vapor.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1B	Skin sensitization, Category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.