Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/18/2024



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: AMBER FRESH CC-16410
UFI	: EG9N-6CUM-H00F-XUYM
Product code	: CC-16410
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use, Industrial
Industrial/Professional use spec	: Industrial
	For professional use only
Use of the substance/mixture	: Perfumes, fragrances
Function or use category	: Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0 info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

use

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/200	8 [CLP]
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard,	H411
Category 2	
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmental effects	
Causes serious eye irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.	
2.2. Label elements	

Labelling according to Regulation (EC) No.	1272/2008 [CLP]	
Hazard pictograms (CLP)		¥
Signal word (CLP)	GHS07 : Warning	GHS09

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	: Cashmeran; Vertenex; Linalyl acetate; Linalool; COUMARIN; Vertofix; Citrus medica limonum (Lemon) peel oil; Geranium oil Egyptian; Citronellol Pure; Heliotropine; Benzyl salicylate; Geranyl acetate; Cinnamic alcohol; Phenylacetaldehyde; Cardamom oil
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water.
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenylethyl alcohol	CAS-No.: 60-12-8 EC-No.: 200-456-2 REACH-no: 01-2119963921- 31	1.1 – 2.2	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Cashmeran	CAS-No.: 33704-61-9 EC-No.: 251-649-3 REACH-no: 01-2119977131- 40	1 – 2	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Chronic 2, H411
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.5 – 2	Eye Irrit. 2, H319
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1 – 2	Aquatic Chronic 3, H412
Methyl ionone (mixture of isomers)	CAS-No.: 1335-46-2 EC-No.: 215-635-0	0.8 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.8 – 1.5	Skin Sens. 1B, H317

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008
			[CLP]
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.8 – 1.5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	0.8 – 1.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	0.7 – 1.35	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- 42	0.5 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.5 – 1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Vertofix	CAS-No.: 32388-55-9 EC-No.: 251-020-3 REACH-no: 01-2119969651- 28	0.5 – 1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citrus medica limonum (Lemon) peel oil	CAS-No.: 8008-56-8 EC-No.: 284-515-8	0.5 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
OXACYCLOHEPTADEC-10-EN-2-ONE	CAS-No.: 28645-51-4 EC-No.: 249-120-7	0.5 – 1	Aquatic Chronic 2, H411
	CAS-No.: 107-74-4 EC-No.: 203-517-1	0.5 – 1	Eye Irrit. 2, H319
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	0.3 - 0.6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.3 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.3 – 0.5	Skin Sens. 1B, H317

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.3 – 0.5	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH)	CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42	0.21699 – 0.36165	Not classified
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.2	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
Phenylacetaldehyde	CAS-No.: 122-78-1 EC-No.: 204-574-5 REACH-no: 01-2120766865- 37	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Cardamom oil	CAS-No.: 8000-66-6 EC-No.: 288-922-1	0.1 – 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. May cause an allergic skin reaction. Eye irritation. 	

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protectiv	ve equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Avoid release to the environment. Prevent	entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.	

6.3. Methods and material for containment and cleaning up		
For containment	: Collect spillage.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

		•				
SECTION 7: Handling and storage						
7.1. Precautions for safe handling						
Precautions for safe handling Hygiene measures	soap and wa ventilation in Wear persor : Contaminated	ater before eating process area to nal protective ea d work clothing	ng, drinking or s to prevent forma quipment. Avoid should not be a	moking and wh ation of vapour. I breathing dust Illowed out of th	nd other exposed en leaving work. I Avoid contact with /fume/gas/mist/va e workplace. Was moke when using	Provide goo h skin and o pours/sprag sh
	Always wash	n hands after h	andling the proc	luct.		
7.2. Conditions for safe storage, includi	ng any incompati	bilities				
Storage conditions Incompatible products Incompatible materials Storage temperature Storage area Special rules on packaging Packaging materials	from heat, he container clo : Strong bases : Sources of ig : 25 °C	ot surfaces, spa osed when not i of Strong acids. nition. Direct su Il-ventilated pla osed container.	arks, open flame n use. Store in unlight. ice. Store away	es and other igr a well-ventilated	place away from : nition sources. No d place. Keep coo	smoking. k
Germany						
Storage class (LGK, TRGS 510) Joint storage table	: LGK 12 - Nor					1
	EGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A	
	LGK 4.1B	LGK 4.2	LGK 6.1A	LGK 5.1A	LGK 5.1B	-
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 8A	LGK 6.1C	
	LGK 0.1D	LGK 0.2	LGK 12	LGK 13	LGK 10-13	-
Joint storage not permitted for Joint storage with restrictions permitted for Joint storage permitted for	: LGK 1, LGK (: LGK 4.1A, LC : LGK 2A, LGK	6.2, LGK 7 GK 4.3, LGK 5. (2B, LGK 3, L(GK 4.1B, LGK 4		GK 5.1B, LGK 5.2 0, LGK 11, LGK 1	
Switzerland						
Storage class (LK)	: LK 10/12 - Lie	quids				
7.3. Specific end use(s)						
No additional information available						
SECTION 8: Exposure controls/pers	sonal protection					
8.1. Control parameters						
8.1.1 National occupational exposure and bio	ological limit values					
Benzyl acetate (140-11-4)						
Belgium - Occupational Exposure Limits						
OEL TWA	62 mg/m³					
	10 ppm					

	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m ³	
	10 ppm	

Safety Data Sheet

Benzyl acetate (140-11-4)			
OEL STEL	122 mg/m ³		
	20 ppm		
Ireland - Occupational Exposure Limits			
OEL TWA	10 ppm		
OEL STEL	30 ppm (calculated)		
Latvia - Occupational Exposure Limits	1		
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits	1		
IPRV (OEL TWA)	5 mg/m³		
Portugal - Occupational Exposure Limits	1		
OEL TWA	10 ppm		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits	1		
OEL TWA	50 mg/m³		
	8 ppm		
OEL STEL	80 mg/m³		
	13 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	62 mg/m³		
	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 ppm		
ACGIH chemical category	Not Classifiable as a Human Carcinogen		
Carbitol (111-90-0)			
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	35 mg/m³		
	6 ppm		
MAK (OEL STEL)	140 mg/m ³		
	24 ppm		
Estonia - Occupational Exposure Limits	,		
OEL TWA	50.1 mg/m³		
	10 ppm		
OEL chemical category	Skin notation		
Germany - Occupational Exposure Limits (TRGS 90)0)		
AGW (OEL TWA)	35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carbitol (111-90-0)		
Slovenia - Occupational Exposure Limits		
OEL TWA	35 mg/m³	
	6 ppm	
OEL STEL	70 mg/m³	
	12 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	80 mg/m³	
	15 ppm	
KGV (OEL STEL)	170 mg/m³	
	30 ppm	
OEL chemical category	Skin notation	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	50 mg/m ³ (aerosol, inhalable dust, vapour)	
KZGW (OEL STEL)	100 mg/m ³ (aerosol, inhalable dust, vapour)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls: Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment. Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93.3 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0.00109632 mm Hg (calculated value)
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 5.52765 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
y ()	Not classified	
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified	
Phenylethyl alcohol (60-12-8)		
LD50 oral rat	1609 mg/kg (Source: EPA_HPV)	
LD50 oral	1610 mg/kg	
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 4.63 mg/l/4h	
Cashmeran (33704-61-9)		
LD50 oral	2900 mg/kg bodyweight	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Methyl ionone (mixture of isomers) (1335-46-2	2)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
LD50 dermal	2900 mg/kg bodyweight	
Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
ACETYL HEXAMETHYL TETRALIN (21145-77-7)		
LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)	

Safety Data Sheet

Linalyl acetate (115-95-7)	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
Linalool (78-70-6)	
LD50 oral	2790 mg/kg
COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
Vertofix (32388-55-9)	
LD50 oral	4500 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Citrus medica limonum (Lemon) peel oil (800	8-56-8)
LD50 oral rat	2840 mg/kg (Source: NLM_CIP)
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-	51-4)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
(107-74-4)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5 ml/kg (Source: ECHA_API)
Geranium oil Egyptian (8000-46-2)	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight
Carbitol (111-90-0)	
LD50 oral rat	10502 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	9143 mg/kg (Source: OECD_SIDS)
LC50 Inhalation - Rat	> 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP)
Heliotropine (120-57-0)	
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
LD50 oral	2700 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl salicylate (118-58-1)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 oral	2200 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)
Amyl salicylate (2050-08-0)	·
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Cinnamic alcohol (104-54-1)	
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Phenylacetaldehyde (122-78-1)	
LD50 oral	1550 mg/kg
Cardamom oil (8000-66-6)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Causes serious eye irritation.
	May cause an allergic skin reaction.
Germ cell mutagenicity :	Not classified
	Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
COUMARIN (91-64-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
	Not classified
Cashmeran (33704-61-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
Heliotropine (120-57-0)	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute) Hazardous to the aquatic environment, long-term :	Foxic to aquatic life with long lasting effects. Not classified Foxic to aquatic life with long lasting effects.
(chronic) Phenylethyl alcohol (60-12-8)	
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	490 mg/l (Species: Desmodesmus subspicatus)
Cashmeran (33704-61-9)	
LC50 - Fish [1]	10.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Methyl ionone (mixture of isomers) (1335-46-2)
LC50 - Fish [1]	2.3 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
Carbitol (111-90-0)	
LC50 - Fish [1]	10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
LC50 - Fish [2]	19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA)
EC50 - Crustacea [1]	3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
12.2. Persistence and degradability	

Safety Data Sheet

Phenylethyl alcohol (60-12-8)		
Persistence and degradability	Rapidly degradable	
Cashmeran (33704-61-9)		
Persistence and degradability	Rapidly degradable	
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)		
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Methyl ionone (mixture of isomers) (1335-46-2	2)	
Persistence and degradability	Rapidly degradable	
Vertenex (32210-23-4)		
Persistence and degradability	Rapidly degradable	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
benzyl benzoate (120-51-4)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
COUMARIN (91-64-5)		
Persistence and degradability	Rapidly degradable	
Vertofix (32388-55-9)		
Persistence and degradability	Rapidly degradable	
Citrus medica limonum (Lemon) peel oil (800	8-56-8)	
Persistence and degradability	Rapidly degradable	
OXACYCLOHEPTADEC-10-EN-2-ONE (28645-	51-4)	
Persistence and degradability	Rapidly degradable	
(107-74-4)		
Persistence and degradability	Rapidly degradable	
Geranium oil Egyptian (8000-46-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Citronellol Pure (106-22-9)		
Persistence and degradability	Rapidly degradable	
Carbitol (111-90-0)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Heliotropine (120-57-0)		
Persistence and degradability	Rapidly degradable	
Benzyl salicylate (118-58-1)		
Persistence and degradability	Rapidly degradable	
Geranyl acetate (105-87-3)		
Persistence and degradability	Rapidly degradable	
Amyl salicylate (2050-08-0)		
Persistence and degradability	Rapidly degradable	
Cinnamic alcohol (104-54-1)		
Persistence and degradability	Rapidly degradable	
Phenylacetaldehyde (122-78-1)		
Persistence and degradability	Rapidly degradable	
Cardamom oil (8000-66-6)		
Persistence and degradability	Rapidly degradable	

12.3. Bioaccumulative potential

AMBER FRESH CC-16410				
Bioaccumulative potential	Not established.			
Phenylethyl alcohol (60-12-8)				
Partition coefficient n-octanol/water (Log Pow)	1.36 (at 20 °C (at pH 7)			
Cashmeran (33704-61-9)				
BCF - Fish [1]	(81 dimensionless (whole body w.w.)			
Partition coefficient n-octanol/water (Log Pow)	4.2 (at 20 °C)			
tetrahydro-2-isobutyl-4-methylpyran-4-ol, mix	ed isomers (cis and trans) (63500-71-0)			
Partition coefficient n-octanol/water (Log Pow)	1.65 (at 23 °C (at pH >6.09-<6.74)			
Benzyl acetate (140-11-4)				
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)			
Methyl ionone (mixture of isomers) (1335-46-2)				
Partition coefficient n-octanol/water (Log Pow)	(>4.5 - <5 - at 23 °C (at pH 6.2)			
Vertenex (32210-23-4)				
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)			
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)			
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)			
Linalyl acetate (115-95-7)				
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)			
benzyl benzoate (120-51-4)				
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

benzyl benzoate (120-51-4)	
Bioaccumulative potential	Not established.
Vertofix (32388-55-9)	
BCF - Fish [1]	(3920 dimensionless (organ w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.6 – 5.9
OXACYCLOHEPTADEC-10-EN-2-ONE (28645	-51-4)
Partition coefficient n-octanol/water (Log Pow)	6.7 (at 23 °C)
(107-74-4)	
Partition coefficient n-octanol/water (Log Pow)	1.59 (at 25 °C (at pH >=3.8-<=4.8)
Geranium oil Egyptian (8000-46-2)	
Bioaccumulative potential	Not established.
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Carbitol (111-90-0)	
Partition coefficient n-octanol/water (Log Pow)	-0.8
Heliotropine (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)
Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)
Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)
Phenylacetaldehyde (122-78-1)	
Partition coefficient n-octanol/water (Log Pow)	1.44 (at 25 °C (at pH 6.4)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information	Avoid release to the environment

Additional information

: Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13. Die	sposal considerations
	spusal considerations

13.1. Waste treatment methods

Waste treatment methods

- Product/Packaging disposal recommendations Ecological information HP Code
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations.

- : Avoid release to the environment.
 - : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin)HAZARDOUS substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin)HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIUN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIUN 3082 ENV	ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) Environmentally hazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin) Environmentally hazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin) Environmentally HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) Environmentally N.O.S. (Acetyl Hexamethyl Tetralin) Environmentally N.O.S. (Acetyl Hexamethyl Tetralin) Environmentally N.O.S. (Acetyl Hexamethyl Tetralin) Environmentally N.O.S. (Acetyl Hexamethyl HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), s, III, (-) UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), s, III, (-) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), s, III, (-) ENVIRONMENTALY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	I4.1. UN number or ID n	umber		<u>.</u>		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin) ENVIRONMENTALLY HAZARDOUS ENVIRONMENTALLY HAZARDOUS ENVIRONMENTALLY HAZARDOUS ENVIRONMENTALLY HAZARDOUS UN 3082 ENVIRONMENTALLY HAZARDOUS <	UN 3082 UN 3082 UN 3082 UN 3082 UN 3082					
HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin)HAZARDOUS substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin)HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIUN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIUN 3082 ENV	14.2. UN proper shippin	g name				
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (A	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	substance, liquid, n.o.s. (Acetyl Hexamethyl	HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethy Tetralin)	
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, (-)ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE POLLUTANThazardous substance, liquid, n.o.s. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, 0.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, IIIENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,	Transport document descr	iption				
9 9 9 9 9 9 1 1 1 1 1 1 1 14.4. Packing group 11 11 11 11 11 11 11 11 11 11 11 14.5. Environmental hazards Dangerous for the environment: Yes	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl Tetralin), 9, III, MARINE	hazardous substance, liquid, n.o.s. (Acetyl	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethyl	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Acetyl Hexamethy Tetralin), 9, III	
Image: Second	14.3. Transport hazard o	lass(es)				
III III III III III 14.5. Environmental hazards Dangerous for the environment: Yes	9	9	9	9	9	
III III III III III 14.5. Environmental hazards Dangerous for the environment: Yes						
14.5. Environmental hazards Dangerous for the environment: Yes Dangerous for the environment: Yes Dangerous for the environment: Yes Dangerous for the environment: Yes	14.4. Packing group					
Dangerous for the environment: YesDangerous for the environment: YesDangerous for the environment: YesDangerous for the environment: YesDangerous for the environment: Yes	III	III	III	III	111	
environment: Yes environment: Yes environment: Yes environment: Yes environment: Yes	14.5. Environmental haz	ards				
Marine pollutant: Yes	0	environment: Yes	0	U	Dangerous for the environment: Yes	
No supplementary information available	No supplementary informatio	n available				

Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amend	ded by Regulation (EU) 2020/878
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	
Portable tank and bulk container instructions (ADK) Portable tank and bulk container special provisions	
	. 161,1623
(ADR)	
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading	: CV13
and handling (ADR)	
Hazard identification number (Kemler No.)	: 90
Orange plates	· 90
	20
	3082
	5002
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
5 5 7 ()	
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197, A215
ERG code (IATA)	: 9L
Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Number of blue concernights (ADN)	. 0
Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading	: CW13, CW31
and handling (RID)	
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (RE	ACH Annex XVII)	
Reference code	Applicable on	Entry title or description
3(a)	Citrus medica limonum (Lemon) peel oil ; Cardamom oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	AMBER FRESH CC-16410 ; Phenylethyl alcohol ; Cashmeran ; tetrahydro-2-isobutyl-4- methylpyran-4-ol, mixed isomers (cis and trans) ; Methyl ionone (mixture of isomers) ; Vertenex ; Linalyl acetate ; benzyl benzoate ; Linalool ; Vertofix ; Citrus medica limonum (Lemon) peel oil ; ; Geranium oil Egyptian ; Citronellol Pure ; Benzyl salicylate ; Geranyl acetate ; Amyl salicylate ; Phenylacetaldehyde ; Cardamom oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	AMBER FRESH CC-16410 ; Cashmeran ; Benzyl acetate ; Methyl ionone (mixture of isomers) ; benzyl benzoate ; Vertofix ; Citrus medica limonum (Lemon) peel oil ; OXACYCLOHEPTADEC- 10-EN-2-ONE ; Geranium oil Egyptian ; Benzyl salicylate ; Geranyl acetate ; Amyl salicylate ; Phenylacetaldehyde ; Cardamom oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
40.	Citrus medica limonum (Lemon) peel oil ; Cardamom oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content

: 5.52765 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: Lemon oil is listed
SZW-lijst van mutagene stoffen	: Lemon oil is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks	: Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.