Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 8/19/2024



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: JAMAICA RUM CC-16413 10% in DPG Product name

Product code : CC-16413_10% Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH phrases : EUH208 - Contains Hexyl cinnamic aldehyde, Orange oil, Linalool, 1-(1,2,3,4,5,6,7,8-

Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone. May produce an allergic reaction.

Extra phrases : Restricted to professional users.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	2.429 – 4.858	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.4285 – 0.857	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.1475 – 0.295	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.119 - 0.238	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.076 - 0.152	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.057 – 0.114	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
(R)-p-mentha-1,8-diene, d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353-	0.0325 – 0.065	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.0195 – 0.039	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0.0145 – 0.029	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.0145 – 0.029	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412
dipentene, limonene substance with national workplace exposure limit(s) (EE, LT, SE, NO)	CAS-No.: 138-86-3 EC-No.: 205-341-0	0 – 0.007	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
.alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO)	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 0.003	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

8/19/2024 (Issue date) EN (English US) 3/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : LGK 12 Non combastistic riquida

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

8/19/2024 (Issue date) EN (English US) 4/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

3.1.1 National occupational exposure and biological limit values		
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 9	000)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	

Safety Data Sheet

citral (5392-40-5)			
	5 ppm (vapor and aerosol)		
OEL chemical category	Skin		
Ireland - Occupational Exposure Limits	Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm		
OEL STEL	15 ppm (calculated)		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	27 mg/m³		
NDSCh (OEL STEL)	54 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	5 ppm (inhalable fraction; vapor)		
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)		
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer		
ethyl acetate (141-78-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	734 mg/m³		
	200 ppm		
IOEL STEL	1468 mg/m³		
	400 ppm		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	734 mg/m³		
	200 ppm		
MAK (OEL STEL)	1468 mg/m³		
	400 ppm		
Belgium - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		

Safety Data Sheet

ethyl acetate (141-78-6)			
	400 ppm		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA)	734 mg/m³		
	200 ppm		
KGVI (OEL STEL)	1468 mg/m³		
	400 ppm		
Cyprus - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	700 mg/m³		
Denmark - Occupational Exposure Limits			
OEL TWA	540 mg/m³		
	150 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Estonia - Occupational Exposure Limits			
OEL TWA	500 mg/m³		
	150 ppm		
OEL STEL	1100 mg/m³		
	300 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	730 mg/m³		
	200 ppm		
HTP (OEL STEL)	1470 mg/m³		
	400 ppm		
France - Occupational Exposure Limits	France - Occupational Exposure Limits		
VME (OEL TWA)	734 mg/m³ (restrictive limit)		
	200 ppm (restrictive limit)		
VLE (OEL C/STEL)	1468 mg/m³ (restrictive limit)		
	400 ppm (restrictive limit)		
Germany - Occupational Exposure Limits (TRGS 9	900)		
AGW (OEL TWA)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	200 mg/m³		

Safety Data Sheet

ethyl acetate (141-78-6)		
	734 ppm	
OEL STEL	400 mg/m³	
	1468 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m³	
CK (OEL STEL)	1468 mg/m³	
OEL chemical category	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
	54 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	500 mg/m³	
	150 ppm	
NRV (OEL C)	1100 mg/m³	
	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	

Safety Data Sheet

TGG-8u (OEL TWA) 734 mg/m³ 200 ppm 1488 mg/m³ 400 ppm 400 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 734 mg/m³ NDSCh (OEL STEL) 1468 mg/m³ Portugal - Occupational Exposure Limits 734 mg/m³ (indicative limit value) OEL TWA 200 ppm (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL STEL 1468 mg/m³ 400 ppm 1468 mg/m³ 400 ppm 1468 mg/m³ 1400 ppm 1468 mg/m³ 1400 ppm 1400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm 100 mg/m³ Slovania - Occupational Exposure Limits 734 mg/m³ OEL STEL 1468 mg/m³ 400 ppm 1400 mg/m³ Spain - Occupational Exposure Limits 744 mg/m³ VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm 1400 ppm Swedan - Occupational E	ethyl acetate (141-78-6)		
TGG-8u (OEL TWA) 734 mg/m² 200 ppm 1468 mg/m² TGG-15min (OEL STEL) 1468 mg/m² Poland - Occupational Exposure Limits 734 mg/m² NDS (OEL TWA) 734 mg/m² NDS (OEL TWA) 734 mg/m² NDS (OEL STEL) 1468 mg/m³ Portugal - Occupational Exposure Limits 200 ppm (indicative limit value) OEL TWA 200 ppm (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) OEL TWA 200 ppm (indicative limit value) OEL TWA 200 ppm OEL TWA 1468 mg/m³ 200 ppm 200 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ Slovakia - Occupational Exposure Limits 734 mg/m³ Slovakia - Occupational Exposure Limits 744 mg/m³ OEL TWA 744 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 200 ppm <td< th=""><th></th><th>400 ppm</th></td<>		400 ppm	
200 ppm 1468 mg/m³ 400 ppm 1408 mg/m³ 1408 mg/	Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL) 1468 mg/m³ 400 ppm Poland - Occupational Exposure Limits NDS (OEL TWA) 734 mg/m³ NDSCh (OEL STEL) 1468 mg/m³ OEL TWA 234 mg/m² (indicative limit value) OEL STEL 1468 mg/m² (indicative limit value) OEL TWA 200 ppm (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ CEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 200 ppm Slovakia - Occupational Exposure Limits NPHY (OEL TWA) Slovakia - Occupational Exposure Limits 200 ppm Slovenia - Occupational Exposure Limits 734 mg/m³ Slovenia - Occupational Exposure Limits 746 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm Spair - Occupational Exposure Limits 74 mg/m³ VLA-ED (OEL TWA) 734 mg/m³ 200 ppm 74 mg/m³ 200 ppm 74 mg/m³ 200 ppm 74 mg/m³ 200 ppm 74 mg/m³<	TGG-8u (OEL TWA)	734 mg/m³	
# # # # # # # # # #		200 ppm	
Poland - Occupational Exposure Limits NDS (OEL TWA) 734 mg/m³ NDSCh (OEL STEL) 1468 mg/m³ Portugal - Occupational Exposure Limits 734 mg/m³ (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm 90 ppm NPHV (OEL C) 1100 mg/m³ Slovania - Occupational Exposure Limits 734 mg/m³ OEL STEL 1468 mg/m³ OEL STEL 1468 mg/m³ OP ppm 900 ppm OEL STEL 1468 mg/m³	TGG-15min (OEL STEL)	1468 mg/m³	
NDS (OEL TWA) 734 mg/m³ NDSCh (OEL STEL) 1468 mg/m³ Portugal - Occupational Exposure Limits 734 mg/m³ (indicative limit value) OEL TWA 734 mg/m³ (indicative limit value) OEL STEL 468 mg/m³ (indicative limit value) A00 ppm (indicative limit value) 400 ppm (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm OEL STEL 468 mg/m³ 400 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm 100 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL STEL 1488 mg/m³ OEL TWA 734 mg/m³ 200 ppm 9pm OEL STEL 1488 mg/m³ 400 ppm 9pm Spair - Occupational Exposure Limits 9pm VLA-EO (OEL TWA) 734 mg/m³ 200 ppm 9pm Svector - Occupational Exposure Limits Newdon - Occupational Exp		400 ppm	
NDSCh (OEL STEL) 1468 mg/m³ Portugal - Occupational Exposure Limits 734 mg/m³ (indicative limit value) OEL TWA 200 ppm (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) A00 ppm (indicative limit value) 400 ppm (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL TWA 1468 mg/m³ 200 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm 100 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ OEL STEL 1468 mg/m³ OEL STEL 1468 mg/m³ OP pm 200 ppm OEL STEL 1468 mg/m³ VLA-ED (OEL TWA) 734 mg/m³ VLA-ED (OEL STEL) 1468 mg/m³ A00 ppm 200 ppm Sweden - Occupational Exposure Limits NPM NPM (OEL TWA) 550 mg/m³ 150 ppm	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits OEL TWA 734 mg/m³ (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) OEL STEL 400 ppm (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm 734 mg/m³ 200 ppm 734 mg/m³ 200 ppm 734 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm Spain - Occupational Exposure Limits 744 mg/m³ VLA-ED (OEL TWA) 734 mg/m³ 200 ppm 744 mg/m³ 400 ppm 744 mg/m³ 200 ppm 744 mg/m³ VLA-ED (OEL TWA) 1468 mg/m³ 400 ppm 400 ppm Sweden - Occupational Exposure Limits 744 mg/m³ NY (OEL TWA) 550 mg/m³ 150 ppm	NDS (OEL TWA)	734 mg/m³	
OEL TWA 734 mg/m³ (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) OEL STEL 1468 mg/m³ (indicative limit value) 400 ppm (indicative limit value) 400 ppm (indicative limit value) Remania - Occupational Exposure Limits 734 mg/m³ 200 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ 200 ppm NPHV (OEL C) 1100 mg/m³ Slovenia - Occupational Exposure Limits OEL STEL 1468 mg/m³ 400 ppm OEL STEL 1468 mg/m³ 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-ED (OEL TWA) 734 mg/m³ 400 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NOY (OEL TWA) 550 mg/m³ 150 ppm	NDSCh (OEL STEL)	1468 mg/m³	
200 ppm (indicative limit value)	Portugal - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ (indicative limit value) Romania - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ OEL STEL 1468 mg/m³ 400 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ OEL STEL 1468 mg/m³ 400 ppm 9m OEL STEL 1468 mg/m³ 400 ppm 9m Span - Occupational Exposure Limits 734 mg/m³ VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL TWA) 150 ppm	OEL TWA	734 mg/m³ (indicative limit value)	
A00 ppm (indicative limit value)		200 ppm (indicative limit value)	
Romania - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Slovakia - Occupational Exposure Limits 734 mg/m³ NPHV (OEL TWA) 1100 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 400 ppm Spain - Occupational Exposure Limits YLA-ED (OEL TWA) YLA-ED (OEL TWA) 734 mg/m³ 200 ppm 400 ppm Sweden - Occupational Exposure Limits 400 ppm Sweden - Occupational Exposure Limits 550 mg/m³ NGV (OEL TWA) 550 mg/m³ 150 ppm 150 ppm KGV (OEL STEL) 1100 mg/m³	OEL STEL	1468 mg/m³ (indicative limit value)	
OEL TWA 734 mg/m³ 200 ppm 1468 mg/m³ NPHV (OEL TWA) 734 mg/m³ NPHV (OEL TWA) 734 mg/m³ NPHV (OEL C) 1100 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ OEL STEL 1468 mg/m³ NPHV (OEL TWA) 734 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) YLA-ED (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³		400 ppm (indicative limit value)	
200 ppm	Romania - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 734 mg/m³ NPHV (OEL C) 1100 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	OEL TWA	734 mg/m³	
Slovakia - Occupational Exposure Limits NPHV (OEL TWA) 734 mg/m³ 200 ppm NPHV (OEL C) 1100 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits Sweden - Occupational Exposure Limits 150 ppm KGV (OEL STEL) 150 ppm KGV (OEL STEL) 1100 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³ 150 ppm Carrell		200 ppm	
NPHV (OEL TWA) 734 mg/m³ 200 ppm	OEL STEL	1468 mg/m³	
NPHV (OEL TWA) 734 mg/m³ 200 ppm 1100 mg/m³ Slovenia - Occupational Exposure Limits 734 mg/m³ OEL TWA 734 mg/m³ 200 ppm 700 ppm OEL STEL 1468 mg/m³ 400 ppm 734 mg/m³ VLA-ED (OEL TWA) 734 mg/m³ VLA-ED (OEL STEL) 1468 mg/m³ 400 ppm 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm 150 ppm KGV (OEL STEL) 1100 mg/m³		400 ppm	
NPHV (OEL C) 1100 mg/m³	Slovakia - Occupational Exposure Limits		
NPHV (OEL C) 1100 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm OEL STEL 1468 mg/m³ 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	NPHV (OEL TWA)	734 mg/m³	
Slovenia - Occupational Exposure Limits OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³		200 ppm	
OEL TWA 734 mg/m³ 200 ppm 200 ppm OEL STEL 1468 mg/m³ 400 ppm 400 ppm Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	NPHV (OEL C)	1100 mg/m³	
200 ppm 200 ppm 200 ppm 200 ppm	Slovenia - Occupational Exposure Limits		
OEL STEL 1468 mg/m³ Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	OEL TWA	734 mg/m³	
VLA-ED (OEL TWA) 734 mg/m³ 200 ppm		200 ppm	
Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	OEL STEL	1468 mg/m³	
VLA-ED (OEL TWA) 734 mg/m³ 200 ppm VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³		400 ppm	
200 ppm 200 ppm	Spain - Occupational Exposure Limits		
VLA-EC (OEL STEL) 1468 mg/m³ 400 ppm Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	VLA-ED (OEL TWA)	734 mg/m³	
\$\frac{400 \text{ ppm}}{\text{Sweden - Occupational Exposure Limits}}		200 ppm	
Sweden - Occupational Exposure Limits NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³	VLA-EC (OEL STEL)	1468 mg/m³	
NGV (OEL TWA) 550 mg/m³ 150 ppm KGV (OEL STEL) 1100 mg/m³		400 ppm	
150 ppm KGV (OEL STEL) 1100 mg/m³	Sweden - Occupational Exposure Limits		
KGV (OEL STEL) 1100 mg/m³	NGV (OEL TWA)	550 mg/m³	
		150 ppm	
300 ppm	KGV (OEL STEL)	1100 mg/m³	
		300 ppm	

Safety Data Sheet

ethyl acetate (141-78-6)	
United Kingdom - Occupational Exposure Lir	mits
WEL TWA (OEL TWA)	734 mg/m³
	200 ppm
WEL STEL (OEL STEL)	1468 mg/m³
	400 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA)	734 mg/m³
	200 ppm
Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)
	400 ppm (value from the regulation)
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA)	730 mg/m³
	200 ppm
KZGW (OEL STEL)	1460 mg/m³
	400 ppm
USA - ACGIH - Occupational Exposure Limits	s
ACGIH OEL TWA	400 ppm
.alphaPinene (80-56-8)	
Belgium - Occupational Exposure Limits	
OEL TWA	20 ppm
Estonia - Occupational Exposure Limits	
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	150 mg/m³
	25 ppm
TPRV (OEL STEL)	300 mg/m³
	50 ppm
Portugal - Occupational Exposure Limits	· · · · · · · · · · · · · · · · · · ·
OEL TWA	20 ppm (Turpentine and selected Monoterpenes)
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	113 mg/m³
	20 ppm

Safety Data Sheet

.alphaPinene (80-56-8)			
OEL chemical category	Sensitizer		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	150 mg/m³		
	25 ppm		
KGV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	140 mg/m³		
	25 ppm		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)		
	37.5 ppm (value calculated)		
OEL chemical category	skin notation		
USA - ACGIH - Occupational Exposure Limit	s		
ACGIH OEL TWA	20 ppm (Turpentine and selected Monoterpenes)		
ACGIH chemical category	Not Classifiable as a Human Carcinogen, dermal sensitizer		
dipentene, limonene (138-86-3)			
Estonia - Occupational Exposure Limits			
OEL TWA	150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
OEL STEL	300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
	50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect)		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	150 mg/m³		
	25 ppm		
TPRV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer coniferous resin sensitizes the skin		
Sweden - Occupational Exposure Limits	<u> </u>		
NGV (OEL TWA)	150 mg/m³		
	25 ppm		
KGV (OEL STEL)	300 mg/m³		
	50 ppm		
OEL chemical category	Sensitizer		
Norway - Occupational Exposure Limits			
Grenseverdi (OEL TWA)	140 mg/m³		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

dipentene, limonene (138-86-3)	
25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)
	37.5 ppm (value calculated)
OEL chemical category	Allergenic substance

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.
Odor : characteristic.
Odor threshold : Not available

8/19/2024 (Issue date) EN (English US) 12/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

: Not available Melting point Freezing point : Not available Boiling point : Not available : Non flammable. Flammability Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available : Not available Viscosity, kinematic Solubility : Not available : Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapor pressure Vapor pressure at 50°C Not available Density : Not available Relative density : Not available Relative vapor density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl benzoate (120-51-4)

LD50 oral rat 500 mg/kg (Source: NLM_CIP)

Safety Data Sheet

benzyl benzoate (120-51-4)		
LD50 oral	1160 mg/kg body weight	
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)	
Hexyl cinnamic aldehyde (101-86-0)		
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)	
LD50 oral	3100 mg/kg body weight	
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)	
LC50 Inhalation - Rat	> 5 mg/l/4h	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Linalool (78-70-6)		
LD50 oral	2790 mg/kg	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	
ethyl acetate (141-78-6)		
LD50 oral rat	5620 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 18000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat [ppm]	4000 ppm/4h	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg (Source: NLM_CIP)	
LD50 oral	218 mg/kg	
LD50 dermal rabbit	810 mg/kg (Source: ECHA_API)	
LD50 dermal	810 mg/kg	
.alphaPinene (80-56-8)		
LD50 oral rat	3700 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 5000 mg/kg (Source: CHEMVIEW)	
dipentene, limonene (138-86-3)		
LD50 oral rat	5300 mg/kg (Source: NLM_CIP)	
	Not classified Based on available data, the classification criteria are not met	
Additional information .	Dasca on available data, the diassilloation chitchia are not filet	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information :	Based on available data, the classification criteria are not met
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
Additional information :	Based on available data, the classification criteria are not met
STOT-single exposure :	Not classified
Additional information :	Based on available data, the classification criteria are not met
ethyl acetate (141-78-6)	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure :	Not classified
Additional information :	Based on available data, the classification criteria are not met
Aspiration hazard :	Not classified
Additional information :	Based on available data, the classification criteria are not met
benzyl benzoate (120-51-4)	

5012y1 50120ate (120 01 4)	
Viscosity, kinematic	7.456 mm²/s
Orange oil (8008-57-9)	
Hydrocarbon	Yes
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5)	
Hydrocarbon	Yes
.alphaPinene (80-56-8)	
Hydrocarbon	Yes
dipentene, limonene (138-86-3)	
Hydrocarbon	Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Harmful to aquatic life with long lasting effects.

(chronic)

benzyl benzoate (120-51-4)

LC50 - Fish [1] 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)

8/19/2024 (Issue date) EN (English US) 15/22

Safety Data Sheet

benzyl benzoate (120-51-4)	
NOEC (chronic)	0.168 mg/l
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
(R)-p-mentha-1,8-diene, d-limonene (5989-27-5	5)
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)
ethyl acetate (141-78-6)	
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
.alphaPinene (80-56-8)	
LC50 - Fish [1]	0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID)
EC50 - Crustacea [1]	41 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability	
JAMAICA RUM CC-16413 10% in DPG	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Hexyl cinnamic aldehyde (101-86-0)	
Persistence and degradability	Rapidly degradable
Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
Linalool (78-70-6)	
Persistence and degradability	Rapidly degradable
L	<u> </u>

Safety Data Sheet

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethy	vl-2-naphthalenyl)ethanone (54464-57-2)
Persistence and degradability	Rapidly degradable
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
Persistence and degradability	Rapidly degradable
citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
ethyl acetate (141-78-6)	
Persistence and degradability	Rapidly degradable
Allyl heptanoate (142-19-8)	
Persistence and degradability	Rapidly degradable
.alphaPinene (80-56-8)	
Persistence and degradability	Rapidly degradable
dipentene, limonene (138-86-3)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
JAMAICA RUM CC-16413 10% in DPG	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
(R)-p-mentha-1,8-diene, d-limonene (5989-27-	5)
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
ethyl acetate (141-78-6)	
BCF - Fish [1]	(30 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)
Allyl heptanoate (142-19-8)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 20 °C (at pH 5.3)
.alphaPinene (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description	
3(a)	Orange oil ; (R)-p- mentha-1,8-diene, d- limonene ; ethyl acetate ; .alphaPinene ; dipentene, limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	benzyl benzoate; Hexyl cinnamic aldehyde; Orange oil; Linalool; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone; (R)-p-mentha-1,8-diene, d-limonene; citral; ethyl acetate; Allyl heptanoate; .alphaPinene; dipentene, limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	JAMAICA RUM CC- 16413 10% in DPG; benzyl benzoate; Hexyl cinnamic aldehyde; Orange oil; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran, galaxolide, (HHCB); 1- (1,2,3,4,5,6,7,8- Octahydro-2,3,8,8- tetramethyl-2- naphthalenyl)ethanone; (R)-p-mentha-1,8-diene, d-limonene; Allyl heptanoate; alpha Pinene; dipentene, limonene	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	Orange oil ; (R)-p- mentha-1,8-diene, d- limonene ; ethyl acetate ; .alphaPinene ; dipentene, limonene	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Professional diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Orange oil is listed

SZW-lijst van mutagene stoffen : Orange oil is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

8/19/2024 (Issue date) EN (English US) 20/22

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-	-piliases:
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
	Contains Hexyl cinnamic aldehyde, Orange oil, Linalool, 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids Category 1
Flam. Liq. 3	Flammable liquids Category 3
H224	Extremely flammable liquid and vapor.
H226	Flammable liquid and vapor.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1B	Skin sensitization, Category 1B
STOT SE 3	Specific target organ toxicity - Single exposure, Category 3, Narcosis

The classification complies with : ATP 12

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.