

# DARK CHOCOLATE TYPE CC-16421 10% in DPG



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 6/21/2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : DARK CHOCOLATE TYPE CC-16421 10% in DPG  
Product code : CC-16421\_10%  
Type of product : Perfumes, Fragrances

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only  
Use of the substance/mixture : Perfumes, Fragrances  
Function or use category : Odour agents

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Candle Craft  
Weiherwiese 10  
65510 Idstein - Germany  
T 49-6126-9363 -0  
info@candlecraft.de - www.candlecraft.de

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard H412  
Category 3  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -  
Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.  
Precautionary statements (CLP) : P273 - Avoid release to the environment.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.  
EUH phrases : EUH208 - Contains COUMARIN. May produce an allergic reaction.  
Extra phrases : Restricted to professional users.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier   | %             | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
|---|--|---------------|--|
| benzyl benzoate   | CAS-No.: 120-51-4<br>EC-No.: 204-402-9<br>EC Index-No.: 607-085-00-9<br>REACH-no: 01-2119976371-33 | 3.64 – 7.2768 | Acute Tox. 4 (Oral), H302<br>Aquatic Acute 1, H400<br>Aquatic Chronic 2, H411  |
| COUMARIN  | CAS-No.: 91-64-5<br>EC-No.: 202-086-7<br>REACH-no: 01-2119943756-26                                | 0.22 – 0.446  | Acute Tox. 3 (Oral), H301<br>Acute Tox. 3 (Dermal), H311<br>Acute Tox. 3 (Inhalation), H331<br>Skin Sens. 1, H317<br>Aquatic Chronic 2, H411 |
| Acetyl Propionyl substance with national workplace exposure limit(s) (DE, SI, CH)     | CAS-No.: 600-14-6<br>EC-No.: 209-984-8   | 0.04 – 0.078  | Flam. Liq. 2, H225<br>Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>STOT RE 2, H373   |
| Isovaleraldehyde substance with national workplace exposure limit(s) (AT, DE, LT, SI) | CAS-No.: 590-86-3<br>EC-No.: 209-691-5   | 0.02 – 0.045  | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>Skin Sens. 1B, H317<br>STOT SE 3, H335<br>Aquatic Chronic 2, H411                                |
| butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)     | CAS-No.: 107-92-6<br>EC-No.: 203-532-3<br>EC Index-No.: 607-135-00-X                               | 0.01 – 0.011  | Skin Corr. 1B, H314  |

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                                       |   |
|---------------------------------------|---|
| First-aid measures general            | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation   | : Allow affected person to breathe fresh air. Allow the victim to rest.   |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.                 |
| First-aid measures after eye contact  | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.                         |
| First-aid measures after ingestion    | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.  |

#### 4.2. Most important symptoms and effects, both acute and delayed

|                  |  |
|------------------|--|
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |
|------------------|--|

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

No additional information available

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

#### Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage table

|          |         |          |          |           |
|----------|---------|----------|----------|-----------|
| LGK 1    | LGK 2A  | LGK 2B   | LGK 3    | LGK 4.1A  |
| LGK 4.1B | LGK 4.2 | LGK 4.3  | LGK 5.1A | LGK 5.1B  |
| LGK 5.1C | LGK 5.2 | LGK 6.1A | LGK 6.1B | LGK 6.1C  |
| LGK 6.1D | LGK 6.2 | LGK 7    | LGK 8A   | LGK 8B    |
| LGK 10   | LGK 11  | LGK 12   | LGK 13   | LGK 10-13 |

Joint storage not permitted for

: LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

### Switzerland

Storage class (LK)

: LK 10/12 - Liquids

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

| Acetyl Propionyl (600-14-6)                       |                                    |
|---|------------------------------------|
| Germany - Occupational Exposure Limits (TRGS 900) |                                    |
| AGW (OEL TWA)                                     | 0.083 mg/m <sup>3</sup>            |
|   | 0.02 ppm                           |
| Chemical category                                 | skin notation, Skin sensitization  |
| Slovenia - Occupational Exposure Limits           |                                    |
| OEL TWA   | 0.083 mg/m <sup>3</sup>            |
|   | 0.02 ppm                           |
| OEL STEL  | 0.083 mg/m <sup>3</sup>            |
|   | 0.02 ppm                           |
| OEL chemical category                             | Potential for cutaneous absorption |
| Switzerland - Occupational Exposure Limits        |                                    |
| MAK (OEL TWA)                                     | 0.08 mg/m <sup>3</sup>             |
|   | 0.02 ppm                           |
| KZGW (OEL STEL)                                   | 0.16 mg/m <sup>3</sup>             |
|   | 0.04 ppm                           |
| OEL chemical category                             | Sensitizer, skin notation          |
| Isovaleraldehyde (590-86-3)                       |                                    |
| Austria - Occupational Exposure Limits            |                                    |
| MAK (OEL TWA)                                     | 39 mg/m <sup>3</sup>               |
|   | 10 ppm                             |
| MAK (OEL STEL)                                    | 39 mg/m <sup>3</sup>               |
|   | 10 ppm                             |

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Isovaleraldehyde (590-86-3)                       |                      |
|---|----------------------|
| OEL C   | 39 mg/m <sup>3</sup> |
|   | 10 ppm               |
| Germany - Occupational Exposure Limits (TRGS 900) |                      |
| AGW (OEL TWA)                                     | 39 mg/m <sup>3</sup> |
|   | 10 ppm               |
| Lithuania - Occupational Exposure Limits          |                      |
| IPRV (OEL TWA)                                    | 10 mg/m <sup>3</sup> |
| Slovenia - Occupational Exposure Limits           |                      |
| OEL TWA   | 39 mg/m <sup>3</sup> |
|   | 10 ppm               |
| OEL STEL  | 39 mg/m <sup>3</sup> |
|   | 10 ppm               |
| butyric acid (107-92-6)                           |                      |
| Bulgaria - Occupational Exposure Limits           |                      |
| OEL TWA   | 10 mg/m <sup>3</sup> |
| Latvia - Occupational Exposure Limits             |                      |
| OEL TWA   | 10 mg/m <sup>3</sup> |
| Lithuania - Occupational Exposure Limits          |                      |
| IPRV (OEL TWA)                                    | 10 mg/m <sup>3</sup> |
| Romania - Occupational Exposure Limits            |                      |
| OEL TWA   | 15 mg/m <sup>3</sup> |
|   | 4 ppm                |
| OEL STEL  | 30 mg/m <sup>3</sup> |
|   | 8 ppm                |

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Avoid all unnecessary exposure.

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

##### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Wear appropriate mask

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

##### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                   |
|---|-------------------|
| Physical state                                  | : Liquid          |
| Color   | : Standard.       |
| Odor  | : characteristic. |
| Odor threshold                                  | : Not available   |
| Melting point                                   | : Not available   |
| Freezing point                                  | : Not available   |
| Boiling point                                   | : Not available   |
| Flammability                                    | : Non flammable.  |
| Lower explosion limit                           | : Not available   |
| Upper explosion limit                           | : Not available   |
| Flash point                                     | : > 93 °C         |
| Auto-ignition temperature                       | : Not available   |
| Decomposition temperature                       | : Not available   |
| pH  | : Not available   |
| Viscosity, kinematic                            | : Not available   |
| Solubility                                      | : Not available   |
| Partition coefficient n-octanol/water (Log Kow) | : Not available   |
| Vapor pressure                                  | : Not available   |
| Vapor pressure at 50°C                          | : Not available   |
| Density   | : Not available   |
| Relative density                                | : Not available   |
| Relative vapor density at 20°C                  | : Not available   |
| Particle characteristics                        | : Not applicable  |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

| benzyl benzoate (120-51-4)  |                                  |
|-----------------------------|----------------------------------|
| LD50 oral rat               | 500 mg/kg (Source: NLM_CIP)      |
| LD50 oral                   | 1160 mg/kg body weight           |
| LD50 dermal rabbit          | 4000 mg/kg (Source: NLM_CIP)     |
| COUMARIN (91-64-5)          |                                  |
| LD50 oral rat               | > 5000 mg/kg (Source: JAPAN_GHS) |
| LD50 dermal rat             | 293 mg/kg (Source: ECHA_API)     |
| Acetyl Propionyl (600-14-6) |                                  |
| LD50 oral rat               | 3 g/kg (Source: NLM_CIP)         |
| LD50 oral                   | 3000 mg/kg                       |
| LD50 dermal rabbit          | > 2000 mg/kg (Source: NIOSH)     |
| Isovaleraldehyde (590-86-3) |                                  |
| LD50 oral rat               | 5600 mg/kg (Source: NLM_CIP)     |
| LD50 dermal rabbit          | 2730 mg/kg (Source: NLM_CIP)     |
| LD50 dermal                 | 2534 mg/kg                       |
| LC50 Inhalation - Rat       | 42.7 mg/l/4h                     |
| butyric acid (107-92-6)     |                                  |
| LD50 oral rat               | 2 g/kg (Source: NLM_CIP)         |
| LD50 oral                   | 1630 mg/kg body weight           |

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| <b>butyric acid (107-92-6)</b>                            |   |
|---|---|
| LD50 dermal rabbit  | 530 mg/kg (Source: NLM_HSDB)  |
| Skin corrosion/irritation                                 | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| Serious eye damage/irritation                             | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| Respiratory or skin sensitization                         | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| Germ cell mutagenicity                                    | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| Carcinogenicity   | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| <b>COUMARIN (91-64-5)</b>                                 |   |
| IARC group  | 3 - Not classifiable  |
| Reproductive toxicity                                     | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| STOT-single exposure                                      | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| <b>Isovaleraldehyde (590-86-3)</b>                        |   |
| STOT-single exposure                                      | May cause respiratory irritation.   |
| STOT-repeated exposure                                    | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| <b>Acetyl Propionyl (600-14-6)</b>                        |   |
| STOT-repeated exposure                                    | May cause damage to organs through prolonged or repeated exposure.                |
| Aspiration hazard   | : Not classified  |
| Additional information                                    | : Based on available data, the classification criteria are not met                |
| <b>benzyl benzoate (120-51-4)</b>                         |   |
| Viscosity, kinematic                                      | 7.456 mm <sup>2</sup> /s  |
| <b>11.2. Information on other hazards</b>                 |   |
| <b>11.2.1. Endocrine disrupting properties</b>            |   |
| No additional information available                       |   |
| <b>11.2.2. Other information</b>                          |   |
| Potential Adverse human health effects and symptoms       | : Based on available data, the classification criteria are not met                |
| <b>SECTION 12: Ecological information</b>                 |   |
| <b>12.1. Toxicity</b>                                     |   |
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified  |
| Hazardous to the aquatic environment, long-term (chronic) | : Harmful to aquatic life with long lasting effects.                              |
| <b>benzyl benzoate (120-51-4)</b>                         |   |
| LC50 - Fish [1]   | 2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA) |
| NOEC (chronic)  | 0.168 mg/l  |



# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| <b>Isovaleraldehyde (590-86-3)</b> |  |
|------------------------------------|--|
| LC50 - Fish [1]                    | 2.98 – 3.54 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) |
| EC50 - Crustacea [1]               | 177 mg/l (Exposure time: 48 h - Species: Daphnia magna)  |
| EC50 72h - Algae [1]               | 80 mg/l (Species: Desmodesmus subspicatus)   |
| EC50 96h - Algae [1]               | 78 mg/l (Species: Desmodesmus subspicatus)   |
| <b>butyric acid (107-92-6)</b>     |  |
| EC50 72h - Algae [1]               | 46.7 mg/l (Species: Desmodesmus subspicatus)   |

### 12.2. Persistence and degradability

| <b>DARK CHOCOLATE TYPE CC-16421 10% in DPG</b> |   |
|--|---|
| Persistence and degradability                  | Not established.  |
| <b>benzyl benzoate (120-51-4)</b>              |   |
| Persistence and degradability                  | May cause long-term adverse effects in the environment. |
| <b>COUMARIN (91-64-5)</b>                      |   |
| Persistence and degradability                  | Rapidly degradable                                      |
| <b>Acetyl Propionyl (600-14-6)</b>             |   |
| Persistence and degradability                  | Rapidly degradable                                      |
| <b>Isovaleraldehyde (590-86-3)</b>             |   |
| Persistence and degradability                  | Rapidly degradable                                      |
| <b>butyric acid (107-92-6)</b>                 |   |
| Persistence and degradability                  | Rapidly degradable                                      |

### 12.3. Bioaccumulative potential

| <b>DARK CHOCOLATE TYPE CC-16421 10% in DPG</b>  |                         |
|---|-------------------------|
| Bioaccumulative potential                       | Not established.        |
| <b>benzyl benzoate (120-51-4)</b>               |                         |
| Partition coefficient n-octanol/water (Log Pow) | 3.97 (at 25 °C)         |
| Bioaccumulative potential                       | Not established.        |
| <b>Isovaleraldehyde (590-86-3)</b>              |                         |
| Partition coefficient n-octanol/water (Log Pow) | 1.5 (at 25 °C (at pH 7) |
| <b>butyric acid (107-92-6)</b>                  |                         |
| Partition coefficient n-octanol/water (Log Pow) | 1.1 (at 25 °C (at pH 3) |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecological information : Avoid release to the environment.  
HP code : HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR                                     | IMDG           | IATA           | ADN            | RID            |
|---|----------------|----------------|----------------|----------------|
| <b>14.1. UN number or ID number</b>     |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.2. UN proper shipping name</b>    |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.3. Transport hazard class(es)</b> |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.4. Packing group</b>              |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| <b>14.5. Environmental hazards</b>      |                |                |                |                |
| Not applicable                          | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available  |                |                |                |                |

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

###### REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) |  |  |
|--|--|--|
| Reference code                         | Applicable on  | Entry title or description   |
| 3(a)                                   | Acetyl Propionyl ; Isovaleraldehyde  | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F   |
| 3(b)                                   | benzyl benzoate ; Acetyl Propionyl ; Isovaleraldehyde ; butyric acid         | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10  |
| 3(c)                                   | DARK CHOCOLATE TYPE CC-16421 10% in DPG ; benzyl benzoate ; Isovaleraldehyde | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1  |
| 40.                                    | Acetyl Propionyl ; Isovaleraldehyde  | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

###### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

###### REACH Candidate List (SVHC)

Contains no REACH candidate substance

###### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

###### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

###### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

###### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

###### Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

###### Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

### Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment  
SZW-lijst van kankerverwekkende stoffen : None of the components are listed  
SZW-lijst van mutagene stoffen : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed  
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

### Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed  
Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.  
Other information : None.

| Full text of H- and EUH-phrases: |  |
|----------------------------------|--|
| Acute Tox. 3 (Dermal)            | Acute toxicity (dermal), Category 3                              |
| Acute Tox. 3 (Inhalation)        | Acute toxicity (inhalation) Category 3                           |
| Acute Tox. 3 (Oral)              | Acute toxicity (oral) Category 3                                 |
| Acute Tox. 4 (Oral)              | Acute toxicity (oral) Category 4                                 |
| Aquatic Acute 1                  | Hazardous to the aquatic environment – Acute Hazard Category 1   |
| Aquatic Chronic 2                | Hazardous to the aquatic environment – Chronic Hazard Category 2 |
| EUH208                           | Contains COUMARIN. May produce an allergic reaction.             |
| Eye Dam. 1                       | Serious eye damage/eye irritation Category 1                     |
| Eye Irrit. 2                     | Serious eye damage/eye irritation, Category 2                    |
| Flam. Liq. 2                     | Flammable liquids Category 2                                     |
| H225                             | Highly flammable liquid and vapor.                               |
| H301                             | Toxic if swallowed.  |
| H302                             | Harmful if swallowed.  |
| H311                             | Toxic in contact with skin.                                      |
| H314                             | Causes severe skin burns and eye damage.                         |
| H317                             | May cause an allergic skin reaction.                             |
| H318                             | Causes serious eye damage.                                       |
| H319                             | Causes serious eye irritation.                                   |
| H331                             | Toxic if inhaled.  |
| H335                             | May cause respiratory irritation.                                |

# DARK CHOCOLATE TYPE CC-16421 10% in DPG

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Full text of H- and EUH-phrases: |  |
|----------------------------------|--|
| H373                             | May cause damage to organs through prolonged or repeated exposure.                         |
| H400                             | Very toxic to aquatic life.  |
| H411                             | Toxic to aquatic life with long lasting effects.   |
| H412                             | Harmful to aquatic life with long lasting effects.   |
| Skin Corr. 1B                    | Skin corrosion/irritation, Category 1, Sub-Category 1B                                     |
| Skin Sens. 1                     | Skin sensitization, Category 1   |
| Skin Sens. 1B                    | Skin sensitization, Category 1B  |
| STOT RE 2                        | Specific target organ toxicity – Repeated exposure, Category 2                             |
| STOT SE 3                        | Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.