Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Issue date: 9/25/2024 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: VANILLA BEAN CC-16439 10% in DPG Product name

Product code : CC-16439_10% Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: benzyl alcohol; Heliotropine

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.

Precautionary statements (CLP)

H412 - Harmful to aquatic life with long lasting effects.

: P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.
P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	3.28 – 6.56	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.53 – 1.05	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	0.5 – 1	Eye Irrit. 2, H319
Heliotropine	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.06 – 0.125	Skin Sens. 1B, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.03 – 0.05	Not classified
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.01 – 0.02	Acute Tox. 4 (Oral), H302
butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0.01 – 0.01	Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

9/25/2024 (Issue date) EN (English US) 3/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.Strong bases. Strong acids.

Incompatible products Incompatible materials

: Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510)

: LGK 12 - Non-combustible liquids

Joint storage table

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	40 mg/m ³
Finland - Occupational Exposure Limits	
HTP (OEL TWA)	45 mg/m³
	10 ppm
Germany - Occupational Exposure Limits (TRGS 90	0)
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	skin notation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl alcohol (100-51-6)			
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		
OEL chemical category	skin notation		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	240 mg/m³		
Slovenia - Occupational Exposure Limits			
OEL TWA	22 mg/m³		
	5 ppm		
OEL STEL	44 mg/m³		
	10 ppm		
OEL chemical category	Potential for cutaneous absorption		
Switzerland - Occupational Exposure Limits			
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)		
	5 ppm (aerosol, vapour)		
OEL chemical category	skin notation		
Ethyl acetoacetate (141-97-9)			
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m³		
	19 ppm		
OEL STEL	200 mg/m³		
	38 ppm		
benzaldehyde (100-52-7)			
Bulgaria - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	4.4 mg/m³		
	1 ppm		
HTP (OEL C)	17.4 mg/m³		
	4 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	5 mg/m³		
CK (OEL STEL)	10 mg/m³		
Latvia - Occupational Exposure Limits			
OEL TWA	5 mg/m³		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzaldehyde (100-52-7)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
butyric acid (107-92-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	15 mg/m³	
	4 ppm	
OEL STEL	30 mg/m³	
	8 ppm	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.

Odor characteristic. Odor threshold Not available Melting point Not available Freezing point : Not available **Boiling point** : Not available Flammability : Non flammable. Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available Density : Not available : Not available Relative density Relative vapor density at 20°C : Not available

9.2. Other information

Particle characteristics

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

Additional information

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified
benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1570 mg/kg
Ethyl vanillin (121-32-4)	
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)
LD50 oral	3000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Heliotropine (120-57-0)	
LD50 oral rat	2700 mg/kg (Source: NLM_CIP)
LD50 oral	2700 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
butyric acid (107-92-6)	
LD50 oral rat	2 g/kg (Source: NLM_CIP)
LD50 oral	1630 mg/kg body weight
LD50 dermal rabbit	530 mg/kg (Source: NLM_HSDB)
Skin corrosion/irritation	: Not classified

9/25/2024 (Issue date) EN (English US) 8/14

: Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitization : May cause an allergic skin reaction.

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

benzyl benzoate (120-51-4)		
Viscosity, kinematic	7.456 mm²/s	
Heliotropine (120-57-0)		
Viscosity, kinematic	Not applicable	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Harmful to aquatic life with long lasting effects.

benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Heliotropine (120-57-0)	
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static] Source: ECHA)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

butyric acid (107-92-6) EC50 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable	Ethyl acetoacetate (141-97-9)	
ECS0 - Crustacea [1] 646 mg/l (Exposure time: 48 h - Species: Daphnia magna) ECS0 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) benzaldehyde (100-52-7) LC50 - Fish [1] 10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA) LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLII butyric acid (107-92-6) ECS0 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential	LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
ECS0 72h - Algae [1] > 500 mg/l (Species: Desmodesmus subspicatus) benzaldehyde (100-52-7) LC50 - Fish [1] 10.6 - 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA) LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLIE butyric acid (107-92-6) ECS0 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Ethyl vanillin (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetae (141-97-9) Persistence and degradability Rapidly degradable Ethyl acetoacetae (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable VANILLA BEAN CC-16439 10% in DPG	LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
benzaldehyde (100-52-7) LC50 - Fish [1]	EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [1]	EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)
Source: EPA) LC50 - Fish [2] 12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLIII butyric acid (107-92-6) EC50 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential	benzaldehyde (100-52-7)	
butyric acid (107-92-6) EC50 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable	LC50 - Fish [1]	
EC50 72h - Algae [1] 46.7 mg/l (Species: Desmodesmus subspicatus) 12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
12.2. Persistence and degradability VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	butyric acid (107-92-6)	
VANILLA BEAN CC-16439 10% in DPG Persistence and degradability Not established. benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)
Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable benzaldehyde (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	12.2. Persistence and degradability	
benzyl benzoate (120-51-4) Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	VANILLA BEAN CC-16439 10% in DPG	
Persistence and degradability May cause long-term adverse effects in the environment. benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Persistence and degradability	Not established.
benzyl alcohol (100-51-6) Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential	benzyl benzoate (120-51-4)	
Persistence and degradability Rapidly degradable Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential	Persistence and degradability	May cause long-term adverse effects in the environment.
Ethyl vanillin (121-32-4) Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential	benzyl alcohol (100-51-6)	
Persistence and degradability Rapidly degradable Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Persistence and degradability	Rapidly degradable
Heliotropine (120-57-0) Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Ethyl vanillin (121-32-4)	
Persistence and degradability Rapidly degradable Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Persistence and degradability	Rapidly degradable
Ethyl acetoacetate (141-97-9) Persistence and degradability Rapidly degradable benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Heliotropine (120-57-0)	
Persistence and degradability Rapidly degradable	Persistence and degradability	Rapidly degradable
benzaldehyde (100-52-7) Persistence and degradability Rapidly degradable butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Ethyl acetoacetate (141-97-9)	
Persistence and degradability Rapidly degradable	Persistence and degradability	Rapidly degradable
butyric acid (107-92-6) Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	benzaldehyde (100-52-7)	
Persistence and degradability Rapidly degradable 12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential VANILLA BEAN CC-16439 10% in DPG	butyric acid (107-92-6)	
VANILLA BEAN CC-16439 10% in DPG	Persistence and degradability	Rapidly degradable
	12.3. Bioaccumulative potential	
Pica commutative national	VANILLA BEAN CC-16439 10% in DPG	
Dioaccumulative potential Not established.	Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)	Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential Not established.	Bioaccumulative potential	Not established.
benzyl alcohol (100-51-6)	benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow) 1.05	Partition coefficient n-octanol/water (Log Pow)	1.05

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethyl vanillin (121-32-4)	
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)
Heliotropine (120-57-0)	
Partition coefficient n-octanol/water (Log Pow)	1.2 (at 35 °C)
Ethyl acetoacetate (141-97-9)	
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)
benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
butyric acid (107-92-6)	
Partition coefficient n-octanol/water (Log Pow)	1.1 (at 25 °C (at pH 3)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP code

- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.4. Packing group					
Not applicable Not applicable Not applicable Not applicable Not applicable					
14.5. Environmental hazards					
Not applicable Not applicable Not applicable Not applicable Not applicable					
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(b)	VANILLA BEAN CC- 16439 10% in DPG; benzyl benzoate; benzyl alcohol; benzaldehyde; butyric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	VANILLA BEAN CC- 16439 10% in DPG ; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.		Category, Subcategory	Threshold	Annex
Piperonal		120-57-0	2932 93 00	Category 1		Annex I

15.1.2. National regulations

France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV)

: Is not subject to the Hazardous Incident Ordinance (12. $\mbox{BImSchV})$

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

: None of the components are listed

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

Denmark

Classification remarks
Danish National Regulations

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

9/25/2024 (Issue date) EN (English US) 13/14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:			
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H400	Very toxic to aquatic life.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
Skin Sens. 1	Skin sensitization, Category 1		
Skin Sens. 1B	Skin sensitization, Category 1B		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.