Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 9/25/2024 Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : VANILLA BEAN CC-16439 5% in DPG

Product code : CC-16439_5%
Type of product : Perfumes, Fragrances

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH208 - Contains benzyl alcohol. May produce an allergic reaction.

2.3. Other hazards

EUH phrases

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.64 – 3.28	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.265 – 0.525	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.015 – 0.025	Not classified
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	0.005 – 0.01	Acute Tox. 4 (Oral), H302
butyric acid substance with national workplace exposure limit(s) (BG, LT, LV, RO)	CAS-No.: 107-92-6 EC-No.: 203-532-3 EC Index-No.: 607-135-00-X	0.005 – 0.005	Skin Corr. 1B, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapor.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

9/25/2024 (Issue date) EN (English US) 3/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Joint storage table LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 1 LGK 4.1B LGK 4.2 LGK 4.3 LGK 5.1A LGK 5.1B LGK 5.1C LGK 6.1A LGK 6.1B LGK 5.2 LGK 6.1C LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 11 LGK 12 LGK 10 **LGK 13** LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	skin notation	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
	5 ppm	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Af mg/m³ 10 ppm	benzyl alcohol (100-51-6)		
Potential for outaneous absorption	OEL STEL	44 mg/m³	
Switzerland - Occupational Exposure Limits 22 mg/m² (aerosol, vapour) OEL chemical category skin notation Ethyl acetoacetate (141-97-9) Romania - Occupational Exposure Limits OEL TWA 100 mg/m² 19 ppm 0 Denzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ A ppm Hungary - Occupational Exposure Limits OCK (OEL STEL) 10 mg/m³ Lativia - Occupational Exposure Limits Poland - Occupational Exposure Limits OEL TWA) 5 mg/m³ Dolard - Occupational Exposure Limits OEL TWA) 10 mg/m³ Dolard - Occupational Exposure Limits OEL TWA 10 mg/m³ Dolard - Occupational Exposure Limi		10 ppm	
MAK (OEL TWA) 22 mg/m² (serosol, vapour) 5 ppm 5 p	OEL chemical category	Potential for cutaneous absorption	
S ppm (aerosel, vapour) Sethyl acetoacetate (141-97-9) Romania - Occupational Exposure Limits	Switzerland - Occupational Exposure Limits		
Ethyl acetoacetate (141-97-9) Romania - Occupational Exposure Limits OEL TWA 100 mg/m² 19 ppm OEL STEL 200 mg/m² 38 ppm benzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m² Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 7.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m² NDS (OEL TWA) 10 mg/m² NDS (OEL TWA) 10 mg/m² Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m² Cel TWA 10 mg/m² Latvia - Occupational Exposure Limits OEL TWA 10 mg/m² Latvia - Occupational Exposure Limits OEL TWA 10 mg/m²	MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
Ethyl acetoacetate (141-97-9) Romania - Occupational Exposure Limits		5 ppm (aerosol, vapour)	
No mania - Occupational Exposure Limits 100 mg/m³ 19 ppm 100 mg/m³ 19 ppm 100 mg/m³ 19 ppm 100 mg/m³ 100 mg	OEL chemical category	skin notation	
OEL TWA 100 mg/m³ 19 ppm 200 mg/m³ 38 ppm 38 ppm benzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm 1 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDS (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA	Ethyl acetoacetate (141-97-9)		
19 ppm	Romania - Occupational Exposure Limits		
Debug 200 mg/m³ 38 ppm	OEL TWA	100 mg/m³	
Denzaldehyde (100-52-7) Bulgaria - Occupational Exposure Limits OEL TWA		19 ppm	
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits NDS (OEL TWA) 5 mg/m³ Double TWA 10 mg/m³ Lithuania - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ Double TWA 10 mg/m³ Lithuania - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ Double TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits	OEL STEL	200 mg/m³	
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		38 ppm	
OEL TWA 5 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm 1 ppm HTP (OEL C) 17.4 mg/m³ 4 ppm 4 ppm Hungary - Occupational Exposure Limits K (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDS (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits OEL TWA	benzaldehyde (100-52-7)		
Finland - Occupational Exposure Limits HTP (OEL TWA) 4.4 mg/m³ 1 ppm HTP (OEL C) 47.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits Finland - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits		
HTP (OEL TWA)	OEL TWA	5 mg/m³	
1 ppm	Finland - Occupational Exposure Limits		
HTP (OEL C) 17.4 mg/m³ 4 ppm Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	HTP (OEL TWA)	4.4 mg/m³	
Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		1 ppm	
Hungary - Occupational Exposure Limits AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	HTP (OEL C)	17.4 mg/m³	
AK (OEL TWA) 5 mg/m³ CK (OEL STEL) 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits		4 ppm	
CK (OEL STEL) Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Hungary - Occupational Exposure Limits		
Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	AK (OEL TWA)	5 mg/m³	
OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	CK (OEL STEL)	10 mg/m³	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³ Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	OEL TWA	5 mg/m³	
Poland - Occupational Exposure Limits NDS (OEL TWA) 10 mg/m³ NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Lithuania - Occupational Exposure Limits		
NDS (OEL TWA) NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	IPRV (OEL TWA)	5 mg/m³	
NDSCh (OEL STEL) 40 mg/m³ butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits 10 mg/m³ OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
butyric acid (107-92-6) Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	NDS (OEL TWA)	10 mg/m³	
Bulgaria - Occupational Exposure Limits OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	NDSCh (OEL STEL)	40 mg/m³	
OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	butyric acid (107-92-6)		
Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits		
OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits	OEL TWA	10 mg/m³	
Lithuania - Occupational Exposure Limits	Latvia - Occupational Exposure Limits		
	OEL TWA	10 mg/m³	
IPRV (OEL TWA) 10 mg/m³	Lithuania - Occupational Exposure Limits		
	IPRV (OEL TWA)	10 mg/m³	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

butyric acid (107-92-6)	
Romania - Occupational Exposure Limits	
OEL TWA 15 mg/m³	
	4 ppm
OEL STEL	30 mg/m³
	8 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Conforms to standard.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odor : characteristic. Odor threshold : Not available Melting point : Not available : Not available Freezing point Boiling point Not available Flammability Non flammable. Lower explosion limit Not available Upper explosion limit : Not available : > 93 °C Flash point Auto-ignition temperature : Not available : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic Solubility Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available Density : Not available Relative density : Not available : Not available Relative vapor density at 20°C Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl benzoate (120-51-4)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 oral	1160 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1570 mg/kg
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
butyric acid (107-92-6)	
LD50 oral rat	2 g/kg (Source: NLM_CIP)
LD50 oral	1630 mg/kg body weight
LD50 dermal rabbit	530 mg/kg (Source: NLM_HSDB)
Skin corrosion/irritation Additional information Serious eye damage/irritation Additional information Respiratory or skin sensitization Additional information Germ cell mutagenicity Additional information Carcinogenicity Additional information Reproductive toxicity Additional information STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard Additional information	 Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

9/25/2024 (Issue date) EN (English US) 8/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(0.11.01.110)		
benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
butyric acid (107-92-6)		
EC50 72h - Algae [1]	46.7 mg/l (Species: Desmodesmus subspicatus)	

12.2. Persistence and degradability

VANILLA BEAN CC-16439 5% in DPG			
Persistence and degradability	Not established.		
benzyl benzoate (120-51-4)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
benzyl alcohol (100-51-6)			
Persistence and degradability	Rapidly degradable		
Ethyl acetoacetate (141-97-9)	Ethyl acetoacetate (141-97-9)		
Persistence and degradability	Rapidly degradable		
benzaldehyde (100-52-7)			
Persistence and degradability	Rapidly degradable		
butyric acid (107-92-6)			
Persistence and degradability	Rapidly degradable		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential

VANILLA BEAN CC-16439 5% in DPG		
Bioaccumulative potential	Not established.	
benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)	
Bioaccumulative potential	Not established.	
benzyl alcohol (100-51-6)		
Partition coefficient n-octanol/water (Log Pow)	1.05	
Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
benzaldehyde (100-52-7)		
BCF - Fish [1]	(no significant bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)	
butyric acid (107-92-6)		
Partition coefficient n-octanol/water (Log Pow)	1.1 (at 25 °C (at pH 3)	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations **Ecological information**

HP code

: Dispose in a safe manner in accordance with local/national regulations.

Avoid release to the environment.

: HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.3. Transport hazard o	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	benzyl benzoate ; benzyl alcohol ; benzaldehyde ; butyric acid	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	VANILLA BEAN CC- 16439 5% in DPG ; benzyl benzoate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Professional diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

the product

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

Classification remarks

Danish National Regulations

Denmark

SZW-lijst van reprotoxische stoffen – Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

: None of the components are listed

, '

: None of the components are listed

No chemical safety assessment has been carried out

15.2. Chemical safety assessment

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

: Emergency management guidelines for the storage of flammable liquids must be followed

: Pregnant/breastfeeding women working with the product must not be in direct contact with

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text o	f H- and	EUH-	ohrases:
-------------	----------	------	----------

Acute Tox. 4 (Inhalation) Acute toxicity (inhalation) Category 4

9/25/2024 (Issue date) EN (English US) 12/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
EUH208	Contains benzyl alcohol. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.