

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 6/12/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : DAV SOAP CC-16440 10% in DPG

Product code : CC-16440_10%
Type of product : Perfumes, Fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

Use of the substance/mixture : Perfumes, Fragrances
Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Candle Craft Weiherwiese 10 65510 Idstein - Germany T 49-6126-9363 -0

info@candlecraft.de - www.candlecraft.de

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitization, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Contains : Vertenex; Aldehyde C-12; Cinnamic alcohol; Cyclamal; COUMARIN; isoeugenol

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P273 - Avoid release to the environment.

 ${\tt P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.}$

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	1.82 – 3.638	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vertenex	CAS-No.: 32210-23-4 EC-No.: 250-954-9 REACH-no: 01-2119976286- 24	0.3 – 0.6	Skin Sens. 1B, H317
Diethyl phthalate (DEP) substance with national workplace exposure limit(s) (AT, BE, BG, DK, EE, ES, FI, FR, GB, GR, HR, IE, LT, LV, PL, PT, SE, NO, CH)	CAS-No.: 84-66-2 EC-No.: 201-550-6	0.3 – 0.59	Not classified
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, galaxolide, (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.3 – 0.59	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.29 – 0.58	Aquatic Chronic 3, H412
Aldehyde C-12	CAS-No.: 112-54-9 EC-No.: 203-983-6	0.21 – 0.42	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Cinnamic alcohol	CAS-No.: 104-54-1 EC-No.: 203-212-3 REACH-no: 01-2119934496- 29	0.08 – 0.15	Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.07 – 0.14	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.07 – 0.138	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.07 – 0.13	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
COUMARIN	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.05 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
isoeugenol	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630-	0.03 – 0.06	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1A, H317 Carc. 2, H351 STOT SE 3, H335
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630-	0.02 - 0.03	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Ethyl benzoate substance with national workplace exposure limit(s) (RO)	CAS-No.: 93-89-0 EC-No.: 202-284-3	0.01 – 0.01	Not classified
citral substance with national workplace exposure limit(s) (BE, ES, IE, PL, PT)	CAS-No.: 5392-40-5 EC-No.: 226-394-6 EC Index-No.: 605-019-00-3 REACH-no: 01-2119462829- 23	0.0007 – 0.0039	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Alcohol C-9 substance with national workplace exposure limit(s) (LT, LV, RO)	CAS-No.: 143-08-8 EC-No.: 205-583-7	0 – 0.002	Eye Irrit. 2, H319 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
	CAS-No.: 97-54-1 EC-No.: 202-590-7 EC Index-No.: 604-094-00-X; 202-590-1 REACH-no: 17-2119417630-	(0.01 ≤ C ≤ 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6/12/2024 (Issue date) EN (English US) 4/20

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

Germany

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table : ICK 1 ICK 2A IC

LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7

Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

6/12/2024 (Issue date) EN (English US) 5/20

Safety Data Sheet

Diethyl phthalate (DEP) (84-66-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	3 mg/m³ (Phthalic acid ester)	
MAK (OEL STEL)	5 mg/m³ (Phthalic acid ester)	
Belgium - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	5 mg/m³	
KGVI (OEL STEL)	10 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	3 mg/m³	
OEL STEL	6 mg/m³	
Estonia - Occupational Exposure Limits		
OEL TWA	3 mg/m³	
OEL STEL	5 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	5 mg/m³	
HTP (OEL STEL)	10 mg/m³	
France - Occupational Exposure Limits		
VME (OEL TWA)	5 mg/m³	
Greece - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL STEL	10 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL STEL	10 mg/m³	
Latvia - Occupational Exposure Limits		
OEL TWA	0.5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	3 mg/m³	
TPRV (OEL STEL)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	3 mg/m³ (inhalable fraction)	
Portugal - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 mg/m³	

Safety Data Sheet

Diethyl phthalate (DEP) (84-66-2)		
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	3 mg/m³ (same limit value expressed in mg/m³ shall also be applied for those phthalates for which no limit values have been defined)	
KGV (OEL STEL)	5 mg/m³ (same limit value expressed in mg/m³ shall also be applied for those phthalates for which no limit values have been defined)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	3 mg/m³	
Korttidsverdi (OEL STEL)	6 mg/m³ (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (inhalable dust)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 mg/m³	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	
OEL STEL	80 mg/m³	
	I .	

Safety Data Sheet

Benzyl acetate (140-11-4)		
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
citral (5392-40-5)		
Belgium - Occupational Exposure Limits		
OEL TWA	32 mg/m³ (vapor and aerosol)	
	5 ppm (vapor and aerosol)	
OEL chemical category	Skin	
Ireland - Occupational Exposure Limits		
OEL TWA	5 ppm	
OEL STEL	15 ppm (calculated)	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	27 mg/m³	
NDSCh (OEL STEL)	54 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	5 ppm (inhalable fraction; vapor)	
OEL chemical category	Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen, skin - potential for cutaneous exposure	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	5 ppm (inhalable fraction and vapor)	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)	
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer	
benzyl alcohol (100-51-6)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	40 mg/m³	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	45 mg/m³	
	10 ppm	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA)	22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category skin notation Latvia - Occupational Exposure Limits DEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits PPRY (OEL TWA) 5 mg/m³ Colspan="2">Co	benzyl alcohol (100-51-6)	
Latvia - Occupational Exposure Limits OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits Fmg/m³ DPRV (OEL TWA) 5 mg/m³ OEL chemical category skin notation Poland - Occupational Exposure Limits 240 mg/m³ Slovenia - Occupational Exposure Limits 22 mg/m³ OEL TWA 22 mg/m³ 5 ppm 44 mg/m³ 10 ppm 10 ppm OEL STEL 44 mg/m³ MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) Switzerland - Occupational Exposure Limits 22 mg/m³ (aerosol, vapour) Switzerland - Occupational Exposure Limits 22 mg/m³ (aerosol, vapour) OEL Chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL STEL 300 mg/m³ 33 ppm 33 ppm OEL TWA 10 mg/m³ Latvia - Occupational Exposure Limits 149 ppm DEL TWA 10 mg/m³ Romania - Occupational Exposure Limits 10 mg/m³ Polarizational Exposure Limits		'' '
OEL TWA 5 mg/m³ Lithuania - Occupational Exposure Limits 5 mg/m³ OEL chemical category skin notation Poland - Occupational Exposure Limits 240 mg/m³ NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits 22 mg/m³ OEL TWA 25 ppm OEL STEL 44 mg/m³ 10 ppm 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits MK (OEL TWA) 22 mg/m² (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) CEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits 200 mg/m³ 3 ppm OEL TWA 200 mg/m³ 49 ppm Alcohol C-9 (143-08-8) 24 ppm Alcohol C-9 (143-08-8) 24 ppm Latvia - Occupational Exposure Limits 10 mg/m³ 2 pm OEL TWA 10 mg/m³ 2 pm OEL TWA 10 mg/m³ 2 pm	Chemical category	skin notation
Lithuania - Occupational Exposure Limits 5 mg/m² OEL chemical category skin notation Poland - Occupational Exposure Limits 240 mg/m² NDS (OEL TWA) 240 mg/m² Stovenia - Occupational Exposure Limits 22 mg/m³ OEL TWA 22 mg/m³ 0EL TWA 44 mg/m³ 10 ppm 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits 22 mg/m² (aerosol, vapour) MAK (OEL TWA) 22 mg/m² (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) CEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 49 ppm 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits 0EL TWA 10 mg/m² Lithuania - Occupational Exposure Limits 10 mg/m² OEL TWA) 10 mg/m² Romania - Occupational Exposure Limits	Latvia - Occupational Exposure Limits	
PRV (OEL TWA) 5 mg/m³ OEL chemical category skin notation Potand - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ Stovenia - Occupational Exposure Limits OEL TWA 22 mg/m³ 5 ppm	OEL TWA	5 mg/m³
OEL chemical category skin notation Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits OEL TWA 22 mg/m³ 5 ppm 6 ppm OEL STEL 44 mg/m³ 10 ppm 0 OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (serosol, vapour) 5 ppm (serosol, vapour) 5 ppm (serosol, vapour) OEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL STEL 300 mg/m³ 33 ppm OEL STEL 300 mg/m³ Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits Polar mg/m³ Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits Polar mg/m³ Alcohol C-9 (143-08-8) <td< td=""><td>Lithuania - Occupational Exposure Limits</td><td></td></td<>	Lithuania - Occupational Exposure Limits	
Poland - Occupational Exposure Limits NDS (OEL TWA) 240 mg/m³ Stovenia - Occupational Exposure Limits 22 mg/m³ OEL TWA 22 mg/m³ OEL STEL 44 mg/m³ 10 ppm 00EL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) OEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm 33 ppm OEL STEL 300 mg/m³ 49 ppm 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits 10 mg/m³ DEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits 10 mg/m² PRV (OEL TWA) 10 mg/m² Romania - Occupational Exposure Limits 150 mg/m² OEL TWA 25 ppm	IPRV (OEL TWA)	5 mg/m³
NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits 22 mg/m³ OEL TWA 22 mg/m³ OEL STEL 44 mg/m³ 10 ppm 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits 22 mg/m³ (aerosol, vapour) OEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits 10 mg/m³ Clt TWA 10 mg/m³ Littuania - Occupational Exposure Limits PRV (OEL TWA) PRV (OEL TWA) 10 mg/m² Romania - Occupational Exposure Limits 150 mg/m² OEL TWA 150 mg/m² 25 ppm	OEL chemical category	skin notation
Slovenia - Occupational Exposure Limits 22 mg/m³ 5 ppm	Poland - Occupational Exposure Limits	
OEL TWA 22 mg/m³ 5 ppm 5 ppm OEL STEL 44 mg/m³ 10 ppm 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits 10 mg/m³ Romania - Occupational Exposure Limits 150 mg/m³ OEL TWA 150 mg/m³ 25 ppm 25 ppm	NDS (OEL TWA)	240 mg/m³
S ppm S ppm OEL STEL 44 mg/m³ 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits S ppm (aerosol, vapour) S ppm (aerosol, vap	Slovenia - Occupational Exposure Limits	
OEL STEL 44 mg/m³ 10 ppm 10 ppm OEL chemical category Potential for cutaneous absorption Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) OEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits 10 mg/m³ Romania - Occupational Exposure Limits 150 mg/m³ OEL TWA 150 mg/m³ 25 ppm	OEL TWA	22 mg/m³
To ppm To ppm Potential for cutaneous absorption Switzerland - Occupational Exposure Limits 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) 6 ppm (aerosol, vapour) 7 ppm (aerosol, v		5 ppm
OEL chemical category Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) 6 ppm (aerosol, vapour) Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA) 150 mg/m³ 25 ppm	OEL STEL	44 mg/m³
Switzerland - Occupational Exposure Limits MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) 5 ppm (aerosol, vapour) Sthyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 150 mg/m³ 25 ppm		10 ppm
MAK (OEL TWA) 22 mg/m³ (aerosol, vapour) 5 ppm (aerosol, vapour) OEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	OEL chemical category	Potential for cutaneous absorption
5 ppm (aerosol, vapour)	Switzerland - Occupational Exposure Limits	
CEL chemical category skin notation Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)
Ethyl benzoate (93-89-0) Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm		5 ppm (aerosol, vapour)
Romania - Occupational Exposure Limits OEL TWA 200 mg/m³ 33 ppm OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	OEL chemical category	skin notation
OEL TWA 200 mg/m³ 33 ppm 300 mg/m³ OEL STEL 300 mg/m³ 49 ppm 49 ppm Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits 10 mg/m³ Romania - Occupational Exposure Limits 150 mg/m³ OEL TWA 150 mg/m³ 25 ppm 25 ppm	Ethyl benzoate (93-89-0)	
33 ppm 33 ppm 300 mg/m³ 49 ppm	Romania - Occupational Exposure Limits	
OEL STEL 300 mg/m³ 49 ppm Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	OEL TWA	200 mg/m³
Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm		33 ppm
Alcohol C-9 (143-08-8) Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	OEL STEL	300 mg/m³
Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm		49 ppm
OEL TWA 10 mg/m³ Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	Alcohol C-9 (143-08-8)	
Lithuania - Occupational Exposure Limits IPRV (OEL TWA) Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	Latvia - Occupational Exposure Limits	
IPRV (OEL TWA) 10 mg/m³ Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	OEL TWA	10 mg/m³
Romania - Occupational Exposure Limits OEL TWA 150 mg/m³ 25 ppm	Lithuania - Occupational Exposure Limits	
OEL TWA 150 mg/m³ 25 ppm	IPRV (OEL TWA)	10 mg/m³
25 ppm	Romania - Occupational Exposure Limits	
	OEL TWA	150 mg/m³
OFL STEL 250 mg/m³		25 ppm
	OEL STEL	250 mg/m³
42 ppm		42 ppm

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber.
Odor : characteristic.
Odor threshold : Not available
Melting point : Not applicable
Freezing point : Not available
Boiling point : Not available
Flammability : Non flammable.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C : Not available Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapor pressure : Not available Vapor pressure at 50°C : Not available : Not available Density : Not available Relative density : Not available Relative vapor density at 20°C Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 oral	1160 mg/kg body weight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)

Safety Data Sheet

Vertenex (32210-23-4)		
LD50 oral rat	5 g/kg (Source: NLM_CIP)	
LD50 oral	3370 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Diethyl phthalate (DEP) (84-66-2)		
LD50 oral rat	8600 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 11200 mg/kg (Source: NLM_CIP)	
LC50 Inhalation - Rat	> 4.64 mg/l (Exposure time: 6 h Source: CHEMVIEW)	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)	
LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)	
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h	
Benzyl acetate (140-11-4)		
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)	
LD50 oral	2490 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)	
Aldehyde C-12 (112-54-9)		
LD50 oral rat	23 g/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
Cinnamic alcohol (104-54-1)		
LD50 oral	2000 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)	
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
LD50 oral	1000 mg/kg body weight	
LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
Amyl salicylate (2050-08-0)		
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)	
LD50 oral	2000 mg/kg body weight	
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)	
LD50 oral	3810 mg/kg body weight	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
citral (5392-40-5)		
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)	

Safety Data Sheet

COUMARIN (91-64-5)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
isoeugenol (97-54-1)	
LD50 oral rat	1560 mg/kg (Source: NLM_CIP)
LD50 oral	1500 mg/kg body weight
LD50 dermal	1912 mg/kg body weight
benzyl alcohol (100-51-6)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 oral	1570 mg/kg
Ethyl benzoate (93-89-0)	
LD50 oral rat	2100 mg/kg (Source: NLM_CIP)
Alcohol C-9 (143-08-8)	
LD50 oral rat	3560 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	2960 mg/kg (Source: NZ_CCID)
Additional information : Serious eye damage/irritation : Additional information : Respiratory or skin sensitization : Additional information : Germ cell mutagenicity : Additional information : Carcinogenicity :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May cause an allergic skin reaction. Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 3 - Not classifiable
	2D. Dessibly agraing agric to hymens
Additional information : STOT-single exposure :	2B - Possibly carcinogenic to humans Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met
STOT-single exposure	May cause respiratory irritation.
Additional information :	Not classified Based on available data, the classification criteria are not met Not classified
	Based on available data, the classification criteria are not met
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)	
benzyl benzoate (120-51-4)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
NOEC (chronic)	0.168 mg/l
Vertenex (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
Diethyl phthalate (DEP) (84-66-2)	
LC50 - Fish [1]	17 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
LC50 - Fish [2]	16.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	36 – 74 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	86 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h - Algae [1]	23 mg/l (Species: Desmodesmus subspicatus)
EC50 72h - Algae [2]	23 mg/l (Species: Desmodesmus subspicatus [static])
EC50 72h algae (3)	42 – 255 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 96h - Algae [1]	21 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [2]	21 mg/l (Species: Desmodesmus subspicatus [static])
EC50 96h algae (3)	2.11 – 4.29 mg/l (Species: Pseudokirchneriella subcapitata [static])
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
citral (5392-40-5)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 72h - Algae [1]	16 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	19 mg/l (Species: Desmodesmus subspicatus)

Safety Data Sheet

benzyl alcohol (100-51-6)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Ethyl benzoate (93-89-0)	
LC50 - Fish [1]	6.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
Alcohol C-9 (143-08-8)	
LC50 - Fish [1]	5.41 – 5.63 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)
12.2. Persistence and degradability	
DAV SOAP CC-16440 10% in DPG	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
Vertenex (32210-23-4)	
Persistence and degradability	Rapidly degradable
Diethyl phthalate (DEP) (84-66-2)	
Persistence and degradability	Rapidly degradable
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)
Persistence and degradability	Rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable
Aldehyde C-12 (112-54-9)	
Persistence and degradability	Rapidly degradable
Cinnamic alcohol (104-54-1)	
Persistence and degradability	Rapidly degradable
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
Persistence and degradability	Rapidly degradable
Amyl salicylate (2050-08-0)	
Persistence and degradability	Rapidly degradable
Cyclamal (103-95-7)	
Persistence and degradability	Rapidly degradable
citral (5392-40-5)	
Persistence and degradability	Rapidly degradable
COUMARIN (91-64-5)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

isoeugenol (97-54-1)	
Persistence and degradability	Rapidly degradable
benzyl alcohol (100-51-6)	
Persistence and degradability	Rapidly degradable
Ethyl benzoate (93-89-0)	
Persistence and degradability	Rapidly degradable
Alcohol C-9 (143-08-8)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
DAV SOAP CC-16440 10% in DPG	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
Vertenex (32210-23-4)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (at 25 °C)
Diethyl phthalate (DEP) (84-66-2)	
BCF - Fish [1]	(117 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 40 °C (at pH 7.5)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	ndeno[5,6-c]pyran, galaxolide, (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Aldehyde C-12 (112-54-9)	
Partition coefficient n-octanol/water (Log Pow)	4.9 (at 35 °C)
Cinnamic alcohol (104-54-1)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52)
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
citral (5392-40-5)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
•	·

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Ethyl benzoate (93-89-0)	
Partition coefficient n-octanol/water (Log Pow)	2.59 (at 22.8 °C (at pH 6-7)
Alcohol C-9 (143-08-8)	
Partition coefficient n-octanol/water (Log Pow)	4.1 (at 25 °C (at pH 43989)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological information

HP code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID n	14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shipping name					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	DAV SOAP CC-16440 10% in DPG; benzyl benzoate; Vertenex; Aldehyde C-12; Amyl salicylate; Cyclamal; citral; isoeugenol; benzyl alcohol; Alcohol C-9	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	DAV SOAP CC-16440 10% in DPG; benzyl benzoate; 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran, galaxolide, (HHCB); Benzyl acetate; Amyl salicylate; Cyclamal; Alcohol C-9	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances.

REACH Candidate List (SVHC)

Contains no REACH candidate substance

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : Non SZW-lijst van reprotoxische stoffen – Borstvoeding : Non

32 W-iijst van reprotoxische stonen – Borstvoedi

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-phrases:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-phrases:		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard Category 3	
Carc. 2	Carcinogenicity Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization, Category 1	
Skin Sens. 1A	Skin sensitization, Category 1A	
Skin Sens. 1B	Skin sensitization, Category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.